

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-07	o_B15_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	9,0	Ok					
	BC_B-07	o_B15_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	9,8	Ok					
	BC_B-07	o_B15_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,8	Ok					
	BC_B-07	o_B15_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	8,0	Ok					
	BC_B-07	o_B15_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok					
	BC_B-07	o_B15_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok					
	BC_B-07	o_B15_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok					
	BC_B-07	o_B15_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok					
	BC_B-07	o_B15_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok					
	BC_B-07	o_B15_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok					
	BC_B-07	o_B15_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	9,8	Ok					
	BC_B-07	o_B15_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok					
	BC_B-07	o_B15_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok					
	BC_B-07	o_B15_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	10,5	Ok					
	BC_B-07	o_B15_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,4	Ok					
	BC_B-07	o_B15_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	10,2	Ok					
	BC_B-07	o_B15_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	11,1	Ok					
	BC_B-07	o_B15_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,8	Ok					
	BC_B-07	o_B15_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	7,5	Ok					
	BC_B-07	o_B15_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,0	Ok					
	BC_B-07	o_B15_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok					
	BC_B-07	o_B15_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok					
	BC_B-07	o_B15_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok					
	BC_B-07	o_B15_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok					
	BC_B-07	o_B15_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok					
	BC_B-07	o_B15_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	9,5	Ok					
	BC_B-07	o_B15_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok					
	BC_B-07	o_B25_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok					
	BC_B-07	o_B25_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-07	o_B25_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok					
	BC_B-07	o_B25_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_B-07	o_B25_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok					
	BC_B-07	o_B25_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok					
	BC_B-07	o_B25_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok					
	BC_B-07	o_B25_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok					
	BC_B-07	o_B25_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_B-07	o_B25_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok					
	BC_B-07	o_B25_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok					
	BC_B-07	o_B25_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok					
	BC_B-07	o_B25_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok					
	BC_B-07	o_B25_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok					
	BC_B-07	o_B25_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,3	Ok					
	BC_B-07	o_B25_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok					
	BC_B-07	o_B25_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok					
	BC_B-07	o_B25_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok					
	BC_B-07	o_B25_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					
	BC_B-07	o_B25_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok					
	BC_B-07	o_B25_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok					
	BC_B-07	o_B25_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					
	BC_B-07	o_B25_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok					
	BC_B-07	o_B25_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok					
	BC_B-07	o_B25_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					
	BC_B-07	o_B25_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok					
	BC_B-07	o_B25_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,5	Ok					
	BC_B-07	o_B25_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok					
	BC_B-07	o_B25_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok					
	BC_B-07	o_B25_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok					
	BC_B-07	o_B25_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok					
	BC_B-07	o_B25_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,4	Ok					
	BC_B-07	o_B25_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok					
	BC_B-07	o_B25_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-07	o_B25_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok					
	BC_B-07	o_B25_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok					
	BC_B-07	o_B22_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok					
	BC_B-07	o_B22_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok					
	BC_B-07	o_B22_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,9	Ok					
	BC_B-07	o_B22_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok					
	BC_B-07	o_B22_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok					
	BC_B-07	o_B22_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,5	Ok					
	BC_B-07	o_B22_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok					
	BC_B-07	o_B22_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok					
	BC_B-07	o_B22_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,6	Ok					
	BC_B-07	o_B22_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok					
	BC_B-07	o_B22_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok					
	BC_B-07	o_B22_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,0	Ok					
	BC_B-07	o_B22_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
	BC_B-07	o_B22_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok					
	BC_B-07	o_B22_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok					
	BC_B-07	o_B22_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_B-07	o_B22_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok					
	BC_B-07	o_B22_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok					
	BC_B-07	o_B22_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_B-07	o_B22_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_B-07	o_B22_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_B-07	o_B22_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_B-07	o_B22_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_B-07	o_B22_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_B-07	o_B22_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_B-07	o_B22_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_B-07	o_B22_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_B-07	o_B22_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_B-07	o_B22_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_B-07	o_B22_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_B-07	o_B22_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-07	o_B22_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_B-07	o_B22_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_B-07	o_B22_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_B-07	o_B22_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_B-07	o_B22_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok					
	BC_B-07	o_B22_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_B-07	o_B22_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_B-07	o_B22_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok					
	BC_B-07	o_B22_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_B-07	o_B22_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_B-07	o_B22_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok					
	BC_B-07	o_B22_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_B-07	o_B22_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_B-07	o_B22_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok					

Behoort tot het bouwarchief

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	2,42	,97	1,58	,00	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	2,42	,97	1,58	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	2,41	,94	1,60	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	2,41	,97	1,60	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	5,01	,90	2,12	,00	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok B_0001.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok B_0002.jpg



BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_B-08		o_B13_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,8	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,2	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	12,1	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,0	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,0	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,0	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,0	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,8	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	12,3	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,0	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,4	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,5	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,3	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,1	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,6	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,9	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
BC_B-08		o_B13_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,6	Ok	920,5	1,08	9,28	2,15	49,7

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-08	o_B13_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,9	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,4	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,5	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,5	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,4	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	14,1	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	14,1	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,4	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,4	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,5	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-08	o_B13_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,9	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,9	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,1	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,5	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B13_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,8	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,6	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,5	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	12,1	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,3	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,9	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,9	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,8	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,8	Ok	920,5	1,08	9,28	2,15	49,7
	BC_B-08	o_B14_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,4	Ok	920,5	1,08	9,28	2,15	49,7

Behoort tot het bouwarchief

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	2,42	,97	1,58	,00	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	2,42	,97	1,58	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	2,41	,94	1,60	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	2,41	,97	1,60	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	5,01	,90	2,12	,00	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

2020-157_mpi_20220902_ber_Brandoverslag blok B_0003.jpg



BRANDSCENARIO'S															Beoordeling				
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2						Tf	R	Deff	Hn	Opp
	BC_B-09	o_B16_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,7	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,2	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,7	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,2	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,5	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,4	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok		841,0	0,62	11,85	0,87				50,7
	BC_B-09	o_B16_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,5	Ok		841,0	0,62	11,85	0,87				50,7

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-09	o_B16_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,4	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,7	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,2	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,7	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,2	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,8	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,1	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,0	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,4	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,0	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,5	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,0	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,5	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,0	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,4	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,8	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,1	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,5	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,2	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	841,0	0,62	11,85	0,87	50,7

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-09	o_B16_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,9	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	841,0	0,62	11,85	0,87	50,7
	BC_B-09	o_B16_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	841,0	0,62	11,85	0,87	50,7

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	4,01	,94	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	4,01	,97	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	5,01	,90	2,12	,00	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

Behoort tot het bouwarchief

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

2020-157_mpi_20220902_ber_Brandoverslag blok B_0004.jpg



3D rendering of a building facade showing various window and door units. The units are labeled with codes such as g2_3, g1_3, g0_15, g2_49, g1_9, g0_11, g2_62, g1_76, g0_3, g0_7, g0_21, g1_60, g1_54, g1_11, g2_49, g3_77, g3_78, g3_79, g3_80, g3_81, g3_82, g3_83, g3_84, g3_85, g3_86, g3_87, g3_88, g3_89, g3_90, g3_91, g3_92, g3_93, g3_94, g3_95, g3_96, g3_97, g3_98, g3_99, g3_100. The facade is composed of grey panels, and the units are shown in white and red. A red watermark "Behoort tot het bouwarchief" is visible in the upper right corner.

BRANDSCENARIO'S															Beoordeling				
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2						Tf	R	Deff	Hn	Opp
BC_B-13		o_B23_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,0	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,9	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,6	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,4	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,1	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,8	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					1032,9	0,55	10,26	5,73	40,7
BC_B-13		o_B23_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok					1032,9	0,55	10,26	5,73	40,7

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-13	o_B23_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,1	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,4	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1032,9	0,55	10,26	5,73	40,7

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-13	o_B23_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,6	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,9	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	1032,9	0,55	10,26	5,73	40,7
	BC_B-13	o_B23_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,0	Ok	1032,9	0,55	10,26	5,73	40,7

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	4,01	,94	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	4,01	,97	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	5,01	,90	2,12	,00	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

2020-157_mpi_20220902_ber_Brandoverslag blok B 0006.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															Opp
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	
BC_B-14		o_B24_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
BC_B-14		o_B24_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-14	o_B24_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	967,1	0,79	8,93	5,71	47,0

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-14	o_B24_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-14	o_B24_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	967,1	0,79	8,93	5,71	47,0
	BC_B-14	o_B24_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	967,1	0,79	8,93	5,71	47,0

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	4,01	,94	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	4,01	,97	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	5,01	,90	2,12	,00	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

2020-157_mpi_20220902_ber_Brandoverslag blok B_0007.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok B_0008.jpg



BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-15	o_B25_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,6	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,3	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,3	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,4	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-15	o_B25_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,8	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,7	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,8	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,7	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	867,6	0,32	18,41	5,73	43,2

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-15	o_B25_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,4	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,3	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,3	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok	867,6	0,32	18,41	5,73	43,2
	BC_B-15	o_B25_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,6	Ok	867,6	0,32	18,41	5,73	43,2

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	4,01	,94	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	4,01	,97	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	7,03	,54	,00	1,96	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	7,03	,54	,00	1,96	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	7,12	,90	,00	2,12	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

2020-157_mpi_20220902_ber_Brandoverslag blok B_0009.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok B_0010.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-16	o_B26_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,3	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,2	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,8	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,9	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,8	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,8	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,9	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,8	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	1041,9	0,64	9,45	5,73	45,3

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-16	o_B26_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,3	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,2	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,4	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,7	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,2	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,0	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-16	o_B26_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3
	BC_B-16	o_B26_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	1041,9	0,64	9,45	5,73	45,3

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	4,01	,94	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	4,01	,97	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	7,03	,54	,00	1,96	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	7,03	,54	,00	1,96	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	7,12	,90	,00	2,12	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok B_0011.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok B_0012.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-21	o_B31_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,1	Ok	1052,4	0,79	9,00	8,70	67,0

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-21	o_B31_14	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_14	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,0	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,9	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,9	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	14,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,0	Ok	1052,4	0,79	9,00	8,70	67,0

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-21	o_B31_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	12,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,9	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,9	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	12,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	1052,4	0,79	9,00	8,70	67,0

Behoort tot het bouwarchief

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_B-21	o_B31_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,0	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,5	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	14,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,0	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,4	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,2	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,9	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,1	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	13,6	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,8	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,9	Ok	1052,4	0,79	9,00	8,70	67,0
	BC_B-21	o_B31_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,2	Ok	1052,4	0,79	9,00	8,70	67,0

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fiets	4,56	Ja	0,00	brandruimte	60	0,38		g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12
BC_B-07_bg1	4,56	Ja	0,00	brandruimte	60	0,38	BC_B-07	g0_30 g0_31 g0_32 g0_33 g0_34 g0_35
BC_B-07_bg2	2,62	Ja	1,94	brandruimte	60	0,38	BC_B-07	g00_11 g00_12 g00_9 g00_10
BC_B-07_verd	2,62	Ja	4,94	brandruimte	60	0,38	BC_B-07	g1_62 g1_55 g1_56 g1_57 g1_58 g1_59 g1_60 g1_61
BC_B-08	4,56	Ja	0,00	brandruimte	60	0,38		g0_1 g0_2 g0_3 g0_4
BC_B-09	4,56	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_B-13	2,62	Ja	4,94	brandruimte	60	0,38		g1_44 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40 g1_41 g1_42 g1_43
BC_B-14	2,62	Ja	4,94	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_31 g1_32
BC_B-15	2,62	Ja	4,94	brandruimte	60	0,38		g1_17 g1_18 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16
BC_B-16	2,62	Ja	4,94	brandruimte	60	0,38		g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8
BC_B-21	2,62	Ja	7,94	brandruimte	60	0,38		g2_68 g2_57 g2_58 g2_59 g2_60 g2_61 g2_62 g2_63 g2_64 g2_65 g2_66 g2_67
BC_B-22	2,62	Ja	7,94	brandruimte	60	0,38		g2_48 g2_35 g2_36 g2_37 g2_38 g2_39 g2_40 g2_41 g2_42 g2_43 g2_44 g2_45 g2_46 g2_47
BC_B-23	2,62	Ja	7,94	brandruimte	60	0,38		g2_34 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30 g2_31 g2_32 g2_33
BC_B-24	2,62	Ja	7,94	brandruimte	60	0,38		g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22
BC_B-25	2,62	Ja	7,94	brandruimte	60	0,38		g2_55 g2_56 g2_49 g2_50 g2_51 g2_52 g2_53 g2_54
BC_B-26	2,62	Ja	7,94	brandruimte	60	0,38		g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8
BC_B-31	2,62	Ja	10,94	brandruimte	60	0,38		g3_68 g3_57 g3_58 g3_59 g3_60 g3_61 g3_62 g3_63 g3_64 g3_65 g3_66 g3_67
BC_B-32	2,62	Ja	10,94	brandruimte	60	0,38		g3_48 g3_35 g3_36 g3_37 g3_38 g3_39 g3_40 g3_41 g3_42 g3_43 g3_44 g3_45 g3_46 g3_47
BC_B-33	2,62	Ja	10,94	brandruimte	60	0,38		g3_34 g3_23 g3_24 g3_25 g3_26 g3_27 g3_28 g3_29 g3_30 g3_31 g3_32 g3_33
BC_B-34	2,62	Ja	10,94	brandruimte	60	0,38		g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18 g3_19 g3_20 g3_21 g3_22

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	,00	13,38	,00	2,56	4,94	90,00	,00	,000
g0_2	,00	2,56	4,58	2,56	4,94	90,00	,00	,000
g0_3	4,58	2,56	4,61	13,38	4,94	90,00	,00	,000
g0_4	4,61	13,38	,00	13,38	4,94	90,00	,00	,000
g0_5	9,73	2,94	14,54	2,94	4,94	90,00	,00	,000
g0_6	14,54	2,94	14,54	9,76	4,94	90,00	,00	,000
g0_7	14,54	9,76	12,84	9,76	4,94	90,00	,00	,000
g0_8	12,84	9,76	12,84	10,26	4,94	90,00	,00	,000
g0_9	12,84	10,26	14,54	10,26	4,94	90,00	,00	,000
g0_10	14,54	10,26	14,54	13,38	4,94	90,00	,00	,000
g0_11	14,54	13,38	9,73	13,38	4,94	90,00	,00	,000
g0_12	9,73	13,38	9,73	2,94	4,94	90,00	,00	,000
g0_13	14,79	2,94	19,73	2,94	4,94	90,00	,00	,000
g0_14	19,73	2,94	19,73	13,34	4,94	90,00	,00	,000
g0_15	19,73	13,34	14,79	13,34	4,94	90,00	,00	,000
g0_16	14,79	13,34	14,79	8,61	4,94	90,00	,00	,000
g0_17	14,79	8,61	15,95	8,61	4,94	90,00	,00	,000
g0_18	15,95	8,61	15,95	7,91	4,94	90,00	,00	,000
g0_19	15,95	7,91	14,79	7,91	4,94	90,00	,00	,000
g0_20	14,79	7,91	14,79	2,94	4,94	90,00	,00	,000
g0_21	9,34	13,38	4,99	13,38	4,94	90,00	,00	,000
g0_22	9,34	,00	9,34	13,38	4,94	90,00	,00	,000
g0_23	1,54	,00	9,34	,00	4,94	90,00	,00	,000
g0_24	1,54	,39	1,54	,00	4,94	90,00	,00	,000
g0_25	,69	1,23	1,54	,39	4,94	90,00	,00	,000
g0_26	,07	1,23	,69	1,23	4,94	90,00	,00	,000
g0_27	,07	2,35	,07	1,23	4,94	90,00	,00	,000
g0_28	4,99	2,35	,07	2,35	4,94	90,00	,00	,000
g0_29	4,99	13,38	4,99	2,35	4,94	90,00	,00	,000
g0_30	,00	17,58	,00	13,63	4,94	90,00	,00	,000
g0_31	,00	13,63	4,82	13,63	4,94	90,00	,00	,000
g0_32	4,82	13,63	4,82	14,79	4,94	90,00	,00	,000
g0_33	4,82	14,79	5,51	14,79	4,94	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	5,51	14,79	5,51	17,58	4,94	90,00	,00	,000
g0_35	5,51	17,58	,00	17,58	4,94	90,00	,00	,000
g0_36	,00	17,83	5,51	17,83	4,94	90,00	,00	,000
g0_37	5,51	17,83	5,51	20,88	4,94	90,00	,00	,000
g0_38	5,51	20,88	4,82	20,88	4,94	90,00	,00	,000
g0_39	4,82	20,88	4,82	21,78	4,94	90,00	,00	,000
g0_40	4,82	21,78	,00	21,78	4,94	90,00	,00	,000
g0_41	,00	21,78	,00	17,83	4,94	90,00	,00	,000
g0_42	,00	22,03	4,82	22,03	4,94	90,00	,00	,000
g0_43	4,82	22,03	4,82	23,01	4,94	90,00	,00	,000
g0_44	4,82	23,01	5,51	23,01	4,94	90,00	,00	,000
g0_45	5,51	23,01	5,51	25,98	4,94	90,00	,00	,000
g0_46	5,51	25,98	,00	25,98	4,94	90,00	,00	,000
g0_47	,00	25,98	,00	22,03	4,94	90,00	,00	,000
g00_1	5,54	25,98	5,54	22,03	3,00	90,00	1,94	,000
g00_2	5,54	22,03	10,30	22,03	3,00	90,00	1,94	,000
g00_3	10,30	22,03	10,30	25,98	3,00	90,00	1,94	,000
g00_4	10,30	25,98	5,54	25,98	3,00	90,00	1,94	,000
g00_5	5,54	21,78	5,54	17,83	3,00	90,00	1,94	,000
g00_6	5,54	17,83	10,30	17,83	3,00	90,00	1,94	,000
g00_7	10,30	17,83	10,30	21,78	3,00	90,00	1,94	,000
g00_8	10,30	21,78	5,54	21,78	3,00	90,00	1,94	,000
g00_9	5,54	17,58	5,54	13,78	3,00	90,00	1,94	,000
g00_10	5,54	13,78	10,30	13,78	3,00	90,00	1,94	,000
g00_11	10,30	13,78	10,30	17,58	3,00	90,00	1,94	,000
g00_12	10,30	17,58	5,54	17,58	3,00	90,00	1,94	,000
g1_1	14,79	2,94	19,73	2,94	3,00	90,00	4,94	,000
g1_2	19,73	2,94	19,73	12,26	3,00	90,00	4,94	,000
g1_3	19,73	12,26	14,79	12,26	3,00	90,00	4,94	,000
g1_4	14,79	12,26	14,79	8,61	3,00	90,00	4,94	,000
g1_5	14,79	8,61	15,95	8,61	3,00	90,00	4,94	,000
g1_6	15,95	8,61	15,95	7,91	3,00	90,00	4,94	,000
g1_7	15,95	7,91	14,79	7,91	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_8	14,79	7,91	14,79	2,94	3,00	90,00	4,94	,000
g1_9	14,54	12,26	12,20	12,26	3,00	90,00	4,94	,000
g1_10	12,20	12,26	12,20	11,98	3,00	90,00	4,94	,000
g1_11	12,20	11,98	9,73	11,98	3,00	90,00	4,94	,000
g1_12	9,73	11,98	9,73	8,33	3,00	90,00	4,94	,000
g1_13	9,73	8,33	10,90	8,33	3,00	90,00	4,94	,000
g1_14	10,90	8,33	10,90	7,63	3,00	90,00	4,94	,000
g1_15	10,90	7,63	9,73	7,63	3,00	90,00	4,94	,000
g1_16	9,73	7,63	9,73	2,94	3,00	90,00	4,94	,000
g1_17	9,73	2,94	14,54	2,94	3,00	90,00	4,94	,000
g1_18	14,54	2,94	14,54	12,26	3,00	90,00	4,94	,000
g1_19	,07	4,98	,07	1,12	3,00	90,00	4,94	,000
g1_20	,07	1,12	,52	,29	3,00	90,00	4,94	,000
g1_21	,52	,29	1,43	,00	3,00	90,00	4,94	,000
g1_22	1,43	,00	9,34	,00	3,00	90,00	4,94	,000
g1_23	9,34	,00	9,34	4,83	3,00	90,00	4,94	,000
g1_24	9,34	4,83	7,29	4,83	3,00	90,00	4,94	,000
g1_25	7,29	4,83	7,29	6,61	3,00	90,00	4,94	,000
g1_26	7,29	6,61	5,79	6,61	3,00	90,00	4,94	,000
g1_27	5,79	6,61	5,79	4,98	3,00	90,00	4,94	,000
g1_28	5,79	4,98	4,20	4,98	3,00	90,00	4,94	,000
g1_29	4,20	4,98	4,20	4,38	3,00	90,00	4,94	,000
g1_30	4,20	4,38	2,90	4,38	3,00	90,00	4,94	,000
g1_31	2,90	4,38	2,90	4,98	3,00	90,00	4,94	,000
g1_32	2,90	4,98	,07	4,98	3,00	90,00	4,94	,000
g1_33	,00	5,23	3,38	5,23	3,00	90,00	4,94	,000
g1_34	3,38	5,23	3,38	5,83	3,00	90,00	4,94	,000
g1_35	3,38	5,83	4,59	5,83	3,00	90,00	4,94	,000
g1_36	4,59	5,83	4,59	5,23	3,00	90,00	4,94	,000
g1_37	4,59	5,23	5,58	5,23	3,00	90,00	4,94	,000
g1_38	5,58	5,23	5,58	6,81	3,00	90,00	4,94	,000
g1_39	5,58	6,81	5,73	6,81	3,00	90,00	4,94	,000
g1_40	5,73	6,81	5,73	8,88	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_41	5,73	8,88	4,60	8,88	3,00	90,00	4,94	,000
g1_42	4,60	8,88	4,61	13,38	3,00	90,00	4,94	,000
g1_43	4,61	13,38	,00	13,38	3,00	90,00	4,94	,000
g1_44	,00	13,38	,00	5,23	3,00	90,00	4,94	,000
g1_45	10,36	13,38	4,99	13,38	3,00	90,00	4,94	,000
g1_46	4,99	13,38	4,99	9,15	3,00	90,00	4,94	,000
g1_47	4,99	9,15	5,93	9,15	3,00	90,00	4,94	,000
g1_48	5,93	9,15	5,93	6,81	3,00	90,00	4,94	,000
g1_49	5,93	6,81	7,68	6,81	3,00	90,00	4,94	,000
g1_50	7,68	6,81	7,68	5,23	3,00	90,00	4,94	,000
g1_51	7,68	5,23	9,34	5,23	3,00	90,00	4,94	,000
g1_52	9,34	5,23	9,34	12,33	3,00	90,00	4,94	,000
g1_53	9,34	12,33	10,36	12,33	3,00	90,00	4,94	,000
g1_54	10,36	12,33	10,36	13,38	3,00	90,00	4,94	,000
g1_55	,00	13,63	4,82	13,63	3,00	90,00	4,94	,000
g1_56	4,82	13,63	4,82	14,79	3,00	90,00	4,94	,000
g1_57	4,82	14,79	5,51	14,79	3,00	90,00	4,94	,000
g1_58	5,51	14,79	5,51	13,78	3,00	90,00	4,94	,000
g1_59	5,51	13,78	10,30	13,78	3,00	90,00	4,94	,000
g1_60	10,30	13,78	10,30	17,58	3,00	90,00	4,94	,000
g1_61	10,30	17,58	,00	17,58	3,00	90,00	4,94	,000
g1_62	,00	17,58	,00	13,63	3,00	90,00	4,94	,000
g1_63	,00	17,83	10,30	17,83	3,00	90,00	4,94	,000
g1_64	10,30	17,83	10,30	21,78	3,00	90,00	4,94	,000
g1_65	10,30	21,78	5,51	21,78	3,00	90,00	4,94	,000
g1_66	5,51	21,78	5,51	20,88	3,00	90,00	4,94	,000
g1_67	5,51	20,88	4,82	20,88	3,00	90,00	4,94	,000
g1_68	4,82	20,88	4,82	21,78	3,00	90,00	4,94	,000
g1_69	4,82	21,78	,00	21,78	3,00	90,00	4,94	,000
g1_70	,00	21,78	,00	17,83	3,00	90,00	4,94	,000
g1_71	,00	22,03	4,82	22,03	3,00	90,00	4,94	,000
g1_72	4,82	22,03	4,82	23,01	3,00	90,00	4,94	,000
g1_73	4,82	23,01	5,51	23,01	3,00	90,00	4,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_74	5,51	23,01	5,51	22,03	3,00	90,00	4,94	,000
g1_75	5,51	22,03	10,30	22,03	3,00	90,00	4,94	,000
g1_76	10,30	22,03	10,30	25,98	3,00	90,00	4,94	,000
g1_77	10,30	25,98	,00	25,98	3,00	90,00	4,94	,000
g1_78	,00	25,98	,00	22,03	3,00	90,00	4,94	,000
g2_1	14,79	2,94	19,73	2,94	3,00	90,00	7,94	,000
g2_2	19,73	2,94	19,73	12,26	3,00	90,00	7,94	,000
g2_3	19,73	12,26	14,79	12,26	3,00	90,00	7,94	,000
g2_4	14,79	12,26	14,79	8,61	3,00	90,00	7,94	,000
g2_5	14,79	8,61	15,95	8,61	3,00	90,00	7,94	,000
g2_6	15,95	8,61	15,95	7,91	3,00	90,00	7,94	,000
g2_7	15,95	7,91	14,79	7,91	3,00	90,00	7,94	,000
g2_8	14,79	7,91	14,79	2,94	3,00	90,00	7,94	,000
g2_9	,07	4,98	,07	1,12	3,00	90,00	7,94	,000
g2_10	,07	1,12	,52	,29	3,00	90,00	7,94	,000
g2_11	,52	,29	1,43	,00	3,00	90,00	7,94	,000
g2_12	1,43	,00	9,34	,00	3,00	90,00	7,94	,000
g2_13	9,34	,00	9,34	4,83	3,00	90,00	7,94	,000
g2_14	9,34	4,83	7,29	4,83	3,00	90,00	7,94	,000
g2_15	7,29	4,83	7,29	6,61	3,00	90,00	7,94	,000
g2_16	7,29	6,61	5,79	6,61	3,00	90,00	7,94	,000
g2_17	5,79	6,61	5,79	4,98	3,00	90,00	7,94	,000
g2_18	5,79	4,98	4,20	4,98	3,00	90,00	7,94	,000
g2_19	4,20	4,98	4,20	4,38	3,00	90,00	7,94	,000
g2_20	4,20	4,38	2,90	4,38	3,00	90,00	7,94	,000
g2_21	2,90	4,38	2,90	4,98	3,00	90,00	7,94	,000
g2_22	2,90	4,98	,07	4,98	3,00	90,00	7,94	,000
g2_23	,00	5,23	3,38	5,23	3,00	90,00	7,94	,000
g2_24	3,38	5,23	3,38	5,83	3,00	90,00	7,94	,000
g2_25	3,38	5,83	4,59	5,83	3,00	90,00	7,94	,000
g2_26	4,59	5,83	4,59	5,23	3,00	90,00	7,94	,000
g2_27	4,59	5,23	5,58	5,23	3,00	90,00	7,94	,000
g2_28	5,58	5,23	5,58	6,81	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_29	5,58	6,81	5,73	6,81	3,00	90,00	7,94	,000
g2_30	5,73	6,81	5,73	8,88	3,00	90,00	7,94	,000
g2_31	5,73	8,88	4,60	8,88	3,00	90,00	7,94	,000
g2_32	4,60	8,88	4,61	13,38	3,00	90,00	7,94	,000
g2_33	4,61	13,38	,00	13,38	3,00	90,00	7,94	,000
g2_34	,00	13,38	,00	5,23	3,00	90,00	7,94	,000
g2_35	,00	13,63	4,82	13,63	3,00	90,00	7,94	,000
g2_36	4,82	13,63	4,82	14,79	3,00	90,00	7,94	,000
g2_37	4,82	14,79	5,51	14,79	3,00	90,00	7,94	,000
g2_38	5,51	14,79	5,51	13,78	3,00	90,00	7,94	,000
g2_39	5,51	13,78	7,83	13,78	3,00	90,00	7,94	,000
g2_40	7,83	13,78	7,83	14,46	3,00	90,00	7,94	,000
g2_41	7,83	14,46	8,36	14,46	3,00	90,00	7,94	,000
g2_42	8,36	14,46	8,36	21,78	3,00	90,00	7,94	,000
g2_43	8,36	21,78	5,51	21,78	3,00	90,00	7,94	,000
g2_44	5,51	21,78	5,51	20,88	3,00	90,00	7,94	,000
g2_45	5,51	20,88	4,82	20,88	3,00	90,00	7,94	,000
g2_46	4,82	20,88	4,82	21,78	3,00	90,00	7,94	,000
g2_47	4,82	21,78	,00	21,78	3,00	90,00	7,94	,000
g2_48	,00	21,78	,00	13,63	3,00	90,00	7,94	,000
g2_49	14,54	12,26	9,73	12,26	3,00	90,00	7,94	,000
g2_50	9,73	12,26	9,73	8,33	3,00	90,00	7,94	,000
g2_51	9,73	8,33	10,90	8,33	3,00	90,00	7,94	,000
g2_52	10,90	8,33	10,90	7,63	3,00	90,00	7,94	,000
g2_53	10,90	7,63	9,73	7,63	3,00	90,00	7,94	,000
g2_54	9,73	7,63	9,73	2,94	3,00	90,00	7,94	,000
g2_55	9,73	2,94	14,54	2,94	3,00	90,00	7,94	,000
g2_56	14,54	2,94	14,54	12,26	3,00	90,00	7,94	,000
g2_57	,00	22,03	4,82	22,03	3,00	90,00	7,94	,000
g2_58	4,82	22,03	4,82	23,01	3,00	90,00	7,94	,000
g2_59	4,82	23,01	5,51	23,01	3,00	90,00	7,94	,000
g2_60	5,51	23,01	5,51	22,03	3,00	90,00	7,94	,000
g2_61	5,51	22,03	8,36	22,03	3,00	90,00	7,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_62	8,36	22,03	8,36	30,18	3,00	90,00	7,94	,000
g2_63	8,36	30,18	5,51	30,18	3,00	90,00	7,94	,000
g2_64	5,51	30,18	5,51	29,51	3,00	90,00	7,94	,000
g2_65	5,51	29,51	4,82	29,51	3,00	90,00	7,94	,000
g2_66	4,82	29,51	4,82	30,18	3,00	90,00	7,94	,000
g2_67	4,82	30,18	,00	30,18	3,00	90,00	7,94	,000
g2_68	,00	30,18	,00	22,03	3,00	90,00	7,94	,000
g2_69	7,83	13,38	4,99	13,38	3,00	90,00	7,94	,000
g2_70	4,99	13,38	4,99	9,15	3,00	90,00	7,94	,000
g2_71	4,99	9,15	5,93	9,15	3,00	90,00	7,94	,000
g2_72	5,93	9,15	5,93	6,81	3,00	90,00	7,94	,000
g2_73	5,93	6,81	7,68	6,81	3,00	90,00	7,94	,000
g2_74	7,68	6,81	7,68	5,23	3,00	90,00	7,94	,000
g2_75	7,68	5,23	9,34	5,23	3,00	90,00	7,94	,000
g2_76	9,34	5,23	9,34	12,33	3,00	90,00	7,94	,000
g2_77	9,34	12,33	7,83	12,33	3,00	90,00	7,94	,000
g2_78	7,83	12,33	7,83	13,38	3,00	90,00	7,94	,000
g3_1	14,79	2,94	19,73	2,94	3,00	90,00	10,94	,000
g3_2	19,73	2,94	19,73	12,26	3,00	90,00	10,94	,000
g3_3	19,73	12,26	14,79	12,26	3,00	90,00	10,94	,000
g3_4	14,79	12,26	14,79	8,61	3,00	90,00	10,94	,000
g3_5	14,79	8,61	15,95	8,61	3,00	90,00	10,94	,000
g3_6	15,95	8,61	15,95	7,91	3,00	90,00	10,94	,000
g3_7	15,95	7,91	14,79	7,91	3,00	90,00	10,94	,000
g3_8	14,79	7,91	14,79	2,94	3,00	90,00	10,94	,000
g3_9	,07	4,98	,07	1,12	3,00	90,00	10,94	,000
g3_10	,07	1,12	,52	,29	3,00	90,00	10,94	,000
g3_11	,52	,29	1,43	,00	3,00	90,00	10,94	,000
g3_12	1,43	,00	9,34	,00	3,00	90,00	10,94	,000
g3_13	9,34	,00	9,34	4,83	3,00	90,00	10,94	,000
g3_14	9,34	4,83	7,29	4,83	3,00	90,00	10,94	,000
g3_15	7,29	4,83	7,29	6,61	3,00	90,00	10,94	,000
g3_16	7,29	6,61	5,79	6,61	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_17	5,79	6,61	5,79	4,98	3,00	90,00	10,94	,000
g3_18	5,79	4,98	4,20	4,98	3,00	90,00	10,94	,000
g3_19	4,20	4,98	4,20	4,38	3,00	90,00	10,94	,000
g3_20	4,20	4,38	2,90	4,38	3,00	90,00	10,94	,000
g3_21	2,90	4,38	2,90	4,98	3,00	90,00	10,94	,000
g3_22	2,90	4,98	,07	4,98	3,00	90,00	10,94	,000
g3_23	,00	5,23	3,38	5,23	3,00	90,00	10,94	,000
g3_24	3,38	5,23	3,38	5,83	3,00	90,00	10,94	,000
g3_25	3,38	5,83	4,59	5,83	3,00	90,00	10,94	,000
g3_26	4,59	5,83	4,59	5,23	3,00	90,00	10,94	,000
g3_27	4,59	5,23	5,58	5,23	3,00	90,00	10,94	,000
g3_28	5,58	5,23	5,58	6,81	3,00	90,00	10,94	,000
g3_29	5,58	6,81	5,73	6,81	3,00	90,00	10,94	,000
g3_30	5,73	6,81	5,73	8,88	3,00	90,00	10,94	,000
g3_31	5,73	8,88	4,60	8,88	3,00	90,00	10,94	,000
g3_32	4,60	8,88	4,61	13,38	3,00	90,00	10,94	,000
g3_33	4,61	13,38	,00	13,38	3,00	90,00	10,94	,000
g3_34	,00	13,38	,00	5,23	3,00	90,00	10,94	,000
g3_35	,00	13,63	4,82	13,63	3,00	90,00	10,94	,000
g3_36	4,82	13,63	4,82	14,79	3,00	90,00	10,94	,000
g3_37	4,82	14,79	5,51	14,79	3,00	90,00	10,94	,000
g3_38	5,51	14,79	5,51	13,78	3,00	90,00	10,94	,000
g3_39	5,51	13,78	7,83	13,78	3,00	90,00	10,94	,000
g3_40	7,83	13,78	7,83	14,46	3,00	90,00	10,94	,000
g3_41	7,83	14,46	8,36	14,46	3,00	90,00	10,94	,000
g3_42	8,36	14,46	8,36	21,78	3,00	90,00	10,94	,000
g3_43	8,36	21,78	5,51	21,78	3,00	90,00	10,94	,000
g3_44	5,51	21,78	5,51	20,88	3,00	90,00	10,94	,000
g3_45	5,51	20,88	4,82	20,88	3,00	90,00	10,94	,000
g3_46	4,82	20,88	4,82	21,78	3,00	90,00	10,94	,000
g3_47	4,82	21,78	,00	21,78	3,00	90,00	10,94	,000
g3_48	,00	21,78	,00	13,63	3,00	90,00	10,94	,000
g3_49	14,54	12,26	9,73	12,26	3,00	90,00	10,94	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_50	9,73	12,26	9,73	8,33	3,00	90,00	10,94	,000
g3_51	9,73	8,33	10,90	8,33	3,00	90,00	10,94	,000
g3_52	10,90	8,33	10,90	7,63	3,00	90,00	10,94	,000
g3_53	10,90	7,63	9,73	7,63	3,00	90,00	10,94	,000
g3_54	9,73	7,63	9,73	2,94	3,00	90,00	10,94	,000
g3_55	9,73	2,94	14,54	2,94	3,00	90,00	10,94	,000
g3_56	14,54	2,94	14,54	12,26	3,00	90,00	10,94	,000
g3_57	,00	22,03	4,82	22,03	3,00	90,00	10,94	,000
g3_58	4,82	22,03	4,82	23,01	3,00	90,00	10,94	,000
g3_59	4,82	23,01	5,51	23,01	3,00	90,00	10,94	,000
g3_60	5,51	23,01	5,51	22,03	3,00	90,00	10,94	,000
g3_61	5,51	22,03	8,36	22,03	3,00	90,00	10,94	,000
g3_62	8,36	22,03	8,36	30,18	3,00	90,00	10,94	,000
g3_63	8,36	30,18	5,51	30,18	3,00	90,00	10,94	,000
g3_64	5,51	30,18	5,51	29,51	3,00	90,00	10,94	,000
g3_65	5,51	29,51	4,82	29,51	3,00	90,00	10,94	,000
g3_66	4,82	29,51	4,82	30,18	3,00	90,00	10,94	,000
g3_67	4,82	30,18	,00	30,18	3,00	90,00	10,94	,000
g3_68	,00	30,18	,00	22,03	3,00	90,00	10,94	,000
g3_69	7,83	13,38	4,99	13,38	3,00	90,00	10,94	,000
g3_70	4,99	13,38	4,99	9,15	3,00	90,00	10,94	,000
g3_71	4,99	9,15	5,93	9,15	3,00	90,00	10,94	,000
g3_72	5,93	9,15	5,93	6,81	3,00	90,00	10,94	,000
g3_73	5,93	6,81	7,68	6,81	3,00	90,00	10,94	,000
g3_74	7,68	6,81	7,68	5,23	3,00	90,00	10,94	,000
g3_75	7,68	5,23	9,34	5,23	3,00	90,00	10,94	,000
g3_76	9,34	5,23	9,34	12,33	3,00	90,00	10,94	,000
g3_77	9,34	12,33	7,83	12,33	3,00	90,00	10,94	,000
g3_78	7,83	12,33	7,83	13,38	3,00	90,00	10,94	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B07_01	,78	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_02	1,64	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_03	2,56	,31	,61	1,94	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_04	,66	2,43	,85	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_05	1,58	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_06	2,47	2,43	,82	1,58	,00	,00	Opgaand	g0_30	BC_B-07_bg1
o_B07_07	,73	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_08	1,63	2,08	,72	2,13	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_09	2,43	2,01	,83	2,27	,00	,00	Opgaand	g00_11	BC_B-07_bg2
o_B07_10	,73	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_11	1,28	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_12	2,26	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_13	2,81	5,10	,41	1,96	,00	,00	Opgaand	g1_62	BC_B-07_verd
o_B07_14	,73	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_15	1,63	5,08	,72	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B07_16	2,50	5,08	,69	2,13	,00	,00	Opgaand	g1_60	BC_B-07_verd
o_B08_01	,72	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_02	1,25	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_03	,65	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_04	2,82	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_05	3,35	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_06	2,75	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_07	4,89	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_08	5,42	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_09	4,82	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_10	6,95	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_11	7,48	,89	,39	1,51	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_12	6,88	2,53	1,07	1,48	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_13	8,99	,07	,97	2,28	,00	,00	Opgaand	g0_1	BC_B-08
o_B08_14	8,99	2,41	,97	1,60	,00	,00	Opgaand	g0_1	BC_B-08
o_B09_01	,96	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_02	1,44	,14	,34	2,16	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_03	,89	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B09_04	2,95	,07	,97	2,28	,00	,00	Opgaand	g0_13	BC_B-09
o_B09_05	2,95	4,00	,97	,00	1,58	,00	Opgaand	g0_13	BC_B-09
o_B09_06	,75	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_07	1,43	,14	,54	2,22	,00	,00	Opgaand	g0_15	BC_B-09
o_B09_08	2,66	,07	,90	2,36	,00	,00	Opgaand	g0_15	BC_B-09
o_fiets_01	1,00	,31	,70	1,92	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_02	,88	4,01	,94	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_03	2,92	,74	,97	1,63	,00	,00	Opgaand	g0_5	BC_fiets
o_fiets_04	2,92	4,01	,97	,00	1,60	,00	Opgaand	g0_5	BC_fiets
o_fiets_05	1,94	,31	,66	1,92	,00	,00	Opgaand	g0_11	BC_fiets
o_B13_01	,76	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_02	1,29	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_03	2,82	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_04	3,35	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_05	4,88	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_06	5,42	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_07	6,95	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B13_08	7,48	5,14	,39	1,77	,00	,00	Opgaand	g1_44	BC_B-13
o_B14_01	,61	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_02	1,15	5,14	,39	1,77	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_03	2,63	5,07	,87	1,91	,00	,00	Opgaand	g1_19	BC_B-14
o_B14_04	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_20	BC_B-14
o_B14_05	,01	5,07	,90	1,91	,00	,00	Opgaand	g1_21	BC_B-14
o_B14_06	,37	5,07	,87	1,91	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_07	2,32	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_08	2,85	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_09	4,38	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_10	4,92	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_11	6,45	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B14_12	6,98	5,14	,39	1,77	,00	,00	Opgaand	g1_22	BC_B-14
o_B15_01	,90	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B15_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_17	BC_B-15
o_B15_05	,74	7,03	,54	,00	1,96	,00	Opgaand	g1_9	BC_B-15
o_B15_06	1,42	7,03	,54	,00	1,96	,00	Opgaand	g1_9	BC_B-15
o_B15_07	,52	7,12	,90	,00	2,12	,00	Opgaand	g1_11	BC_B-15
o_B16_01	,91	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_02	1,44	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_03	2,97	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_04	3,50	5,14	,39	1,77	,00	,00	Opgaand	g1_1	BC_B-16
o_B16_05	,74	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_06	1,42	5,08	,54	1,96	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_07	3,07	5,01	,40	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B16_08	3,53	5,01	,90	2,12	,00	,00	Opgaand	g1_3	BC_B-16
o_B21_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_68	BC_B-21
o_B21_11	2,04	8,01	,90	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_12	3,01	8,01	,40	2,12	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_13	4,81	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B21_14	5,50	8,08	,54	1,96	,00	,00	Opgaand	g2_62	BC_B-21
o_B22_01	,36	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_02	,43	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_03	1,49	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_04	1,56	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_05	3,23	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_06	4,36	8,14	,56	1,92	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_07	5,96	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B22_08	6,03	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_09	7,09	8,07	,70	,85	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_10	7,16	9,05	,56	1,00	,00	,00	Opgaand	g2_48	BC_B-22
o_B22_11	1,22	8,01	,90	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_12	2,18	8,01	,40	2,12	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_13	3,99	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B22_14	4,67	8,08	,54	1,96	,00	,00	Opgaand	g2_42	BC_B-22
o_B23_01	,76	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_02	1,29	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_03	2,82	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_04	3,35	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_05	4,88	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_06	5,42	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_07	6,95	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B23_08	7,48	8,14	,39	1,77	,00	,00	Opgaand	g2_34	BC_B-23
o_B24_01	,61	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_02	1,15	8,14	,39	1,77	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_03	2,63	8,07	,87	1,91	,00	,00	Opgaand	g2_9	BC_B-24
o_B24_04	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_10	BC_B-24
o_B24_05	,01	8,07	,90	1,91	,00	,00	Opgaand	g2_11	BC_B-24
o_B24_06	,37	8,07	,87	1,91	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_07	2,32	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_08	2,85	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_09	4,38	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_10	4,92	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_11	6,45	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B24_12	6,98	8,14	,39	1,77	,00	,00	Opgaand	g2_12	BC_B-24
o_B25_01	,90	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_55	BC_B-25
o_B25_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_49	BC_B-25


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B25_07	2,90	8,01	,40	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B25_08	3,37	8,01	,90	2,12	,00	,00	Opgaand	g2_49	BC_B-25
o_B26_01	,91	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_02	1,44	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_03	2,97	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_04	3,50	8,14	,39	1,77	,00	,00	Opgaand	g2_1	BC_B-26
o_B26_05	,74	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_06	1,42	8,08	,54	1,96	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_07	3,07	8,01	,40	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B26_08	3,53	8,01	,90	2,12	,00	,00	Opgaand	g2_3	BC_B-26
o_B31_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_68	BC_B-31
o_B31_11	2,04	11,01	,90	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_12	3,01	11,01	,40	2,12	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_13	4,81	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B31_14	5,50	11,08	,54	1,96	,00	,00	Opgaand	g3_62	BC_B-31
o_B32_01	,36	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_02	,43	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_03	1,49	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_04	1,56	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_05	3,23	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_06	4,36	11,14	,56	1,92	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_07	5,96	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_08	6,03	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_09	7,09	11,07	,70	,85	,00	,00	Opgaand	g3_48	BC_B-32

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_B32_10	7,16	12,05	,56	1,00	,00	,00	Opgaand	g3_48	BC_B-32
o_B32_11	1,22	11,01	,90	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_12	2,18	11,01	,40	2,12	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_13	3,99	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32
o_B32_14	4,67	11,08	,54	1,96	,00	,00	Opgaand	g3_42	BC_B-32

Behoort tot het bouwarchief



2020-157_mpi_20220902_ber_Brandoverslag blok B_0014.jpg

Behoort tot het bouwarchief



BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_C01		o_C06_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
BC_C01		o_C06_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
BC_C01		o_C06_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok					
BC_C01		o_C06_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
BC_C01		o_C06_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
BC_C01		o_C06_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok					
BC_C01		o_C06_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_C01		o_C06_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
BC_C01		o_C06_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok					
BC_C01		o_C06_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_C01		o_C06_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
BC_C01		o_C06_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok					
BC_C01		o_C06_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
BC_C01		o_C06_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
BC_C01		o_C06_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok					
BC_C01		o_C06_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
BC_C01		o_C06_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
BC_C01		o_C06_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok					
BC_C01		o_C06_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
BC_C01		o_C06_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
BC_C01		o_C06_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok					
BC_C01		o_C06_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
BC_C01		o_C06_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
BC_C01		o_C06_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok					
BC_C01		o_C06_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_C01		o_C06_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
BC_C01		o_C06_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok					
BC_C01		o_C06_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_C01		o_C06_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
BC_C01		o_C06_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_C01	o_C06_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_C01	o_C06_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
	BC_C01	o_C06_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok					
	BC_C01	o_C06_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_C01	o_C06_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_C01	o_C06_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok					

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_C01_bg	4,98	Ja	0,00	brandruimte	60	0,34	BC_C01	g0_8 g0_1 g0_2 g0_3 g0_4 g0_5 g0_6 g0_7
BC_C01_1e	2,66	Ja	5,32	brandruimte	60	0,34	BC_C01	g1_7 g1_8 g1_9 g1_10 g1_11 g1_12 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_C01_2e	3,04	Ja	8,32	brandruimte	60	0,34	BC_C01	g2_8 g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7
BC_C06_bg	2,66	Ja	11,70	brandruimte	60	0,34	BC_C06	g3_8 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6 g3_7
BC_C06_1e	2,66	Ja	14,70	brandruimte	60	0,34	BC_C06	g4_8 g4_9 g4_10 g4_11 g4_12 g4_1 g4_2 g4_3 g4_4 g4_5 g4_6 g4_7

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	2,65	11,43	2,65	8,35	5,32	90,00	,00	,000
g0_2	2,65	8,35	3,15	8,35	5,32	90,00	,00	,000
g0_3	3,15	8,35	3,15	8,00	5,32	90,00	,00	,000
g0_4	3,15	8,00	2,65	8,00	5,32	90,00	,00	,000
g0_5	2,65	8,00	2,65	1,40	5,32	90,00	,00	,000
g0_6	2,65	1,40	6,92	1,40	5,32	90,00	,00	,000
g0_7	6,92	1,40	6,92	11,43	5,32	90,00	,00	,000
g0_8	6,92	11,43	2,65	11,43	5,32	90,00	,00	,000
g1_1	2,65	8,35	3,15	8,35	3,00	90,00	5,32	,000
g1_2	3,15	8,35	3,15	7,25	3,00	90,00	5,32	,000
g1_3	3,15	7,25	2,65	7,25	3,00	90,00	5,32	,000
g1_4	2,65	7,25	2,65	1,40	3,00	90,00	5,32	,000
g1_5	2,65	1,40	6,92	1,40	3,00	90,00	5,32	,000
g1_6	6,92	1,40	6,92	11,43	3,00	90,00	5,32	,000
g1_7	6,92	11,43	5,24	11,43	3,00	90,00	5,32	,000
g1_8	5,24	11,43	5,24	12,32	3,00	90,00	5,32	,000
g1_9	5,24	12,32	3,28	12,32	3,00	90,00	5,32	,000
g1_10	3,28	12,32	3,28	11,43	3,00	90,00	5,32	,000
g1_11	3,28	11,43	2,65	11,43	3,00	90,00	5,32	,000
g1_12	2,65	11,43	2,65	8,35	3,00	90,00	5,32	,000
g2_1	2,65	11,43	2,65	8,35	3,38	90,00	8,32	,000
g2_2	2,65	8,35	3,15	8,35	3,38	90,00	8,32	,000
g2_3	3,15	8,35	3,15	7,25	3,38	90,00	8,32	,000
g2_4	3,15	7,25	2,65	7,25	3,38	90,00	8,32	,000
g2_5	2,65	7,25	2,65	1,40	3,38	90,00	8,32	,000
g2_6	2,65	1,40	6,92	1,40	3,38	90,00	8,32	,000
g2_7	6,92	1,40	6,92	11,43	3,38	90,00	8,32	,000
g2_8	6,92	11,43	2,65	11,43	3,38	90,00	8,32	,000
g3_1	2,65	11,43	2,65	8,35	3,00	90,00	11,70	,000
g3_2	2,65	8,35	3,15	8,35	3,00	90,00	11,70	,000
g3_3	3,15	8,35	3,15	7,25	3,00	90,00	11,70	,000
g3_4	3,15	7,25	2,65	7,25	3,00	90,00	11,70	,000
g3_5	2,65	7,25	2,65	2,91	3,00	90,00	11,70	,000


GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_6	2,65	2,91	6,92	2,91	3,00	90,00	11,70	,000
g3_7	6,92	2,91	6,92	11,43	3,00	90,00	11,70	,000
g3_8	6,92	11,43	2,65	11,43	3,00	90,00	11,70	,000
g4_1	2,65	11,09	2,65	8,98	3,00	90,00	14,70	,000
g4_2	2,65	8,98	3,15	8,98	3,00	90,00	14,70	,000
g4_3	3,15	8,98	3,15	7,25	3,00	90,00	14,70	,000
g4_4	3,15	7,25	2,65	7,25	3,00	90,00	14,70	,000
g4_5	2,65	7,25	2,65	2,91	3,00	90,00	14,70	,000
g4_6	2,65	2,91	6,92	2,91	3,00	90,00	14,70	,000
g4_7	6,92	2,91	6,92	11,09	3,00	90,00	14,70	,000
g4_8	6,92	11,09	4,54	11,09	3,00	90,00	14,70	,000
g4_9	4,54	11,09	4,54	11,43	3,00	90,00	14,70	,000
g4_10	4,54	11,43	3,31	11,43	3,00	90,00	14,70	,000
g4_11	3,31	11,43	3,31	11,09	3,00	90,00	14,70	,000
g4_12	3,31	11,09	2,65	11,09	3,00	90,00	14,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_C01_01	,10	,03	,90	2,28	,00	,00	Opgaand	g0_8	BC_C01_bg
o_C01_02	,10	2,37	,90	,45	,00	,00	Opgaand	g0_8	BC_C01_bg
o_C01_03	1,85	,20	,71	2,35	,00	,00	Opgaand	g0_8	BC_C01_bg
o_C01_04	2,76	,20	,71	2,35	,00	,00	Opgaand	g0_8	BC_C01_bg
o_C01_05	1,77	2,70	1,78	1,07	,00	,00	Opgaand	g0_8	BC_C01_bg
o_C01_06	,78	,05	,73	2,12	,00	,00	Opgaand	g0_6	BC_C01_bg
o_C01_07	,70	2,32	,90	,37	,00	,00	Opgaand	g0_6	BC_C01_bg
o_C01_08	1,74	,02	1,05	2,23	,00	,00	Opgaand	g0_6	BC_C01_bg
o_C01_09	1,74	2,32	1,05	,37	,00	,00	Opgaand	g0_6	BC_C01_bg
o_C01_10	2,85	,02	1,05	2,23	,00	,00	Opgaand	g0_6	BC_C01_bg
o_C01_11	2,85	2,32	1,05	,37	,00	,00	Opgaand	g0_6	BC_C01_bg
o_C01_12	,07	5,43	,87	,75	,00	,00	Opgaand	g1_9	BC_C01_1e
o_C01_13	,12	6,29	,78	1,12	,00	,00	Opgaand	g1_9	BC_C01_1e
o_C01_14	1,00	5,43	,87	,75	,00	,00	Opgaand	g1_9	BC_C01_1e
o_C01_15	1,03	6,29	,78	1,12	,00	,00	Opgaand	g1_9	BC_C01_1e
o_C01_16	,75	5,32	,68	2,17	,00	,00	Opgaand	g1_5	BC_C01_1e
o_C01_17	2,56	5,32	,58	2,17	,00	,00	Opgaand	g1_5	BC_C01_1e
o_C01_18	3,27	5,32	,58	2,17	,00	,00	Opgaand	g1_5	BC_C01_1e
o_C01_19	,51	8,50	1,07	,68	,00	,00	Opgaand	g2_8	BC_C01_2e
o_C01_20	,56	9,29	,97	1,22	,00	,00	Opgaand	g2_8	BC_C01_2e
o_C01_21	2,38	8,50	1,07	,68	,00	,00	Opgaand	g2_8	BC_C01_2e
o_C01_22	2,42	9,29	,97	1,22	,00	,00	Opgaand	g2_8	BC_C01_2e
o_C01_23	,75	9,29	,68	1,32	,00	,00	Opgaand	g2_6	BC_C01_2e
o_C01_24	2,56	9,29	,58	1,32	,00	,00	Opgaand	g2_6	BC_C01_2e
o_C01_25	3,27	9,29	,58	1,32	,00	,00	Opgaand	g2_6	BC_C01_2e
o_C06_01	,57	11,81	1,37	2,15	,00	,00	Opgaand	g3_8	BC_C06_bg
o_C06_02	2,01	11,81	1,37	2,15	,00	,00	Opgaand	g3_8	BC_C06_bg

2020-157_mpi_20220902_ber_Brandoverslag blok C_0001.jpg



Behoort tot het bouwarchief

Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_F-01		o_F06_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,9	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,4	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
BC_F-01		o_F06_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-01	o_F06_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,0	Ok	911,1	0,69	9,18	1,38	32,7
	BC_F-01	o_F06_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	911,1	0,69	9,18	1,38	32,7

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fietsen	4,12	Ja	0,00	brandruimte	60	0,38		g0_36 g0_37 g0_38 g0_39 g0_40 g0_41 g0_42 g0_43 g0_44 g0_35
BC_F-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_21 g0_22 g0_23 g0_24 g0_25 g0_26 g0_27 g0_28
BC_F-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_F-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_12 g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11
BC_F-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_2 g0_3 g0_4 g0_1
BC_F-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_40 g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39
BC_F-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_30 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29
BC_F-07	2,62	Ja	4,50	brandruimte	60	0,38		g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_9 g1_10 g1_11
BC_F-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_40 g2_31 g2_32 g2_33 g2_34 g2_35 g2_36 g2_37 g2_38 g2_39
BC_F-09	2,62	Ja	7,50	brandruimte	60	0,38		g2_30 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29
BC_F-10	2,62	Ja	7,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	18,45	15,75	9,55	15,75	4,50	90,00	,00	,000
g0_2	9,55	15,75	9,55	12,00	4,50	90,00	,00	,000
g0_3	9,55	12,00	18,45	12,00	4,50	90,00	,00	,000
g0_4	18,45	12,00	18,45	15,75	4,50	90,00	,00	,000
g0_5	9,55	11,75	9,55	8,00	4,50	90,00	,00	,000
g0_6	9,55	8,00	12,54	8,00	4,50	90,00	,00	,000
g0_7	12,54	8,00	12,54	8,60	4,50	90,00	,00	,000
g0_8	12,54	8,60	13,74	8,60	4,50	90,00	,00	,000
g0_9	13,74	8,60	13,74	8,00	4,50	90,00	,00	,000
g0_10	13,74	8,00	18,45	8,00	4,50	90,00	,00	,000
g0_11	18,45	8,00	18,45	11,75	4,50	90,00	,00	,000
g0_12	18,45	11,75	9,55	11,75	4,50	90,00	,00	,000
g0_13	9,55	7,75	9,55	4,00	4,50	90,00	,00	,000
g0_14	9,55	4,00	18,45	4,00	4,50	90,00	,00	,000
g0_15	18,45	4,00	18,45	7,75	4,50	90,00	,00	,000
g0_16	18,45	7,75	13,74	7,75	4,50	90,00	,00	,000
g0_17	13,74	7,75	13,74	7,15	4,50	90,00	,00	,000
g0_18	13,74	7,15	12,54	7,15	4,50	90,00	,00	,000
g0_19	12,54	7,15	12,54	7,75	4,50	90,00	,00	,000
g0_20	12,54	7,75	9,55	7,75	4,50	90,00	,00	,000
g0_21	9,55	3,75	9,55	,00	4,50	90,00	,00	,000
g0_22	9,55	,00	12,54	,00	4,50	90,00	,00	,000
g0_23	12,54	,00	12,54	,60	4,50	90,00	,00	,000
g0_24	12,54	,60	13,74	,60	4,50	90,00	,00	,000
g0_25	13,74	,60	13,74	,00	4,50	90,00	,00	,000
g0_26	13,74	,00	18,45	,00	4,50	90,00	,00	,000
g0_27	18,45	,00	18,45	3,75	4,50	90,00	,00	,000
g0_28	18,45	3,75	9,55	3,75	4,50	90,00	,00	,000
g0_29	6,05	15,77	6,05	10,03	4,50	90,00	,00	,000
g0_30	6,05	10,03	4,80	10,03	4,50	90,00	,00	,000
g0_31	4,80	10,03	4,80	5,64	4,50	90,00	,00	,000
g0_32	4,80	5,64	9,15	5,64	4,50	90,00	,00	,000
g0_33	9,15	5,64	9,15	15,77	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	9,15	15,77	6,05	15,77	4,50	90,00	,00	,000
g0_35	5,85	15,77	,00	15,77	4,50	90,00	,00	,000
g0_36	,00	15,77	,00	5,64	4,50	90,00	,00	,000
g0_37	,00	5,64	4,55	5,64	4,50	90,00	,00	,000
g0_38	4,55	5,64	4,55	6,73	4,50	90,00	,00	,000
g0_39	4,55	6,73	3,88	6,73	4,50	90,00	,00	,000
g0_40	3,88	6,73	3,88	8,31	4,50	90,00	,00	,000
g0_41	3,88	8,31	4,55	8,31	4,50	90,00	,00	,000
g0_42	4,55	8,31	4,55	10,63	4,50	90,00	,00	,000
g0_43	4,55	10,63	5,85	10,63	4,50	90,00	,00	,000
g0_44	5,85	10,63	5,85	15,77	4,50	90,00	,00	,000
g1_1	18,45	15,75	13,74	15,75	3,00	90,00	4,50	,000
g1_2	13,74	15,75	13,74	14,75	3,00	90,00	4,50	,000
g1_3	13,74	14,75	12,54	14,75	3,00	90,00	4,50	,000
g1_4	12,54	14,75	12,54	15,35	3,00	90,00	4,50	,000
g1_5	12,54	15,35	9,55	15,35	3,00	90,00	4,50	,000
g1_6	9,55	15,35	9,55	8,00	3,00	90,00	4,50	,000
g1_7	9,55	8,00	12,54	8,00	3,00	90,00	4,50	,000
g1_8	12,54	8,00	12,54	8,60	3,00	90,00	4,50	,000
g1_9	12,54	8,60	13,74	8,60	3,00	90,00	4,50	,000
g1_10	13,74	8,60	13,74	8,00	3,00	90,00	4,50	,000
g1_11	13,74	8,00	16,33	8,00	3,00	90,00	4,50	,000
g1_12	16,33	8,00	16,33	10,53	3,00	90,00	4,50	,000
g1_13	16,33	10,53	18,45	10,53	3,00	90,00	4,50	,000
g1_14	18,45	10,53	18,45	15,75	3,00	90,00	4,50	,000
g1_15	9,55	,00	12,54	,00	3,00	90,00	4,50	,000
g1_16	12,54	,00	12,54	,60	3,00	90,00	4,50	,000
g1_17	12,54	,60	13,74	,60	3,00	90,00	4,50	,000
g1_18	13,74	,60	13,74	,00	3,00	90,00	4,50	,000
g1_19	13,74	,00	18,45	,00	3,00	90,00	4,50	,000
g1_20	18,45	,00	18,45	5,40	3,00	90,00	4,50	,000
g1_21	18,45	5,40	16,33	5,40	3,00	90,00	4,50	,000
g1_22	16,33	5,40	16,33	7,75	3,00	90,00	4,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_23	16,33	7,75	13,74	7,75	3,00	90,00	4,50	,000
g1_24	13,74	7,75	13,74	7,15	3,00	90,00	4,50	,000
g1_25	13,74	7,15	12,54	7,15	3,00	90,00	4,50	,000
g1_26	12,54	7,15	12,54	7,75	3,00	90,00	4,50	,000
g1_27	12,54	7,75	11,13	7,75	3,00	90,00	4,50	,000
g1_28	11,13	7,75	11,13	5,75	3,00	90,00	4,50	,000
g1_29	11,13	5,75	9,55	5,75	3,00	90,00	4,50	,000
g1_30	9,55	5,75	9,55	,00	3,00	90,00	4,50	,000
g1_31	,00	5,64	4,55	5,64	3,00	90,00	4,50	,000
g1_32	4,55	5,64	4,55	9,57	3,00	90,00	4,50	,000
g1_33	4,55	9,57	2,66	9,57	3,00	90,00	4,50	,000
g1_34	2,66	9,57	2,66	10,43	3,00	90,00	4,50	,000
g1_35	2,66	10,43	9,15	10,43	3,00	90,00	4,50	,000
g1_36	9,15	10,43	9,15	15,77	3,00	90,00	4,50	,000
g1_37	9,15	15,77	3,98	15,77	3,00	90,00	4,50	,000
g1_38	3,98	15,77	3,98	15,38	3,00	90,00	4,50	,000
g1_39	3,98	15,38	,00	15,38	3,00	90,00	4,50	,000
g1_40	,00	15,38	,00	5,62	3,00	90,00	4,50	,000
g1_41	4,80	5,64	9,15	5,64	3,00	90,00	4,50	,000
g1_42	9,15	5,64	9,15	5,96	3,00	90,00	4,50	,000
g1_43	9,15	5,96	10,93	5,96	3,00	90,00	4,50	,000
g1_44	10,93	5,96	10,93	7,75	3,00	90,00	4,50	,000
g1_45	10,93	7,75	9,15	7,75	3,00	90,00	4,50	,000
g1_46	9,15	7,75	9,15	10,03	3,00	90,00	4,50	,000
g1_47	9,15	10,03	4,80	10,03	3,00	90,00	4,50	,000
g1_48	4,80	10,03	4,80	5,64	3,00	90,00	4,50	,000
g2_1	18,45	15,75	13,74	15,75	3,00	90,00	7,50	,000
g2_2	13,74	15,75	13,74	14,75	3,00	90,00	7,50	,000
g2_3	13,74	14,75	12,54	14,75	3,00	90,00	7,50	,000
g2_4	12,54	14,75	12,54	15,35	3,00	90,00	7,50	,000
g2_5	12,54	15,35	9,55	15,35	3,00	90,00	7,50	,000
g2_6	9,55	15,35	9,55	8,00	3,00	90,00	7,50	,000
g2_7	9,55	8,00	12,54	8,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_8	12,54	8,00	12,54	8,60	3,00	90,00	7,50	,000
g2_9	12,54	8,60	13,74	8,60	3,00	90,00	7,50	,000
g2_10	13,74	8,60	13,74	8,00	3,00	90,00	7,50	,000
g2_11	13,74	8,00	16,33	8,00	3,00	90,00	7,50	,000
g2_12	16,33	8,00	16,33	10,53	3,00	90,00	7,50	,000
g2_13	16,33	10,53	18,45	10,53	3,00	90,00	7,50	,000
g2_14	18,45	10,53	18,45	15,75	3,00	90,00	7,50	,000
g2_15	9,55	,00	12,54	,00	3,00	90,00	7,50	,000
g2_16	12,54	,00	12,54	,60	3,00	90,00	7,50	,000
g2_17	12,54	,60	13,74	,60	3,00	90,00	7,50	,000
g2_18	13,74	,60	13,74	,00	3,00	90,00	7,50	,000
g2_19	13,74	,00	18,45	,00	3,00	90,00	7,50	,000
g2_20	18,45	,00	18,45	5,40	3,00	90,00	7,50	,000
g2_21	18,45	5,40	16,33	5,40	3,00	90,00	7,50	,000
g2_22	16,33	5,40	16,33	7,75	3,00	90,00	7,50	,000
g2_23	16,33	7,75	13,74	7,75	3,00	90,00	7,50	,000
g2_24	13,74	7,75	13,74	7,15	3,00	90,00	7,50	,000
g2_25	13,74	7,15	12,54	7,15	3,00	90,00	7,50	,000
g2_26	12,54	7,15	12,54	7,75	3,00	90,00	7,50	,000
g2_27	12,54	7,75	11,13	7,75	3,00	90,00	7,50	,000
g2_28	11,13	7,75	11,13	5,75	3,00	90,00	7,50	,000
g2_29	11,13	5,75	9,55	5,75	3,00	90,00	7,50	,000
g2_30	9,55	5,75	9,55	,00	3,00	90,00	7,50	,000
g2_31	,00	5,64	4,55	5,64	3,00	90,00	7,50	,000
g2_32	4,55	5,64	4,55	9,57	3,00	90,00	7,50	,000
g2_33	4,55	9,57	2,66	9,57	3,00	90,00	7,50	,000
g2_34	2,66	9,57	2,66	10,43	3,00	90,00	7,50	,000
g2_35	2,66	10,43	9,15	10,43	3,00	90,00	7,50	,000
g2_36	9,15	10,43	9,15	15,77	3,00	90,00	7,50	,000
g2_37	9,15	15,77	3,98	15,77	3,00	90,00	7,50	,000
g2_38	3,98	15,77	3,98	15,38	3,00	90,00	7,50	,000
g2_39	3,98	15,38	,00	15,38	3,00	90,00	7,50	,000
g2_40	,00	15,38	,00	5,62	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_41	4,80	5,64	9,15	5,64	3,00	90,00	7,50	,000
g2_42	9,15	5,64	9,15	5,96	3,00	90,00	7,50	,000
g2_43	9,15	5,96	10,93	5,96	3,00	90,00	7,50	,000
g2_44	10,93	5,96	10,93	7,75	3,00	90,00	7,50	,000
g2_45	10,93	7,75	9,15	7,75	3,00	90,00	7,50	,000
g2_46	9,15	7,75	9,15	10,03	3,00	90,00	7,50	,000
g2_47	9,15	10,03	4,80	10,03	3,00	90,00	7,50	,000
g2_48	4,80	10,03	4,80	5,64	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F01_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_07	1,00	,03	,84	2,34	,00	,00	Opgaand	g0_21	BC_F-01
o_F02_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_07	2,28	,03	,84	2,34	,00	,00	Opgaand	g0_13	BC_F-02
o_F03_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F04_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_07	,70	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_08	1,25	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_09	1,17	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_10	2,96	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_11	3,50	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_12	3,43	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_fiets_01	2,86	,03	,84	2,34	,00	,00	Opgaand	g0_35	BC_fietsen

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_fiets_02	3,23	,27	,67	1,93	,00	,00	Opgaand	g0_37	BC_fietsen
o_F05_01	,87	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_02	1,61	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_03	3,20	4,53	,84	2,34	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_04	,76	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_05	1,30	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_06	3,45	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_07	4,00	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_08	1,01	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F05_09	2,44	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F06_01	3,18	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_02	3,91	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_03	,88	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_03b	,88	5,46	,40	,00	,82	,00	Opgaand	g1_20	BC_F-06
o_F06_04	1,43	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04b	1,43	5,45	,73	,00	,75	,00	Opgaand	g1_20	BC_F-06
o_F06_05	3,58	4,64	,40	2,26	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06	4,12	4,70	,73	2,14	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_07	,28	7,02	1,69	,00	2,49	,00	Opgaand	g1_21	BC_F-06
o_F06_08	,30	4,74	,71	2,19	,00	,00	Opgaand	g1_22	BC_F-06
o_F06_09	1,19	4,53	,96	2,49	,00	,00	Opgaand	g1_22	BC_F-06
o_F07_01	,37	4,53	,96	2,49	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_02	1,52	4,74	,71	2,19	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_03	,18	7,02	1,69	,00	2,49	,00	Opgaand	g1_13	BC_F-07
o_F07_04	,68	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_05	1,22	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_06	3,23	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_07	3,78	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_08	,73	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_09	1,28	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_10	2,96	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_11	3,50	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_12	,45	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F07_13	1,89	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F08_01	,87	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_02	1,61	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_03	3,20	7,53	,84	2,34	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_04	,76	7,64	,40	2,26	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_05	1,30	7,70	,73	2,14	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_06	3,45	7,64	,40	2,26	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_07	4,00	7,70	,73	2,14	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_08	1,01	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F08_09	2,44	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F09_01	3,18	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_02	3,91	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_03	,88	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_04	1,43	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_05	3,58	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_06	4,12	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_07	,28	10,02	1,69	,00	2,49	,00	Opgaand	g2_21	BC_F-09
o_F09_08	,30	7,74	,71	2,19	,00	,00	Opgaand	g2_22	BC_F-09
o_F09_09	1,19	7,53	,96	2,49	,00	,00	Opgaand	g2_22	BC_F-09
o_F10_01	,37	7,53	,96	2,49	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_02	1,52	7,74	,71	2,19	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_03	,18	10,02	1,69	,00	2,49	,00	Opgaand	g2_13	BC_F-10
o_F10_04	,68	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_05	1,22	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_06	3,23	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_07	3,78	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_08	,73	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_09	1,28	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_10	2,96	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_11	3,50	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_12	,45	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10
o_F10_13	1,89	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10

Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok F_0001.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok F_0002.jpg



BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-02	o_F06_05b	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05b	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,4	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,4	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,5	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	9,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06b	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,6	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	956,4	0,47	17,77	1,61	32,7

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-02	o_F06_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	956,4	0,47	17,77	1,61	32,7
	BC_F-02	o_F06_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	956,4	0,47	17,77	1,61	32,7

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fietsen	4,12	Ja	0,00	brandruimte	60	0,38		g0_36 g0_37 g0_38 g0_39 g0_40 g0_41 g0_42 g0_43 g0_44 g0_35
BC_F-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_21 g0_22 g0_23 g0_24 g0_25 g0_26 g0_27 g0_28
BC_F-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_F-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_12 g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11
BC_F-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_2 g0_3 g0_4 g0_1
BC_F-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_40 g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39
BC_F-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_30 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29
BC_F-07	2,62	Ja	4,50	brandruimte	60	0,38		g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_9 g1_10 g1_11
BC_F-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_40 g2_31 g2_32 g2_33 g2_34 g2_35 g2_36 g2_37 g2_38 g2_39
BC_F-09	2,62	Ja	7,50	brandruimte	60	0,38		g2_30 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29
BC_F-10	2,62	Ja	7,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	18,45	15,75	9,55	15,75	4,50	90,00	,00	,000
g0_2	9,55	15,75	9,55	12,00	4,50	90,00	,00	,000
g0_3	9,55	12,00	18,45	12,00	4,50	90,00	,00	,000
g0_4	18,45	12,00	18,45	15,75	4,50	90,00	,00	,000
g0_5	9,55	11,75	9,55	8,00	4,50	90,00	,00	,000
g0_6	9,55	8,00	12,54	8,00	4,50	90,00	,00	,000
g0_7	12,54	8,00	12,54	8,60	4,50	90,00	,00	,000
g0_8	12,54	8,60	13,74	8,60	4,50	90,00	,00	,000
g0_9	13,74	8,60	13,74	8,00	4,50	90,00	,00	,000
g0_10	13,74	8,00	18,45	8,00	4,50	90,00	,00	,000
g0_11	18,45	8,00	18,45	11,75	4,50	90,00	,00	,000
g0_12	18,45	11,75	9,55	11,75	4,50	90,00	,00	,000
g0_13	9,55	7,75	9,55	4,00	4,50	90,00	,00	,000
g0_14	9,55	4,00	18,45	4,00	4,50	90,00	,00	,000
g0_15	18,45	4,00	18,45	7,75	4,50	90,00	,00	,000
g0_16	18,45	7,75	13,74	7,75	4,50	90,00	,00	,000
g0_17	13,74	7,75	13,74	7,15	4,50	90,00	,00	,000
g0_18	13,74	7,15	12,54	7,15	4,50	90,00	,00	,000
g0_19	12,54	7,15	12,54	7,75	4,50	90,00	,00	,000
g0_20	12,54	7,75	9,55	7,75	4,50	90,00	,00	,000
g0_21	9,55	3,75	9,55	,00	4,50	90,00	,00	,000
g0_22	9,55	,00	12,54	,00	4,50	90,00	,00	,000
g0_23	12,54	,00	12,54	,60	4,50	90,00	,00	,000
g0_24	12,54	,60	13,74	,60	4,50	90,00	,00	,000
g0_25	13,74	,60	13,74	,00	4,50	90,00	,00	,000
g0_26	13,74	,00	18,45	,00	4,50	90,00	,00	,000
g0_27	18,45	,00	18,45	3,75	4,50	90,00	,00	,000
g0_28	18,45	3,75	9,55	3,75	4,50	90,00	,00	,000
g0_29	6,05	15,77	6,05	10,03	4,50	90,00	,00	,000
g0_30	6,05	10,03	4,80	10,03	4,50	90,00	,00	,000
g0_31	4,80	10,03	4,80	5,64	4,50	90,00	,00	,000
g0_32	4,80	5,64	9,15	5,64	4,50	90,00	,00	,000
g0_33	9,15	5,64	9,15	15,77	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	9,15	15,77	6,05	15,77	4,50	90,00	,00	,000
g0_35	5,85	15,77	,00	15,77	4,50	90,00	,00	,000
g0_36	,00	15,77	,00	5,64	4,50	90,00	,00	,000
g0_37	,00	5,64	4,55	5,64	4,50	90,00	,00	,000
g0_38	4,55	5,64	4,55	6,73	4,50	90,00	,00	,000
g0_39	4,55	6,73	3,88	6,73	4,50	90,00	,00	,000
g0_40	3,88	6,73	3,88	8,31	4,50	90,00	,00	,000
g0_41	3,88	8,31	4,55	8,31	4,50	90,00	,00	,000
g0_42	4,55	8,31	4,55	10,63	4,50	90,00	,00	,000
g0_43	4,55	10,63	5,85	10,63	4,50	90,00	,00	,000
g0_44	5,85	10,63	5,85	15,77	4,50	90,00	,00	,000
g1_1	18,45	15,75	13,74	15,75	3,00	90,00	4,50	,000
g1_2	13,74	15,75	13,74	14,75	3,00	90,00	4,50	,000
g1_3	13,74	14,75	12,54	14,75	3,00	90,00	4,50	,000
g1_4	12,54	14,75	12,54	15,35	3,00	90,00	4,50	,000
g1_5	12,54	15,35	9,55	15,35	3,00	90,00	4,50	,000
g1_6	9,55	15,35	9,55	8,00	3,00	90,00	4,50	,000
g1_7	9,55	8,00	12,54	8,00	3,00	90,00	4,50	,000
g1_8	12,54	8,00	12,54	8,60	3,00	90,00	4,50	,000
g1_9	12,54	8,60	13,74	8,60	3,00	90,00	4,50	,000
g1_10	13,74	8,60	13,74	8,00	3,00	90,00	4,50	,000
g1_11	13,74	8,00	16,33	8,00	3,00	90,00	4,50	,000
g1_12	16,33	8,00	16,33	10,53	3,00	90,00	4,50	,000
g1_13	16,33	10,53	18,45	10,53	3,00	90,00	4,50	,000
g1_14	18,45	10,53	18,45	15,75	3,00	90,00	4,50	,000
g1_15	9,55	,00	12,54	,00	3,00	90,00	4,50	,000
g1_16	12,54	,00	12,54	,60	3,00	90,00	4,50	,000
g1_17	12,54	,60	13,74	,60	3,00	90,00	4,50	,000
g1_18	13,74	,60	13,74	,00	3,00	90,00	4,50	,000
g1_19	13,74	,00	18,45	,00	3,00	90,00	4,50	,000
g1_20	18,45	,00	18,45	5,40	3,00	90,00	4,50	,000
g1_21	18,45	5,40	16,33	5,40	3,00	90,00	4,50	,000
g1_22	16,33	5,40	16,33	7,75	3,00	90,00	4,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_23	16,33	7,75	13,74	7,75	3,00	90,00	4,50	,000
g1_24	13,74	7,75	13,74	7,15	3,00	90,00	4,50	,000
g1_25	13,74	7,15	12,54	7,15	3,00	90,00	4,50	,000
g1_26	12,54	7,15	12,54	7,75	3,00	90,00	4,50	,000
g1_27	12,54	7,75	11,13	7,75	3,00	90,00	4,50	,000
g1_28	11,13	7,75	11,13	5,75	3,00	90,00	4,50	,000
g1_29	11,13	5,75	9,55	5,75	3,00	90,00	4,50	,000
g1_30	9,55	5,75	9,55	,00	3,00	90,00	4,50	,000
g1_31	,00	5,64	4,55	5,64	3,00	90,00	4,50	,000
g1_32	4,55	5,64	4,55	9,57	3,00	90,00	4,50	,000
g1_33	4,55	9,57	2,66	9,57	3,00	90,00	4,50	,000
g1_34	2,66	9,57	2,66	10,43	3,00	90,00	4,50	,000
g1_35	2,66	10,43	9,15	10,43	3,00	90,00	4,50	,000
g1_36	9,15	10,43	9,15	15,77	3,00	90,00	4,50	,000
g1_37	9,15	15,77	3,98	15,77	3,00	90,00	4,50	,000
g1_38	3,98	15,77	3,98	15,38	3,00	90,00	4,50	,000
g1_39	3,98	15,38	,00	15,38	3,00	90,00	4,50	,000
g1_40	,00	15,38	,00	5,62	3,00	90,00	4,50	,000
g1_41	4,80	5,64	9,15	5,64	3,00	90,00	4,50	,000
g1_42	9,15	5,64	9,15	5,96	3,00	90,00	4,50	,000
g1_43	9,15	5,96	10,93	5,96	3,00	90,00	4,50	,000
g1_44	10,93	5,96	10,93	7,75	3,00	90,00	4,50	,000
g1_45	10,93	7,75	9,15	7,75	3,00	90,00	4,50	,000
g1_46	9,15	7,75	9,15	10,03	3,00	90,00	4,50	,000
g1_47	9,15	10,03	4,80	10,03	3,00	90,00	4,50	,000
g1_48	4,80	10,03	4,80	5,64	3,00	90,00	4,50	,000
g2_1	18,45	15,75	13,74	15,75	3,00	90,00	7,50	,000
g2_2	13,74	15,75	13,74	14,75	3,00	90,00	7,50	,000
g2_3	13,74	14,75	12,54	14,75	3,00	90,00	7,50	,000
g2_4	12,54	14,75	12,54	15,35	3,00	90,00	7,50	,000
g2_5	12,54	15,35	9,55	15,35	3,00	90,00	7,50	,000
g2_6	9,55	15,35	9,55	8,00	3,00	90,00	7,50	,000
g2_7	9,55	8,00	12,54	8,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_8	12,54	8,00	12,54	8,60	3,00	90,00	7,50	,000
g2_9	12,54	8,60	13,74	8,60	3,00	90,00	7,50	,000
g2_10	13,74	8,60	13,74	8,00	3,00	90,00	7,50	,000
g2_11	13,74	8,00	16,33	8,00	3,00	90,00	7,50	,000
g2_12	16,33	8,00	16,33	10,53	3,00	90,00	7,50	,000
g2_13	16,33	10,53	18,45	10,53	3,00	90,00	7,50	,000
g2_14	18,45	10,53	18,45	15,75	3,00	90,00	7,50	,000
g2_15	9,55	,00	12,54	,00	3,00	90,00	7,50	,000
g2_16	12,54	,00	12,54	,60	3,00	90,00	7,50	,000
g2_17	12,54	,60	13,74	,60	3,00	90,00	7,50	,000
g2_18	13,74	,60	13,74	,00	3,00	90,00	7,50	,000
g2_19	13,74	,00	18,45	,00	3,00	90,00	7,50	,000
g2_20	18,45	,00	18,45	5,40	3,00	90,00	7,50	,000
g2_21	18,45	5,40	16,33	5,40	3,00	90,00	7,50	,000
g2_22	16,33	5,40	16,33	7,75	3,00	90,00	7,50	,000
g2_23	16,33	7,75	13,74	7,75	3,00	90,00	7,50	,000
g2_24	13,74	7,75	13,74	7,15	3,00	90,00	7,50	,000
g2_25	13,74	7,15	12,54	7,15	3,00	90,00	7,50	,000
g2_26	12,54	7,15	12,54	7,75	3,00	90,00	7,50	,000
g2_27	12,54	7,75	11,13	7,75	3,00	90,00	7,50	,000
g2_28	11,13	7,75	11,13	5,75	3,00	90,00	7,50	,000
g2_29	11,13	5,75	9,55	5,75	3,00	90,00	7,50	,000
g2_30	9,55	5,75	9,55	,00	3,00	90,00	7,50	,000
g2_31	,00	5,64	4,55	5,64	3,00	90,00	7,50	,000
g2_32	4,55	5,64	4,55	9,57	3,00	90,00	7,50	,000
g2_33	4,55	9,57	2,66	9,57	3,00	90,00	7,50	,000
g2_34	2,66	9,57	2,66	10,43	3,00	90,00	7,50	,000
g2_35	2,66	10,43	9,15	10,43	3,00	90,00	7,50	,000
g2_36	9,15	10,43	9,15	15,77	3,00	90,00	7,50	,000
g2_37	9,15	15,77	3,98	15,77	3,00	90,00	7,50	,000
g2_38	3,98	15,77	3,98	15,38	3,00	90,00	7,50	,000
g2_39	3,98	15,38	,00	15,38	3,00	90,00	7,50	,000
g2_40	,00	15,38	,00	5,62	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_41	4,80	5,64	9,15	5,64	3,00	90,00	7,50	,000
g2_42	9,15	5,64	9,15	5,96	3,00	90,00	7,50	,000
g2_43	9,15	5,96	10,93	5,96	3,00	90,00	7,50	,000
g2_44	10,93	5,96	10,93	7,75	3,00	90,00	7,50	,000
g2_45	10,93	7,75	9,15	7,75	3,00	90,00	7,50	,000
g2_46	9,15	7,75	9,15	10,03	3,00	90,00	7,50	,000
g2_47	9,15	10,03	4,80	10,03	3,00	90,00	7,50	,000
g2_48	4,80	10,03	4,80	5,64	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F01_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_07	1,00	,03	,84	2,34	,00	,00	Opgaand	g0_21	BC_F-01
o_F02_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_07	2,28	2,37	,84	,00	2,34	,00	Opgaand	g0_13	BC_F-02
o_F03_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F04_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_07	,70	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_08	1,25	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_09	1,17	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_10	2,96	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_11	3,50	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_12	3,43	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_fiets_01	2,86	,03	,84	2,34	,00	,00	Opgaand	g0_35	BC_fietsen

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_fiets_02	3,23	,27	,67	1,93	,00	,00	Opgaand	g0_37	BC_fietsen
o_F05_01	,87	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_02	1,61	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_03	3,20	4,53	,84	2,34	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_04	,76	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_05	1,30	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_06	3,45	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_07	4,00	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_08	1,01	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F05_09	2,44	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F06_01	3,18	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_02	3,91	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_03	,88	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_03b	,88	5,46	,40	,00	,82	,00	Opgaand	g1_20	BC_F-06
o_F06_04	1,43	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04b	1,43	5,45	,73	,00	,75	,00	Opgaand	g1_20	BC_F-06
o_F06_05	3,58	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_05b	3,58	4,64	,40	,82	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06	4,12	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06b	4,12	4,70	,73	,75	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_07	,28	7,02	1,69	,00	2,49	,00	Opgaand	g1_21	BC_F-06
o_F06_08	,30	4,74	,71	2,19	,00	,00	Opgaand	g1_22	BC_F-06
o_F06_09	1,19	4,53	,96	2,49	,00	,00	Opgaand	g1_22	BC_F-06
o_F07_01	,37	4,53	,96	2,49	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_02	1,52	4,74	,71	2,19	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_03	,18	7,02	1,69	,00	2,49	,00	Opgaand	g1_13	BC_F-07
o_F07_04	,68	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_05	1,22	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_06	3,23	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_07	3,78	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_08	,73	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_09	1,28	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_10	2,96	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07

Behoort tot het bouwarchief

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F07_11	3,50	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_12	,45	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F07_13	1,89	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F08_01	,87	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_02	1,61	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_03	3,20	7,53	,84	2,34	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_04	,76	7,64	,40	2,26	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_05	1,30	7,70	,73	2,14	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_06	3,45	7,64	,40	2,26	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_07	4,00	7,70	,73	2,14	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_08	1,01	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F08_09	2,44	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F09_01	3,18	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_02	3,91	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_03	,88	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_04	1,43	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_05	3,58	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_06	4,12	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_07	,28	10,02	1,69	,00	2,49	,00	Opgaand	g2_21	BC_F-09
o_F09_08	,30	7,74	,71	2,19	,00	,00	Opgaand	g2_22	BC_F-09
o_F09_09	1,19	7,53	,96	2,49	,00	,00	Opgaand	g2_22	BC_F-09
o_F10_01	,37	7,53	,96	2,49	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_02	1,52	7,74	,71	2,19	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_03	,18	10,02	1,69	,00	2,49	,00	Opgaand	g2_13	BC_F-10
o_F10_04	,68	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_05	1,22	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_06	3,23	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_07	3,78	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_08	,73	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_09	1,28	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_10	2,96	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_11	3,50	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_12	,45	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F10_13	1,89	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10

Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok F. 0003.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok F_0004.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-04	o_F07_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,3	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	804,0	0,71	9,22	1,67	33,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-04	o_F07_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-04	o_F07_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	804,0	0,71	9,22	1,67	33,4
	BC_F-04	o_F07_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	804,0	0,71	9,22	1,67	33,4

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fietsen	4,12	Ja	0,00	brandruimte	60	0,38		g0_36 g0_37 g0_38 g0_39 g0_40 g0_41 g0_42 g0_43 g0_44 g0_35
BC_F-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_21 g0_22 g0_23 g0_24 g0_25 g0_26 g0_27 g0_28
BC_F-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_F-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_12 g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11
BC_F-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_2 g0_3 g0_4 g0_1
BC_F-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_40 g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39
BC_F-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_30 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29
BC_F-07	2,62	Ja	4,50	brandruimte	60	0,38		g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_9 g1_10 g1_11
BC_F-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_40 g2_31 g2_32 g2_33 g2_34 g2_35 g2_36 g2_37 g2_38 g2_39
BC_F-09	2,62	Ja	7,50	brandruimte	60	0,38		g2_30 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29
BC_F-10	2,62	Ja	7,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	18,45	15,75	9,55	15,75	4,50	90,00	,00	,000
g0_2	9,55	15,75	9,55	12,00	4,50	90,00	,00	,000
g0_3	9,55	12,00	18,45	12,00	4,50	90,00	,00	,000
g0_4	18,45	12,00	18,45	15,75	4,50	90,00	,00	,000
g0_5	9,55	11,75	9,55	8,00	4,50	90,00	,00	,000
g0_6	9,55	8,00	12,54	8,00	4,50	90,00	,00	,000
g0_7	12,54	8,00	12,54	8,60	4,50	90,00	,00	,000
g0_8	12,54	8,60	13,74	8,60	4,50	90,00	,00	,000
g0_9	13,74	8,60	13,74	8,00	4,50	90,00	,00	,000
g0_10	13,74	8,00	18,45	8,00	4,50	90,00	,00	,000
g0_11	18,45	8,00	18,45	11,75	4,50	90,00	,00	,000
g0_12	18,45	11,75	9,55	11,75	4,50	90,00	,00	,000
g0_13	9,55	7,75	9,55	4,00	4,50	90,00	,00	,000
g0_14	9,55	4,00	18,45	4,00	4,50	90,00	,00	,000
g0_15	18,45	4,00	18,45	7,75	4,50	90,00	,00	,000
g0_16	18,45	7,75	13,74	7,75	4,50	90,00	,00	,000
g0_17	13,74	7,75	13,74	7,15	4,50	90,00	,00	,000
g0_18	13,74	7,15	12,54	7,15	4,50	90,00	,00	,000
g0_19	12,54	7,15	12,54	7,75	4,50	90,00	,00	,000
g0_20	12,54	7,75	9,55	7,75	4,50	90,00	,00	,000
g0_21	9,55	3,75	9,55	,00	4,50	90,00	,00	,000
g0_22	9,55	,00	12,54	,00	4,50	90,00	,00	,000
g0_23	12,54	,00	12,54	,60	4,50	90,00	,00	,000
g0_24	12,54	,60	13,74	,60	4,50	90,00	,00	,000
g0_25	13,74	,60	13,74	,00	4,50	90,00	,00	,000
g0_26	13,74	,00	18,45	,00	4,50	90,00	,00	,000
g0_27	18,45	,00	18,45	3,75	4,50	90,00	,00	,000
g0_28	18,45	3,75	9,55	3,75	4,50	90,00	,00	,000
g0_29	6,05	15,77	6,05	10,03	4,50	90,00	,00	,000
g0_30	6,05	10,03	4,80	10,03	4,50	90,00	,00	,000
g0_31	4,80	10,03	4,80	5,64	4,50	90,00	,00	,000
g0_32	4,80	5,64	9,15	5,64	4,50	90,00	,00	,000
g0_33	9,15	5,64	9,15	15,77	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	9,15	15,77	6,05	15,77	4,50	90,00	,00	,000
g0_35	5,85	15,77	,00	15,77	4,50	90,00	,00	,000
g0_36	,00	15,77	,00	5,64	4,50	90,00	,00	,000
g0_37	,00	5,64	4,55	5,64	4,50	90,00	,00	,000
g0_38	4,55	5,64	4,55	6,73	4,50	90,00	,00	,000
g0_39	4,55	6,73	3,88	6,73	4,50	90,00	,00	,000
g0_40	3,88	6,73	3,88	8,31	4,50	90,00	,00	,000
g0_41	3,88	8,31	4,55	8,31	4,50	90,00	,00	,000
g0_42	4,55	8,31	4,55	10,63	4,50	90,00	,00	,000
g0_43	4,55	10,63	5,85	10,63	4,50	90,00	,00	,000
g0_44	5,85	10,63	5,85	15,77	4,50	90,00	,00	,000
g1_1	18,45	15,75	13,74	15,75	3,00	90,00	4,50	,000
g1_2	13,74	15,75	13,74	14,75	3,00	90,00	4,50	,000
g1_3	13,74	14,75	12,54	14,75	3,00	90,00	4,50	,000
g1_4	12,54	14,75	12,54	15,35	3,00	90,00	4,50	,000
g1_5	12,54	15,35	9,55	15,35	3,00	90,00	4,50	,000
g1_6	9,55	15,35	9,55	8,00	3,00	90,00	4,50	,000
g1_7	9,55	8,00	12,54	8,00	3,00	90,00	4,50	,000
g1_8	12,54	8,00	12,54	8,60	3,00	90,00	4,50	,000
g1_9	12,54	8,60	13,74	8,60	3,00	90,00	4,50	,000
g1_10	13,74	8,60	13,74	8,00	3,00	90,00	4,50	,000
g1_11	13,74	8,00	16,33	8,00	3,00	90,00	4,50	,000
g1_12	16,33	8,00	16,33	10,53	3,00	90,00	4,50	,000
g1_13	16,33	10,53	18,45	10,53	3,00	90,00	4,50	,000
g1_14	18,45	10,53	18,45	15,75	3,00	90,00	4,50	,000
g1_15	9,55	,00	12,54	,00	3,00	90,00	4,50	,000
g1_16	12,54	,00	12,54	,60	3,00	90,00	4,50	,000
g1_17	12,54	,60	13,74	,60	3,00	90,00	4,50	,000
g1_18	13,74	,60	13,74	,00	3,00	90,00	4,50	,000
g1_19	13,74	,00	18,45	,00	3,00	90,00	4,50	,000
g1_20	18,45	,00	18,45	5,40	3,00	90,00	4,50	,000
g1_21	18,45	5,40	16,33	5,40	3,00	90,00	4,50	,000
g1_22	16,33	5,40	16,33	7,75	3,00	90,00	4,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_23	16,33	7,75	13,74	7,75	3,00	90,00	4,50	,000
g1_24	13,74	7,75	13,74	7,15	3,00	90,00	4,50	,000
g1_25	13,74	7,15	12,54	7,15	3,00	90,00	4,50	,000
g1_26	12,54	7,15	12,54	7,75	3,00	90,00	4,50	,000
g1_27	12,54	7,75	11,13	7,75	3,00	90,00	4,50	,000
g1_28	11,13	7,75	11,13	5,75	3,00	90,00	4,50	,000
g1_29	11,13	5,75	9,55	5,75	3,00	90,00	4,50	,000
g1_30	9,55	5,75	9,55	,00	3,00	90,00	4,50	,000
g1_31	,00	5,64	4,55	5,64	3,00	90,00	4,50	,000
g1_32	4,55	5,64	4,55	9,57	3,00	90,00	4,50	,000
g1_33	4,55	9,57	2,66	9,57	3,00	90,00	4,50	,000
g1_34	2,66	9,57	2,66	10,43	3,00	90,00	4,50	,000
g1_35	2,66	10,43	9,15	10,43	3,00	90,00	4,50	,000
g1_36	9,15	10,43	9,15	15,77	3,00	90,00	4,50	,000
g1_37	9,15	15,77	3,98	15,77	3,00	90,00	4,50	,000
g1_38	3,98	15,77	3,98	15,38	3,00	90,00	4,50	,000
g1_39	3,98	15,38	,00	15,38	3,00	90,00	4,50	,000
g1_40	,00	15,38	,00	5,62	3,00	90,00	4,50	,000
g1_41	4,80	5,64	9,15	5,64	3,00	90,00	4,50	,000
g1_42	9,15	5,64	9,15	5,96	3,00	90,00	4,50	,000
g1_43	9,15	5,96	10,93	5,96	3,00	90,00	4,50	,000
g1_44	10,93	5,96	10,93	7,75	3,00	90,00	4,50	,000
g1_45	10,93	7,75	9,15	7,75	3,00	90,00	4,50	,000
g1_46	9,15	7,75	9,15	10,03	3,00	90,00	4,50	,000
g1_47	9,15	10,03	4,80	10,03	3,00	90,00	4,50	,000
g1_48	4,80	10,03	4,80	5,64	3,00	90,00	4,50	,000
g2_1	18,45	15,75	13,74	15,75	3,00	90,00	7,50	,000
g2_2	13,74	15,75	13,74	14,75	3,00	90,00	7,50	,000
g2_3	13,74	14,75	12,54	14,75	3,00	90,00	7,50	,000
g2_4	12,54	14,75	12,54	15,35	3,00	90,00	7,50	,000
g2_5	12,54	15,35	9,55	15,35	3,00	90,00	7,50	,000
g2_6	9,55	15,35	9,55	8,00	3,00	90,00	7,50	,000
g2_7	9,55	8,00	12,54	8,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_8	12,54	8,00	12,54	8,60	3,00	90,00	7,50	,000
g2_9	12,54	8,60	13,74	8,60	3,00	90,00	7,50	,000
g2_10	13,74	8,60	13,74	8,00	3,00	90,00	7,50	,000
g2_11	13,74	8,00	16,33	8,00	3,00	90,00	7,50	,000
g2_12	16,33	8,00	16,33	10,53	3,00	90,00	7,50	,000
g2_13	16,33	10,53	18,45	10,53	3,00	90,00	7,50	,000
g2_14	18,45	10,53	18,45	15,75	3,00	90,00	7,50	,000
g2_15	9,55	,00	12,54	,00	3,00	90,00	7,50	,000
g2_16	12,54	,00	12,54	,60	3,00	90,00	7,50	,000
g2_17	12,54	,60	13,74	,60	3,00	90,00	7,50	,000
g2_18	13,74	,60	13,74	,00	3,00	90,00	7,50	,000
g2_19	13,74	,00	18,45	,00	3,00	90,00	7,50	,000
g2_20	18,45	,00	18,45	5,40	3,00	90,00	7,50	,000
g2_21	18,45	5,40	16,33	5,40	3,00	90,00	7,50	,000
g2_22	16,33	5,40	16,33	7,75	3,00	90,00	7,50	,000
g2_23	16,33	7,75	13,74	7,75	3,00	90,00	7,50	,000
g2_24	13,74	7,75	13,74	7,15	3,00	90,00	7,50	,000
g2_25	13,74	7,15	12,54	7,15	3,00	90,00	7,50	,000
g2_26	12,54	7,15	12,54	7,75	3,00	90,00	7,50	,000
g2_27	12,54	7,75	11,13	7,75	3,00	90,00	7,50	,000
g2_28	11,13	7,75	11,13	5,75	3,00	90,00	7,50	,000
g2_29	11,13	5,75	9,55	5,75	3,00	90,00	7,50	,000
g2_30	9,55	5,75	9,55	,00	3,00	90,00	7,50	,000
g2_31	,00	5,64	4,55	5,64	3,00	90,00	7,50	,000
g2_32	4,55	5,64	4,55	9,57	3,00	90,00	7,50	,000
g2_33	4,55	9,57	2,66	9,57	3,00	90,00	7,50	,000
g2_34	2,66	9,57	2,66	10,43	3,00	90,00	7,50	,000
g2_35	2,66	10,43	9,15	10,43	3,00	90,00	7,50	,000
g2_36	9,15	10,43	9,15	15,77	3,00	90,00	7,50	,000
g2_37	9,15	15,77	3,98	15,77	3,00	90,00	7,50	,000
g2_38	3,98	15,77	3,98	15,38	3,00	90,00	7,50	,000
g2_39	3,98	15,38	,00	15,38	3,00	90,00	7,50	,000
g2_40	,00	15,38	,00	5,62	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_41	4,80	5,64	9,15	5,64	3,00	90,00	7,50	,000
g2_42	9,15	5,64	9,15	5,96	3,00	90,00	7,50	,000
g2_43	9,15	5,96	10,93	5,96	3,00	90,00	7,50	,000
g2_44	10,93	5,96	10,93	7,75	3,00	90,00	7,50	,000
g2_45	10,93	7,75	9,15	7,75	3,00	90,00	7,50	,000
g2_46	9,15	7,75	9,15	10,03	3,00	90,00	7,50	,000
g2_47	9,15	10,03	4,80	10,03	3,00	90,00	7,50	,000
g2_48	4,80	10,03	4,80	5,64	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F01_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_07	1,00	,03	,84	2,34	,00	,00	Opgaand	g0_21	BC_F-01
o_F02_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_07	2,28	2,37	,84	,00	2,34	,00	Opgaand	g0_13	BC_F-02
o_F03_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F04_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_07	,70	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_08	1,25	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_09	1,17	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_10	2,96	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_11	3,50	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_12	3,43	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_fiets_01	2,86	,03	,84	2,34	,00	,00	Opgaand	g0_35	BC_fietsen

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_fiets_02	3,23	,27	,67	1,93	,00	,00	Opgaand	g0_37	BC_fietsen
o_F05_01	,87	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_02	1,61	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_03	3,20	4,53	,84	2,34	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_04	,76	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_05	1,30	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_06	3,45	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_07	4,00	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_08	1,01	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F05_09	2,44	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F06_01	3,18	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_02	3,91	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_03	,88	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_03b	,88	5,46	,40	,00	,82	,00	Opgaand	g1_20	BC_F-06
o_F06_04	1,43	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04b	1,43	5,45	,73	,00	,75	,00	Opgaand	g1_20	BC_F-06
o_F06_05	3,58	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_05b	3,58	4,64	,40	,82	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06	4,12	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06b	4,12	4,70	,73	,75	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_07	,28	7,02	1,69	,00	2,49	,00	Opgaand	g1_21	BC_F-06
o_F06_08	,30	4,74	,71	2,19	,00	,00	Opgaand	g1_22	BC_F-06
o_F06_09	1,19	4,53	,96	2,49	,00	,00	Opgaand	g1_22	BC_F-06
o_F07_01	,37	4,53	,96	2,49	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_02	1,52	4,74	,71	2,19	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_03	,18	7,02	1,69	,00	2,49	,00	Opgaand	g1_13	BC_F-07
o_F07_04	,68	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_05	1,22	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_06	3,23	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_07	3,78	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_08	,73	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_09	1,28	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_10	2,96	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07

Behoort tot het bouwarchief

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F07_11	3,50	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_12	,45	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F07_13	1,89	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F08_01	,87	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_02	1,61	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_03	3,20	7,53	,84	2,34	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_04	,76	7,64	,40	2,26	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_05	1,30	7,70	,73	2,14	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_06	3,45	7,64	,40	2,26	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_07	4,00	7,70	,73	2,14	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_08	1,01	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F08_09	2,44	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F09_01	3,18	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_02	3,91	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_03	,88	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_04	1,43	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_05	3,58	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_06	4,12	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_07	,28	10,02	1,69	,00	2,49	,00	Opgaand	g2_21	BC_F-09
o_F09_08	,30	7,74	,71	2,19	,00	,00	Opgaand	g2_22	BC_F-09
o_F09_09	1,19	7,53	,96	2,49	,00	,00	Opgaand	g2_22	BC_F-09
o_F10_01	,37	7,53	,96	2,49	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_02	1,52	7,74	,71	2,19	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_03	,18	10,02	1,69	,00	2,49	,00	Opgaand	g2_13	BC_F-10
o_F10_04	,68	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_05	1,22	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_06	3,23	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_07	3,78	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_08	,73	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_09	1,28	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_10	2,96	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_11	3,50	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_12	,45	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F10_13	1,89	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10

Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok F_0005.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok F_0006.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_F-05		o_F08_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,7	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,8	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,9	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,9	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,8	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,1	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,8	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,0	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,5	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,9	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,5	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,4	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,8	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,9	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,5	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,8	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,3	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,7	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,8	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,5	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,8	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,1	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,5	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,9	Ok	1032,1	0,78	10,34	5,47	67,5
BC_F-05		o_F08_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,3	Ok	1032,1	0,78	10,34	5,47	67,5

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-05	o_F08_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,8	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,9	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,5	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,4	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,7	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,4	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,1	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,8	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	7,0	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,7	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,7	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,8	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,8	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	5,6	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,5	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,5	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,6	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,1	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	4,8	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	1032,1	0,78	10,34	5,47	67,5

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-05	o_F08_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5
	BC_F-05	o_F08_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	1032,1	0,78	10,34	5,47	67,5

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fietsen	4,12	Ja	0,00	brandruimte	60	0,38		g0_36 g0_37 g0_38 g0_39 g0_40 g0_41 g0_42 g0_43 g0_44 g0_35
BC_F-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_21 g0_22 g0_23 g0_24 g0_25 g0_26 g0_27 g0_28
BC_F-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_F-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_12 g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11
BC_F-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_2 g0_3 g0_4 g0_1
BC_F-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_40 g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39
BC_F-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_30 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29
BC_F-07	2,62	Ja	4,50	brandruimte	60	0,38		g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_9 g1_10 g1_11
BC_F-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_40 g2_31 g2_32 g2_33 g2_34 g2_35 g2_36 g2_37 g2_38 g2_39
BC_F-09	2,62	Ja	7,50	brandruimte	60	0,38		g2_30 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29
BC_F-10	2,62	Ja	7,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	18,45	15,75	9,55	15,75	4,50	90,00	,00	,000
g0_2	9,55	15,75	9,55	12,00	4,50	90,00	,00	,000
g0_3	9,55	12,00	18,45	12,00	4,50	90,00	,00	,000
g0_4	18,45	12,00	18,45	15,75	4,50	90,00	,00	,000
g0_5	9,55	11,75	9,55	8,00	4,50	90,00	,00	,000
g0_6	9,55	8,00	12,54	8,00	4,50	90,00	,00	,000
g0_7	12,54	8,00	12,54	8,60	4,50	90,00	,00	,000
g0_8	12,54	8,60	13,74	8,60	4,50	90,00	,00	,000
g0_9	13,74	8,60	13,74	8,00	4,50	90,00	,00	,000
g0_10	13,74	8,00	18,45	8,00	4,50	90,00	,00	,000
g0_11	18,45	8,00	18,45	11,75	4,50	90,00	,00	,000
g0_12	18,45	11,75	9,55	11,75	4,50	90,00	,00	,000
g0_13	9,55	7,75	9,55	4,00	4,50	90,00	,00	,000
g0_14	9,55	4,00	18,45	4,00	4,50	90,00	,00	,000
g0_15	18,45	4,00	18,45	7,75	4,50	90,00	,00	,000
g0_16	18,45	7,75	13,74	7,75	4,50	90,00	,00	,000
g0_17	13,74	7,75	13,74	7,15	4,50	90,00	,00	,000
g0_18	13,74	7,15	12,54	7,15	4,50	90,00	,00	,000
g0_19	12,54	7,15	12,54	7,75	4,50	90,00	,00	,000
g0_20	12,54	7,75	9,55	7,75	4,50	90,00	,00	,000
g0_21	9,55	3,75	9,55	,00	4,50	90,00	,00	,000
g0_22	9,55	,00	12,54	,00	4,50	90,00	,00	,000
g0_23	12,54	,00	12,54	,60	4,50	90,00	,00	,000
g0_24	12,54	,60	13,74	,60	4,50	90,00	,00	,000
g0_25	13,74	,60	13,74	,00	4,50	90,00	,00	,000
g0_26	13,74	,00	18,45	,00	4,50	90,00	,00	,000
g0_27	18,45	,00	18,45	3,75	4,50	90,00	,00	,000
g0_28	18,45	3,75	9,55	3,75	4,50	90,00	,00	,000
g0_29	6,05	15,77	6,05	10,03	4,50	90,00	,00	,000
g0_30	6,05	10,03	4,80	10,03	4,50	90,00	,00	,000
g0_31	4,80	10,03	4,80	5,64	4,50	90,00	,00	,000
g0_32	4,80	5,64	9,15	5,64	4,50	90,00	,00	,000
g0_33	9,15	5,64	9,15	15,77	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	9,15	15,77	6,05	15,77	4,50	90,00	,00	,000
g0_35	5,85	15,77	,00	15,77	4,50	90,00	,00	,000
g0_36	,00	15,77	,00	5,64	4,50	90,00	,00	,000
g0_37	,00	5,64	4,55	5,64	4,50	90,00	,00	,000
g0_38	4,55	5,64	4,55	6,73	4,50	90,00	,00	,000
g0_39	4,55	6,73	3,88	6,73	4,50	90,00	,00	,000
g0_40	3,88	6,73	3,88	8,31	4,50	90,00	,00	,000
g0_41	3,88	8,31	4,55	8,31	4,50	90,00	,00	,000
g0_42	4,55	8,31	4,55	10,63	4,50	90,00	,00	,000
g0_43	4,55	10,63	5,85	10,63	4,50	90,00	,00	,000
g0_44	5,85	10,63	5,85	15,77	4,50	90,00	,00	,000
g1_1	18,45	15,75	13,74	15,75	3,00	90,00	4,50	,000
g1_2	13,74	15,75	13,74	14,75	3,00	90,00	4,50	,000
g1_3	13,74	14,75	12,54	14,75	3,00	90,00	4,50	,000
g1_4	12,54	14,75	12,54	15,35	3,00	90,00	4,50	,000
g1_5	12,54	15,35	9,55	15,35	3,00	90,00	4,50	,000
g1_6	9,55	15,35	9,55	8,00	3,00	90,00	4,50	,000
g1_7	9,55	8,00	12,54	8,00	3,00	90,00	4,50	,000
g1_8	12,54	8,00	12,54	8,60	3,00	90,00	4,50	,000
g1_9	12,54	8,60	13,74	8,60	3,00	90,00	4,50	,000
g1_10	13,74	8,60	13,74	8,00	3,00	90,00	4,50	,000
g1_11	13,74	8,00	16,33	8,00	3,00	90,00	4,50	,000
g1_12	16,33	8,00	16,33	10,53	3,00	90,00	4,50	,000
g1_13	16,33	10,53	18,45	10,53	3,00	90,00	4,50	,000
g1_14	18,45	10,53	18,45	15,75	3,00	90,00	4,50	,000
g1_15	9,55	,00	12,54	,00	3,00	90,00	4,50	,000
g1_16	12,54	,00	12,54	,60	3,00	90,00	4,50	,000
g1_17	12,54	,60	13,74	,60	3,00	90,00	4,50	,000
g1_18	13,74	,60	13,74	,00	3,00	90,00	4,50	,000
g1_19	13,74	,00	18,45	,00	3,00	90,00	4,50	,000
g1_20	18,45	,00	18,45	5,40	3,00	90,00	4,50	,000
g1_21	18,45	5,40	16,33	5,40	3,00	90,00	4,50	,000
g1_22	16,33	5,40	16,33	7,75	3,00	90,00	4,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_23	16,33	7,75	13,74	7,75	3,00	90,00	4,50	,000
g1_24	13,74	7,75	13,74	7,15	3,00	90,00	4,50	,000
g1_25	13,74	7,15	12,54	7,15	3,00	90,00	4,50	,000
g1_26	12,54	7,15	12,54	7,75	3,00	90,00	4,50	,000
g1_27	12,54	7,75	11,13	7,75	3,00	90,00	4,50	,000
g1_28	11,13	7,75	11,13	5,75	3,00	90,00	4,50	,000
g1_29	11,13	5,75	9,55	5,75	3,00	90,00	4,50	,000
g1_30	9,55	5,75	9,55	,00	3,00	90,00	4,50	,000
g1_31	,00	5,64	4,55	5,64	3,00	90,00	4,50	,000
g1_32	4,55	5,64	4,55	9,57	3,00	90,00	4,50	,000
g1_33	4,55	9,57	2,66	9,57	3,00	90,00	4,50	,000
g1_34	2,66	9,57	2,66	10,43	3,00	90,00	4,50	,000
g1_35	2,66	10,43	9,15	10,43	3,00	90,00	4,50	,000
g1_36	9,15	10,43	9,15	15,77	3,00	90,00	4,50	,000
g1_37	9,15	15,77	3,98	15,77	3,00	90,00	4,50	,000
g1_38	3,98	15,77	3,98	15,38	3,00	90,00	4,50	,000
g1_39	3,98	15,38	,00	15,38	3,00	90,00	4,50	,000
g1_40	,00	15,38	,00	5,62	3,00	90,00	4,50	,000
g1_41	4,80	5,64	9,15	5,64	3,00	90,00	4,50	,000
g1_42	9,15	5,64	9,15	5,96	3,00	90,00	4,50	,000
g1_43	9,15	5,96	10,93	5,96	3,00	90,00	4,50	,000
g1_44	10,93	5,96	10,93	7,75	3,00	90,00	4,50	,000
g1_45	10,93	7,75	9,15	7,75	3,00	90,00	4,50	,000
g1_46	9,15	7,75	9,15	10,03	3,00	90,00	4,50	,000
g1_47	9,15	10,03	4,80	10,03	3,00	90,00	4,50	,000
g1_48	4,80	10,03	4,80	5,64	3,00	90,00	4,50	,000
g2_1	18,45	15,75	13,74	15,75	3,00	90,00	7,50	,000
g2_2	13,74	15,75	13,74	14,75	3,00	90,00	7,50	,000
g2_3	13,74	14,75	12,54	14,75	3,00	90,00	7,50	,000
g2_4	12,54	14,75	12,54	15,35	3,00	90,00	7,50	,000
g2_5	12,54	15,35	9,55	15,35	3,00	90,00	7,50	,000
g2_6	9,55	15,35	9,55	8,00	3,00	90,00	7,50	,000
g2_7	9,55	8,00	12,54	8,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_8	12,54	8,00	12,54	8,60	3,00	90,00	7,50	,000
g2_9	12,54	8,60	13,74	8,60	3,00	90,00	7,50	,000
g2_10	13,74	8,60	13,74	8,00	3,00	90,00	7,50	,000
g2_11	13,74	8,00	16,33	8,00	3,00	90,00	7,50	,000
g2_12	16,33	8,00	16,33	10,53	3,00	90,00	7,50	,000
g2_13	16,33	10,53	18,45	10,53	3,00	90,00	7,50	,000
g2_14	18,45	10,53	18,45	15,75	3,00	90,00	7,50	,000
g2_15	9,55	,00	12,54	,00	3,00	90,00	7,50	,000
g2_16	12,54	,00	12,54	,60	3,00	90,00	7,50	,000
g2_17	12,54	,60	13,74	,60	3,00	90,00	7,50	,000
g2_18	13,74	,60	13,74	,00	3,00	90,00	7,50	,000
g2_19	13,74	,00	18,45	,00	3,00	90,00	7,50	,000
g2_20	18,45	,00	18,45	5,40	3,00	90,00	7,50	,000
g2_21	18,45	5,40	16,33	5,40	3,00	90,00	7,50	,000
g2_22	16,33	5,40	16,33	7,75	3,00	90,00	7,50	,000
g2_23	16,33	7,75	13,74	7,75	3,00	90,00	7,50	,000
g2_24	13,74	7,75	13,74	7,15	3,00	90,00	7,50	,000
g2_25	13,74	7,15	12,54	7,15	3,00	90,00	7,50	,000
g2_26	12,54	7,15	12,54	7,75	3,00	90,00	7,50	,000
g2_27	12,54	7,75	11,13	7,75	3,00	90,00	7,50	,000
g2_28	11,13	7,75	11,13	5,75	3,00	90,00	7,50	,000
g2_29	11,13	5,75	9,55	5,75	3,00	90,00	7,50	,000
g2_30	9,55	5,75	9,55	,00	3,00	90,00	7,50	,000
g2_31	,00	5,64	4,55	5,64	3,00	90,00	7,50	,000
g2_32	4,55	5,64	4,55	9,57	3,00	90,00	7,50	,000
g2_33	4,55	9,57	2,66	9,57	3,00	90,00	7,50	,000
g2_34	2,66	9,57	2,66	10,43	3,00	90,00	7,50	,000
g2_35	2,66	10,43	9,15	10,43	3,00	90,00	7,50	,000
g2_36	9,15	10,43	9,15	15,77	3,00	90,00	7,50	,000
g2_37	9,15	15,77	3,98	15,77	3,00	90,00	7,50	,000
g2_38	3,98	15,77	3,98	15,38	3,00	90,00	7,50	,000
g2_39	3,98	15,38	,00	15,38	3,00	90,00	7,50	,000
g2_40	,00	15,38	,00	5,62	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_41	4,80	5,64	9,15	5,64	3,00	90,00	7,50	,000
g2_42	9,15	5,64	9,15	5,96	3,00	90,00	7,50	,000
g2_43	9,15	5,96	10,93	5,96	3,00	90,00	7,50	,000
g2_44	10,93	5,96	10,93	7,75	3,00	90,00	7,50	,000
g2_45	10,93	7,75	9,15	7,75	3,00	90,00	7,50	,000
g2_46	9,15	7,75	9,15	10,03	3,00	90,00	7,50	,000
g2_47	9,15	10,03	4,80	10,03	3,00	90,00	7,50	,000
g2_48	4,80	10,03	4,80	5,64	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F01_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_07	1,00	,03	,84	2,34	,00	,00	Opgaand	g0_21	BC_F-01
o_F02_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_07	2,28	2,37	,84	,00	2,34	,00	Opgaand	g0_13	BC_F-02
o_F03_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F04_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_07	,70	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_08	1,25	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_09	1,17	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_10	2,96	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_11	3,50	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_12	3,43	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_fiets_01	2,86	,03	,84	2,34	,00	,00	Opgaand	g0_35	BC_fietsen

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_fiets_02	3,23	,27	,67	1,93	,00	,00	Opgaand	g0_37	BC_fietsen
o_F05_01	,87	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_02	1,61	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_03	3,20	4,53	,84	2,34	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_04	,76	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_05	1,30	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_06	3,45	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_07	4,00	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_08	1,01	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F05_09	2,44	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F06_01	3,18	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_02	3,91	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_03	,88	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_03b	,88	5,46	,40	,00	,82	,00	Opgaand	g1_20	BC_F-06
o_F06_04	1,43	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04b	1,43	5,45	,73	,00	,75	,00	Opgaand	g1_20	BC_F-06
o_F06_05	3,58	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_05b	3,58	4,64	,40	,82	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06	4,12	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06b	4,12	4,70	,73	,75	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_07	,28	7,02	1,69	,00	2,49	,00	Opgaand	g1_21	BC_F-06
o_F06_08	,30	4,74	,71	2,19	,00	,00	Opgaand	g1_22	BC_F-06
o_F06_09	1,19	4,53	,96	2,49	,00	,00	Opgaand	g1_22	BC_F-06
o_F07_01	,37	4,53	,96	2,49	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_02	1,52	4,74	,71	2,19	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_03	,18	7,02	1,69	,00	2,49	,00	Opgaand	g1_13	BC_F-07
o_F07_04	,68	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_05	1,22	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_06	3,23	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_07	3,78	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_08	,73	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_09	1,28	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_10	2,96	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F07_11	3,50	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_12	,45	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F07_13	1,89	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F08_01	,87	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_02	1,61	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_03	3,20	7,53	,84	2,34	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_04	,76	8,46	,40	1,44	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_04b	,76	8,46	,40	,00	,82	,00	Opgaand	g2_37	BC_F-08
o_F08_05	1,30	8,46	,73	1,39	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_05b	1,30	8,45	,73	,00	,75	,00	Opgaand	g2_37	BC_F-08
o_F08_06	3,45	8,46	,40	1,44	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_06b	3,45	8,46	,40	,00	,82	,00	Opgaand	g2_37	BC_F-08
o_F08_07	4,00	8,46	,73	1,39	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_07b	4,00	8,45	,73	,00	,75	,00	Opgaand	g2_37	BC_F-08
o_F08_08	1,01	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F08_09	2,44	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F09_01	3,18	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_02	3,91	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_03	,88	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_04	1,43	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_05	3,58	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_06	4,12	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_07	,28	10,02	1,69	,00	2,49	,00	Opgaand	g2_21	BC_F-09
o_F09_08	,30	7,74	,71	2,19	,00	,00	Opgaand	g2_22	BC_F-09
o_F09_09	1,19	7,53	,96	2,49	,00	,00	Opgaand	g2_22	BC_F-09
o_F10_01	,37	7,53	,96	2,49	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_02	1,52	7,74	,71	2,19	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_03	,18	10,02	1,69	,00	2,49	,00	Opgaand	g2_13	BC_F-10
o_F10_04	,68	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_05	1,22	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_06	3,23	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_07	3,78	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_08	,73	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F10_09	1,28	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_10	2,96	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_11	3,50	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_12	,45	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10
o_F10_13	1,89	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10

Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok F_0007.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok F_0008.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-06	o_F07_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F07_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1035,0	0,84	8,95	5,39	59,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-06	o_F10_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F10_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	14,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1035,0	0,84	8,95	5,39	59,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-06	o_F09_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,2	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	14,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,9	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,1	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4

Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-06	o_F09_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,0	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,4	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	1035,0	0,84	8,95	5,39	59,4
	BC_F-06	o_F09_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok	1035,0	0,84	8,95	5,39	59,4

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fietsen	4,12	Ja	0,00	brandruimte	60	0,38		g0_36 g0_37 g0_38 g0_39 g0_40 g0_41 g0_42 g0_43 g0_44 g0_35
BC_F-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_21 g0_22 g0_23 g0_24 g0_25 g0_26 g0_27 g0_28
BC_F-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_F-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_12 g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11
BC_F-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_2 g0_3 g0_4 g0_1
BC_F-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_40 g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39
BC_F-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_30 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29
BC_F-07	2,62	Ja	4,50	brandruimte	60	0,38		g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_9 g1_10 g1_11
BC_F-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_40 g2_31 g2_32 g2_33 g2_34 g2_35 g2_36 g2_37 g2_38 g2_39
BC_F-09	2,62	Ja	7,50	brandruimte	60	0,38		g2_30 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29
BC_F-10	2,62	Ja	7,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	18,45	15,75	9,55	15,75	4,50	90,00	,00	,000
g0_2	9,55	15,75	9,55	12,00	4,50	90,00	,00	,000
g0_3	9,55	12,00	18,45	12,00	4,50	90,00	,00	,000
g0_4	18,45	12,00	18,45	15,75	4,50	90,00	,00	,000
g0_5	9,55	11,75	9,55	8,00	4,50	90,00	,00	,000
g0_6	9,55	8,00	12,54	8,00	4,50	90,00	,00	,000
g0_7	12,54	8,00	12,54	8,60	4,50	90,00	,00	,000
g0_8	12,54	8,60	13,74	8,60	4,50	90,00	,00	,000
g0_9	13,74	8,60	13,74	8,00	4,50	90,00	,00	,000
g0_10	13,74	8,00	18,45	8,00	4,50	90,00	,00	,000
g0_11	18,45	8,00	18,45	11,75	4,50	90,00	,00	,000
g0_12	18,45	11,75	9,55	11,75	4,50	90,00	,00	,000
g0_13	9,55	7,75	9,55	4,00	4,50	90,00	,00	,000
g0_14	9,55	4,00	18,45	4,00	4,50	90,00	,00	,000
g0_15	18,45	4,00	18,45	7,75	4,50	90,00	,00	,000
g0_16	18,45	7,75	13,74	7,75	4,50	90,00	,00	,000
g0_17	13,74	7,75	13,74	7,15	4,50	90,00	,00	,000
g0_18	13,74	7,15	12,54	7,15	4,50	90,00	,00	,000
g0_19	12,54	7,15	12,54	7,75	4,50	90,00	,00	,000
g0_20	12,54	7,75	9,55	7,75	4,50	90,00	,00	,000
g0_21	9,55	3,75	9,55	,00	4,50	90,00	,00	,000
g0_22	9,55	,00	12,54	,00	4,50	90,00	,00	,000
g0_23	12,54	,00	12,54	,60	4,50	90,00	,00	,000
g0_24	12,54	,60	13,74	,60	4,50	90,00	,00	,000
g0_25	13,74	,60	13,74	,00	4,50	90,00	,00	,000
g0_26	13,74	,00	18,45	,00	4,50	90,00	,00	,000
g0_27	18,45	,00	18,45	3,75	4,50	90,00	,00	,000
g0_28	18,45	3,75	9,55	3,75	4,50	90,00	,00	,000
g0_29	6,05	15,77	6,05	10,03	4,50	90,00	,00	,000
g0_30	6,05	10,03	4,80	10,03	4,50	90,00	,00	,000
g0_31	4,80	10,03	4,80	5,64	4,50	90,00	,00	,000
g0_32	4,80	5,64	9,15	5,64	4,50	90,00	,00	,000
g0_33	9,15	5,64	9,15	15,77	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	9,15	15,77	6,05	15,77	4,50	90,00	,00	,000
g0_35	5,85	15,77	,00	15,77	4,50	90,00	,00	,000
g0_36	,00	15,77	,00	5,64	4,50	90,00	,00	,000
g0_37	,00	5,64	4,55	5,64	4,50	90,00	,00	,000
g0_38	4,55	5,64	4,55	6,73	4,50	90,00	,00	,000
g0_39	4,55	6,73	3,88	6,73	4,50	90,00	,00	,000
g0_40	3,88	6,73	3,88	8,31	4,50	90,00	,00	,000
g0_41	3,88	8,31	4,55	8,31	4,50	90,00	,00	,000
g0_42	4,55	8,31	4,55	10,63	4,50	90,00	,00	,000
g0_43	4,55	10,63	5,85	10,63	4,50	90,00	,00	,000
g0_44	5,85	10,63	5,85	15,77	4,50	90,00	,00	,000
g1_1	18,45	15,75	13,74	15,75	3,00	90,00	4,50	,000
g1_2	13,74	15,75	13,74	14,75	3,00	90,00	4,50	,000
g1_3	13,74	14,75	12,54	14,75	3,00	90,00	4,50	,000
g1_4	12,54	14,75	12,54	15,35	3,00	90,00	4,50	,000
g1_5	12,54	15,35	9,55	15,35	3,00	90,00	4,50	,000
g1_6	9,55	15,35	9,55	8,00	3,00	90,00	4,50	,000
g1_7	9,55	8,00	12,54	8,00	3,00	90,00	4,50	,000
g1_8	12,54	8,00	12,54	8,60	3,00	90,00	4,50	,000
g1_9	12,54	8,60	13,74	8,60	3,00	90,00	4,50	,000
g1_10	13,74	8,60	13,74	8,00	3,00	90,00	4,50	,000
g1_11	13,74	8,00	16,33	8,00	3,00	90,00	4,50	,000
g1_12	16,33	8,00	16,33	10,53	3,00	90,00	4,50	,000
g1_13	16,33	10,53	18,45	10,53	3,00	90,00	4,50	,000
g1_14	18,45	10,53	18,45	15,75	3,00	90,00	4,50	,000
g1_15	9,55	,00	12,54	,00	3,00	90,00	4,50	,000
g1_16	12,54	,00	12,54	,60	3,00	90,00	4,50	,000
g1_17	12,54	,60	13,74	,60	3,00	90,00	4,50	,000
g1_18	13,74	,60	13,74	,00	3,00	90,00	4,50	,000
g1_19	13,74	,00	18,45	,00	3,00	90,00	4,50	,000
g1_20	18,45	,00	18,45	5,40	3,00	90,00	4,50	,000
g1_21	18,45	5,40	16,33	5,40	3,00	90,00	4,50	,000
g1_22	16,33	5,40	16,33	7,75	3,00	90,00	4,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_23	16,33	7,75	13,74	7,75	3,00	90,00	4,50	,000
g1_24	13,74	7,75	13,74	7,15	3,00	90,00	4,50	,000
g1_25	13,74	7,15	12,54	7,15	3,00	90,00	4,50	,000
g1_26	12,54	7,15	12,54	7,75	3,00	90,00	4,50	,000
g1_27	12,54	7,75	11,13	7,75	3,00	90,00	4,50	,000
g1_28	11,13	7,75	11,13	5,75	3,00	90,00	4,50	,000
g1_29	11,13	5,75	9,55	5,75	3,00	90,00	4,50	,000
g1_30	9,55	5,75	9,55	,00	3,00	90,00	4,50	,000
g1_31	,00	5,64	4,55	5,64	3,00	90,00	4,50	,000
g1_32	4,55	5,64	4,55	9,57	3,00	90,00	4,50	,000
g1_33	4,55	9,57	2,66	9,57	3,00	90,00	4,50	,000
g1_34	2,66	9,57	2,66	10,43	3,00	90,00	4,50	,000
g1_35	2,66	10,43	9,15	10,43	3,00	90,00	4,50	,000
g1_36	9,15	10,43	9,15	15,77	3,00	90,00	4,50	,000
g1_37	9,15	15,77	3,98	15,77	3,00	90,00	4,50	,000
g1_38	3,98	15,77	3,98	15,38	3,00	90,00	4,50	,000
g1_39	3,98	15,38	,00	15,38	3,00	90,00	4,50	,000
g1_40	,00	15,38	,00	5,62	3,00	90,00	4,50	,000
g1_41	4,80	5,64	9,15	5,64	3,00	90,00	4,50	,000
g1_42	9,15	5,64	9,15	5,96	3,00	90,00	4,50	,000
g1_43	9,15	5,96	10,93	5,96	3,00	90,00	4,50	,000
g1_44	10,93	5,96	10,93	7,75	3,00	90,00	4,50	,000
g1_45	10,93	7,75	9,15	7,75	3,00	90,00	4,50	,000
g1_46	9,15	7,75	9,15	10,03	3,00	90,00	4,50	,000
g1_47	9,15	10,03	4,80	10,03	3,00	90,00	4,50	,000
g1_48	4,80	10,03	4,80	5,64	3,00	90,00	4,50	,000
g2_1	18,45	15,75	13,74	15,75	3,00	90,00	7,50	,000
g2_2	13,74	15,75	13,74	14,75	3,00	90,00	7,50	,000
g2_3	13,74	14,75	12,54	14,75	3,00	90,00	7,50	,000
g2_4	12,54	14,75	12,54	15,35	3,00	90,00	7,50	,000
g2_5	12,54	15,35	9,55	15,35	3,00	90,00	7,50	,000
g2_6	9,55	15,35	9,55	8,00	3,00	90,00	7,50	,000
g2_7	9,55	8,00	12,54	8,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_8	12,54	8,00	12,54	8,60	3,00	90,00	7,50	,000
g2_9	12,54	8,60	13,74	8,60	3,00	90,00	7,50	,000
g2_10	13,74	8,60	13,74	8,00	3,00	90,00	7,50	,000
g2_11	13,74	8,00	16,33	8,00	3,00	90,00	7,50	,000
g2_12	16,33	8,00	16,33	10,53	3,00	90,00	7,50	,000
g2_13	16,33	10,53	18,45	10,53	3,00	90,00	7,50	,000
g2_14	18,45	10,53	18,45	15,75	3,00	90,00	7,50	,000
g2_15	9,55	,00	12,54	,00	3,00	90,00	7,50	,000
g2_16	12,54	,00	12,54	,60	3,00	90,00	7,50	,000
g2_17	12,54	,60	13,74	,60	3,00	90,00	7,50	,000
g2_18	13,74	,60	13,74	,00	3,00	90,00	7,50	,000
g2_19	13,74	,00	18,45	,00	3,00	90,00	7,50	,000
g2_20	18,45	,00	18,45	5,40	3,00	90,00	7,50	,000
g2_21	18,45	5,40	16,33	5,40	3,00	90,00	7,50	,000
g2_22	16,33	5,40	16,33	7,75	3,00	90,00	7,50	,000
g2_23	16,33	7,75	13,74	7,75	3,00	90,00	7,50	,000
g2_24	13,74	7,75	13,74	7,15	3,00	90,00	7,50	,000
g2_25	13,74	7,15	12,54	7,15	3,00	90,00	7,50	,000
g2_26	12,54	7,15	12,54	7,75	3,00	90,00	7,50	,000
g2_27	12,54	7,75	11,13	7,75	3,00	90,00	7,50	,000
g2_28	11,13	7,75	11,13	5,75	3,00	90,00	7,50	,000
g2_29	11,13	5,75	9,55	5,75	3,00	90,00	7,50	,000
g2_30	9,55	5,75	9,55	,00	3,00	90,00	7,50	,000
g2_31	,00	5,64	4,55	5,64	3,00	90,00	7,50	,000
g2_32	4,55	5,64	4,55	9,57	3,00	90,00	7,50	,000
g2_33	4,55	9,57	2,66	9,57	3,00	90,00	7,50	,000
g2_34	2,66	9,57	2,66	10,43	3,00	90,00	7,50	,000
g2_35	2,66	10,43	9,15	10,43	3,00	90,00	7,50	,000
g2_36	9,15	10,43	9,15	15,77	3,00	90,00	7,50	,000
g2_37	9,15	15,77	3,98	15,77	3,00	90,00	7,50	,000
g2_38	3,98	15,77	3,98	15,38	3,00	90,00	7,50	,000
g2_39	3,98	15,38	,00	15,38	3,00	90,00	7,50	,000
g2_40	,00	15,38	,00	5,62	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_41	4,80	5,64	9,15	5,64	3,00	90,00	7,50	,000
g2_42	9,15	5,64	9,15	5,96	3,00	90,00	7,50	,000
g2_43	9,15	5,96	10,93	5,96	3,00	90,00	7,50	,000
g2_44	10,93	5,96	10,93	7,75	3,00	90,00	7,50	,000
g2_45	10,93	7,75	9,15	7,75	3,00	90,00	7,50	,000
g2_46	9,15	7,75	9,15	10,03	3,00	90,00	7,50	,000
g2_47	9,15	10,03	4,80	10,03	3,00	90,00	7,50	,000
g2_48	4,80	10,03	4,80	5,64	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F01_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_07	1,00	,03	,84	2,34	,00	,00	Opgaand	g0_21	BC_F-01
o_F02_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_07	2,28	2,37	,84	,00	2,34	,00	Opgaand	g0_13	BC_F-02
o_F03_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F04_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_07	,70	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_08	1,25	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_09	1,17	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_10	2,96	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_11	3,50	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_12	3,43	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_fiets_01	2,86	,03	,84	2,34	,00	,00	Opgaand	g0_35	BC_fietsen

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_fiets_02	3,23	,27	,67	1,93	,00	,00	Opgaand	g0_37	BC_fietsen
o_F05_01	,87	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_02	1,61	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_03	3,20	4,53	,84	2,34	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_04	,76	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_05	1,30	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_06	3,45	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_07	4,00	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_08	1,01	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F05_09	2,44	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F06_01	3,18	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_02	3,91	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_03	,88	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_03b	,88	4,64	,40	,82	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04	1,43	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04b	1,43	4,70	,73	,75	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_05	3,58	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_05b	3,58	4,64	,40	,82	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06	4,12	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06b	4,12	4,70	,73	,75	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_07	,28	7,02	1,69	,00	2,49	,00	Opgaand	g1_21	BC_F-06
o_F06_08	,30	4,74	,71	2,19	,00	,00	Opgaand	g1_22	BC_F-06
o_F06_09	1,19	4,53	,96	2,49	,00	,00	Opgaand	g1_22	BC_F-06
o_F07_01	,37	4,53	,96	2,49	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_02	1,52	4,74	,71	2,19	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_03	,18	7,02	1,69	,00	2,49	,00	Opgaand	g1_13	BC_F-07
o_F07_04	,68	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_05	1,22	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_06	3,23	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_07	3,78	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_08	,73	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_09	1,28	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_10	2,96	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07

Behoort tot het bouwarchief

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F07_11	3,50	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_12	,45	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F07_13	1,89	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F08_01	,87	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_02	1,61	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_03	3,20	7,53	,84	2,34	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_04	,76	8,46	,40	1,44	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_04b	,76	8,46	,40	,00	,82	,00	Opgaand	g2_37	BC_F-08
o_F08_05	1,30	8,46	,73	1,39	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_05b	1,30	8,45	,73	,00	,75	,00	Opgaand	g2_37	BC_F-08
o_F08_06	3,45	8,46	,40	1,44	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_06b	3,45	8,46	,40	,00	,82	,00	Opgaand	g2_37	BC_F-08
o_F08_07	4,00	8,46	,73	1,39	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_07b	4,00	8,45	,73	,00	,75	,00	Opgaand	g2_37	BC_F-08
o_F08_08	1,01	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F08_09	2,44	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F09_01	3,18	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_02	3,91	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_03	,88	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_04	1,43	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_05	3,58	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_06	4,12	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_07	,28	10,02	1,69	,00	2,49	,00	Opgaand	g2_21	BC_F-09
o_F09_08	,30	7,74	,71	2,19	,00	,00	Opgaand	g2_22	BC_F-09
o_F09_09	1,19	7,53	,96	2,49	,00	,00	Opgaand	g2_22	BC_F-09
o_F10_01	,37	7,53	,96	2,49	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_02	1,52	7,74	,71	2,19	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_03	,18	10,02	1,69	,00	2,49	,00	Opgaand	g2_13	BC_F-10
o_F10_04	,68	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_05	1,22	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_06	3,23	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_07	3,78	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_08	,73	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10

OPENINGEN


Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F10_09	1,28	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_10	2,96	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_11	3,50	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_12	,45	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10
o_F10_13	1,89	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10

2020-157_mpi_20220902_ber_Brandoverslag blok F. 0009.jpg




Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok F_0010.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok F. 0011.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_F-07		o_F10_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,0	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	876,8	0,90	8,89	5,43	60,5
BC_F-07		o_F10_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	876,8	0,90	8,89	5,43	60,5

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-07	o_F10_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	876,8	0,90	8,89	5,43	60,5

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-07	o_F06_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F06_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F09_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-07	o_F10_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_F-07	o_F10_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	876,8	0,90	8,89	5,43	60,5
	BC_F-07	o_F10_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	876,8	0,90	8,89	5,43	60,5

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_fietsen	4,12	Ja	0,00	brandruimte	60	0,38		g0_36 g0_37 g0_38 g0_39 g0_40 g0_41 g0_42 g0_43 g0_44 g0_35
BC_F-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_21 g0_22 g0_23 g0_24 g0_25 g0_26 g0_27 g0_28
BC_F-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_13 g0_14 g0_15 g0_16 g0_17 g0_18 g0_19 g0_20
BC_F-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_12 g0_5 g0_6 g0_7 g0_8 g0_9 g0_10 g0_11
BC_F-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_2 g0_3 g0_4 g0_1
BC_F-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_40 g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39
BC_F-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_30 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29
BC_F-07	2,62	Ja	4,50	brandruimte	60	0,38		g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_9 g1_10 g1_11
BC_F-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_40 g2_31 g2_32 g2_33 g2_34 g2_35 g2_36 g2_37 g2_38 g2_39
BC_F-09	2,62	Ja	7,50	brandruimte	60	0,38		g2_30 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29
BC_F-10	2,62	Ja	7,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	18,45	15,75	9,55	15,75	4,50	90,00	,00	,000
g0_2	9,55	15,75	9,55	12,00	4,50	90,00	,00	,000
g0_3	9,55	12,00	18,45	12,00	4,50	90,00	,00	,000
g0_4	18,45	12,00	18,45	15,75	4,50	90,00	,00	,000
g0_5	9,55	11,75	9,55	8,00	4,50	90,00	,00	,000
g0_6	9,55	8,00	12,54	8,00	4,50	90,00	,00	,000
g0_7	12,54	8,00	12,54	8,60	4,50	90,00	,00	,000
g0_8	12,54	8,60	13,74	8,60	4,50	90,00	,00	,000
g0_9	13,74	8,60	13,74	8,00	4,50	90,00	,00	,000
g0_10	13,74	8,00	18,45	8,00	4,50	90,00	,00	,000
g0_11	18,45	8,00	18,45	11,75	4,50	90,00	,00	,000
g0_12	18,45	11,75	9,55	11,75	4,50	90,00	,00	,000
g0_13	9,55	7,75	9,55	4,00	4,50	90,00	,00	,000
g0_14	9,55	4,00	18,45	4,00	4,50	90,00	,00	,000
g0_15	18,45	4,00	18,45	7,75	4,50	90,00	,00	,000
g0_16	18,45	7,75	13,74	7,75	4,50	90,00	,00	,000
g0_17	13,74	7,75	13,74	7,15	4,50	90,00	,00	,000
g0_18	13,74	7,15	12,54	7,15	4,50	90,00	,00	,000
g0_19	12,54	7,15	12,54	7,75	4,50	90,00	,00	,000
g0_20	12,54	7,75	9,55	7,75	4,50	90,00	,00	,000
g0_21	9,55	3,75	9,55	,00	4,50	90,00	,00	,000
g0_22	9,55	,00	12,54	,00	4,50	90,00	,00	,000
g0_23	12,54	,00	12,54	,60	4,50	90,00	,00	,000
g0_24	12,54	,60	13,74	,60	4,50	90,00	,00	,000
g0_25	13,74	,60	13,74	,00	4,50	90,00	,00	,000
g0_26	13,74	,00	18,45	,00	4,50	90,00	,00	,000
g0_27	18,45	,00	18,45	3,75	4,50	90,00	,00	,000
g0_28	18,45	3,75	9,55	3,75	4,50	90,00	,00	,000
g0_29	6,05	15,77	6,05	10,03	4,50	90,00	,00	,000
g0_30	6,05	10,03	4,80	10,03	4,50	90,00	,00	,000
g0_31	4,80	10,03	4,80	5,64	4,50	90,00	,00	,000
g0_32	4,80	5,64	9,15	5,64	4,50	90,00	,00	,000
g0_33	9,15	5,64	9,15	15,77	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	9,15	15,77	6,05	15,77	4,50	90,00	,00	,000
g0_35	5,85	15,77	,00	15,77	4,50	90,00	,00	,000
g0_36	,00	15,77	,00	5,64	4,50	90,00	,00	,000
g0_37	,00	5,64	4,55	5,64	4,50	90,00	,00	,000
g0_38	4,55	5,64	4,55	6,73	4,50	90,00	,00	,000
g0_39	4,55	6,73	3,88	6,73	4,50	90,00	,00	,000
g0_40	3,88	6,73	3,88	8,31	4,50	90,00	,00	,000
g0_41	3,88	8,31	4,55	8,31	4,50	90,00	,00	,000
g0_42	4,55	8,31	4,55	10,63	4,50	90,00	,00	,000
g0_43	4,55	10,63	5,85	10,63	4,50	90,00	,00	,000
g0_44	5,85	10,63	5,85	15,77	4,50	90,00	,00	,000
g1_1	18,45	15,75	13,74	15,75	3,00	90,00	4,50	,000
g1_2	13,74	15,75	13,74	14,75	3,00	90,00	4,50	,000
g1_3	13,74	14,75	12,54	14,75	3,00	90,00	4,50	,000
g1_4	12,54	14,75	12,54	15,35	3,00	90,00	4,50	,000
g1_5	12,54	15,35	9,55	15,35	3,00	90,00	4,50	,000
g1_6	9,55	15,35	9,55	8,00	3,00	90,00	4,50	,000
g1_7	9,55	8,00	12,54	8,00	3,00	90,00	4,50	,000
g1_8	12,54	8,00	12,54	8,60	3,00	90,00	4,50	,000
g1_9	12,54	8,60	13,74	8,60	3,00	90,00	4,50	,000
g1_10	13,74	8,60	13,74	8,00	3,00	90,00	4,50	,000
g1_11	13,74	8,00	16,33	8,00	3,00	90,00	4,50	,000
g1_12	16,33	8,00	16,33	10,53	3,00	90,00	4,50	,000
g1_13	16,33	10,53	18,45	10,53	3,00	90,00	4,50	,000
g1_14	18,45	10,53	18,45	15,75	3,00	90,00	4,50	,000
g1_15	9,55	,00	12,54	,00	3,00	90,00	4,50	,000
g1_16	12,54	,00	12,54	,60	3,00	90,00	4,50	,000
g1_17	12,54	,60	13,74	,60	3,00	90,00	4,50	,000
g1_18	13,74	,60	13,74	,00	3,00	90,00	4,50	,000
g1_19	13,74	,00	18,45	,00	3,00	90,00	4,50	,000
g1_20	18,45	,00	18,45	5,40	3,00	90,00	4,50	,000
g1_21	18,45	5,40	16,33	5,40	3,00	90,00	4,50	,000
g1_22	16,33	5,40	16,33	7,75	3,00	90,00	4,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_23	16,33	7,75	13,74	7,75	3,00	90,00	4,50	,000
g1_24	13,74	7,75	13,74	7,15	3,00	90,00	4,50	,000
g1_25	13,74	7,15	12,54	7,15	3,00	90,00	4,50	,000
g1_26	12,54	7,15	12,54	7,75	3,00	90,00	4,50	,000
g1_27	12,54	7,75	11,13	7,75	3,00	90,00	4,50	,000
g1_28	11,13	7,75	11,13	5,75	3,00	90,00	4,50	,000
g1_29	11,13	5,75	9,55	5,75	3,00	90,00	4,50	,000
g1_30	9,55	5,75	9,55	,00	3,00	90,00	4,50	,000
g1_31	,00	5,64	4,55	5,64	3,00	90,00	4,50	,000
g1_32	4,55	5,64	4,55	9,57	3,00	90,00	4,50	,000
g1_33	4,55	9,57	2,66	9,57	3,00	90,00	4,50	,000
g1_34	2,66	9,57	2,66	10,43	3,00	90,00	4,50	,000
g1_35	2,66	10,43	9,15	10,43	3,00	90,00	4,50	,000
g1_36	9,15	10,43	9,15	15,77	3,00	90,00	4,50	,000
g1_37	9,15	15,77	3,98	15,77	3,00	90,00	4,50	,000
g1_38	3,98	15,77	3,98	15,38	3,00	90,00	4,50	,000
g1_39	3,98	15,38	,00	15,38	3,00	90,00	4,50	,000
g1_40	,00	15,38	,00	5,62	3,00	90,00	4,50	,000
g1_41	4,80	5,64	9,15	5,64	3,00	90,00	4,50	,000
g1_42	9,15	5,64	9,15	5,96	3,00	90,00	4,50	,000
g1_43	9,15	5,96	10,93	5,96	3,00	90,00	4,50	,000
g1_44	10,93	5,96	10,93	7,75	3,00	90,00	4,50	,000
g1_45	10,93	7,75	9,15	7,75	3,00	90,00	4,50	,000
g1_46	9,15	7,75	9,15	10,03	3,00	90,00	4,50	,000
g1_47	9,15	10,03	4,80	10,03	3,00	90,00	4,50	,000
g1_48	4,80	10,03	4,80	5,64	3,00	90,00	4,50	,000
g2_1	18,45	15,75	13,74	15,75	3,00	90,00	7,50	,000
g2_2	13,74	15,75	13,74	14,75	3,00	90,00	7,50	,000
g2_3	13,74	14,75	12,54	14,75	3,00	90,00	7,50	,000
g2_4	12,54	14,75	12,54	15,35	3,00	90,00	7,50	,000
g2_5	12,54	15,35	9,55	15,35	3,00	90,00	7,50	,000
g2_6	9,55	15,35	9,55	8,00	3,00	90,00	7,50	,000
g2_7	9,55	8,00	12,54	8,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_8	12,54	8,00	12,54	8,60	3,00	90,00	7,50	,000
g2_9	12,54	8,60	13,74	8,60	3,00	90,00	7,50	,000
g2_10	13,74	8,60	13,74	8,00	3,00	90,00	7,50	,000
g2_11	13,74	8,00	16,33	8,00	3,00	90,00	7,50	,000
g2_12	16,33	8,00	16,33	10,53	3,00	90,00	7,50	,000
g2_13	16,33	10,53	18,45	10,53	3,00	90,00	7,50	,000
g2_14	18,45	10,53	18,45	15,75	3,00	90,00	7,50	,000
g2_15	9,55	,00	12,54	,00	3,00	90,00	7,50	,000
g2_16	12,54	,00	12,54	,60	3,00	90,00	7,50	,000
g2_17	12,54	,60	13,74	,60	3,00	90,00	7,50	,000
g2_18	13,74	,60	13,74	,00	3,00	90,00	7,50	,000
g2_19	13,74	,00	18,45	,00	3,00	90,00	7,50	,000
g2_20	18,45	,00	18,45	5,40	3,00	90,00	7,50	,000
g2_21	18,45	5,40	16,33	5,40	3,00	90,00	7,50	,000
g2_22	16,33	5,40	16,33	7,75	3,00	90,00	7,50	,000
g2_23	16,33	7,75	13,74	7,75	3,00	90,00	7,50	,000
g2_24	13,74	7,75	13,74	7,15	3,00	90,00	7,50	,000
g2_25	13,74	7,15	12,54	7,15	3,00	90,00	7,50	,000
g2_26	12,54	7,15	12,54	7,75	3,00	90,00	7,50	,000
g2_27	12,54	7,75	11,13	7,75	3,00	90,00	7,50	,000
g2_28	11,13	7,75	11,13	5,75	3,00	90,00	7,50	,000
g2_29	11,13	5,75	9,55	5,75	3,00	90,00	7,50	,000
g2_30	9,55	5,75	9,55	,00	3,00	90,00	7,50	,000
g2_31	,00	5,64	4,55	5,64	3,00	90,00	7,50	,000
g2_32	4,55	5,64	4,55	9,57	3,00	90,00	7,50	,000
g2_33	4,55	9,57	2,66	9,57	3,00	90,00	7,50	,000
g2_34	2,66	9,57	2,66	10,43	3,00	90,00	7,50	,000
g2_35	2,66	10,43	9,15	10,43	3,00	90,00	7,50	,000
g2_36	9,15	10,43	9,15	15,77	3,00	90,00	7,50	,000
g2_37	9,15	15,77	3,98	15,77	3,00	90,00	7,50	,000
g2_38	3,98	15,77	3,98	15,38	3,00	90,00	7,50	,000
g2_39	3,98	15,38	,00	15,38	3,00	90,00	7,50	,000
g2_40	,00	15,38	,00	5,62	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_41	4,80	5,64	9,15	5,64	3,00	90,00	7,50	,000
g2_42	9,15	5,64	9,15	5,96	3,00	90,00	7,50	,000
g2_43	9,15	5,96	10,93	5,96	3,00	90,00	7,50	,000
g2_44	10,93	5,96	10,93	7,75	3,00	90,00	7,50	,000
g2_45	10,93	7,75	9,15	7,75	3,00	90,00	7,50	,000
g2_46	9,15	7,75	9,15	10,03	3,00	90,00	7,50	,000
g2_47	9,15	10,03	4,80	10,03	3,00	90,00	7,50	,000
g2_48	4,80	10,03	4,80	5,64	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F01_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_27	BC_F-01
o_F01_07	1,00	,03	,84	2,34	,00	,00	Opgaand	g0_21	BC_F-01
o_F02_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_15	BC_F-02
o_F02_07	2,28	2,37	,84	,00	2,34	,00	Opgaand	g0_13	BC_F-02
o_F03_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F03_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_11	BC_F-03
o_F04_01	,53	,29	,56	1,90	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_02	1,30	,76	,85	1,58	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_03	2,26	,83	,75	1,44	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_04	,38	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_05	1,30	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_06	2,21	2,40	,85	1,05	,00	,00	Opgaand	g0_4	BC_F-04
o_F04_07	,70	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_08	1,25	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_09	1,17	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_10	2,96	,79	,42	2,67	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_11	3,50	,88	,76	1,38	,00	,00	Opgaand	g0_1	BC_F-04
o_F04_12	3,43	2,34	,87	1,11	,00	,00	Opgaand	g0_1	BC_F-04
o_fiets_01	2,86	,03	,84	2,34	,00	,00	Opgaand	g0_35	BC_fietsen

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_fiets_02	3,23	,27	,67	1,93	,00	,00	Opgaand	g0_37	BC_fietsen
o_F05_01	,87	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_02	1,61	4,62	,52	2,17	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_03	3,20	4,53	,84	2,34	,00	,00	Opgaand	g1_31	BC_F-05
o_F05_04	,76	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_05	1,30	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_06	3,45	4,64	,40	2,26	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_07	4,00	4,70	,73	2,14	,00	,00	Opgaand	g1_37	BC_F-05
o_F05_08	1,01	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F05_09	2,44	5,16	,64	1,70	,00	,00	Opgaand	g1_39	BC_F-05
o_F06_01	3,18	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_02	3,91	4,62	,52	2,17	,00	,00	Opgaand	g1_30	BC_F-06
o_F06_03	,88	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_03b	,88	4,64	,40	,82	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04	1,43	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_04b	1,43	4,70	,73	,75	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_05	3,58	5,46	,40	1,44	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_05b	3,58	4,64	,40	,82	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06	4,12	5,46	,73	1,39	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_06b	4,12	4,70	,73	,75	,00	,00	Opgaand	g1_20	BC_F-06
o_F06_07	,28	7,02	1,69	,00	2,49	,00	Opgaand	g1_21	BC_F-06
o_F06_08	,30	4,74	,71	2,19	,00	,00	Opgaand	g1_22	BC_F-06
o_F06_09	1,19	4,53	,96	2,49	,00	,00	Opgaand	g1_22	BC_F-06
o_F07_01	,37	4,53	,96	2,49	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_02	1,52	4,74	,71	2,19	,00	,00	Opgaand	g1_12	BC_F-07
o_F07_03	,18	4,53	1,69	2,49	,00	,00	Opgaand	g1_13	BC_F-07
o_F07_04	,68	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_05	1,22	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_06	3,23	4,64	,40	2,26	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_07	3,78	4,70	,73	2,14	,00	,00	Opgaand	g1_14	BC_F-07
o_F07_08	,73	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_09	1,28	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_10	2,96	4,64	,40	2,26	,00	,00	Opgaand	g1_1	BC_F-07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F07_11	3,50	4,70	,73	2,14	,00	,00	Opgaand	g1_1	BC_F-07
o_F07_12	,45	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F07_13	1,89	5,16	,64	1,70	,00	,00	Opgaand	g1_5	BC_F-07
o_F08_01	,87	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_02	1,61	7,62	,52	2,17	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_03	3,20	7,53	,84	2,34	,00	,00	Opgaand	g2_31	BC_F-08
o_F08_04	,76	8,46	,40	1,44	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_04b	,76	8,46	,40	,00	,82	,00	Opgaand	g2_37	BC_F-08
o_F08_05	1,30	8,46	,73	1,39	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_05b	1,30	8,45	,73	,00	,75	,00	Opgaand	g2_37	BC_F-08
o_F08_06	3,45	8,46	,40	1,44	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_06b	3,45	8,46	,40	,00	,82	,00	Opgaand	g2_37	BC_F-08
o_F08_07	4,00	8,46	,73	1,39	,00	,00	Opgaand	g2_37	BC_F-08
o_F08_07b	4,00	8,45	,73	,00	,75	,00	Opgaand	g2_37	BC_F-08
o_F08_08	1,01	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F08_09	2,44	8,16	,64	1,70	,00	,00	Opgaand	g2_39	BC_F-08
o_F09_01	3,18	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_02	3,91	7,62	,52	2,17	,00	,00	Opgaand	g2_30	BC_F-09
o_F09_03	,88	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_04	1,43	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_05	3,58	7,64	,40	2,26	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_06	4,12	7,70	,73	2,14	,00	,00	Opgaand	g2_20	BC_F-09
o_F09_07	,28	10,02	1,69	,00	2,49	,00	Opgaand	g2_21	BC_F-09
o_F09_08	,30	7,74	,71	2,19	,00	,00	Opgaand	g2_22	BC_F-09
o_F09_09	1,19	7,53	,96	2,49	,00	,00	Opgaand	g2_22	BC_F-09
o_F10_01	,37	7,53	,96	2,49	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_02	1,52	7,74	,71	2,19	,00	,00	Opgaand	g2_12	BC_F-10
o_F10_03	,18	7,53	1,69	2,49	,00	,00	Opgaand	g2_13	BC_F-10
o_F10_04	,68	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_05	1,22	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_06	3,23	7,64	,40	2,26	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_07	3,78	7,70	,73	2,14	,00	,00	Opgaand	g2_14	BC_F-10
o_F10_08	,73	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_F10_09	1,28	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_10	2,96	7,64	,40	2,26	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_11	3,50	7,70	,73	2,14	,00	,00	Opgaand	g2_1	BC_F-10
o_F10_12	,45	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10
o_F10_13	1,89	8,16	,64	1,70	,00	,00	Opgaand	g2_5	BC_F-10


Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok F_0012.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok F_0013.jpg

Behoort tot het bouwarchief



BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-01	o_EBV_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_EBV_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-01	o_H05_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,0	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,5	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,3	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,2	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,7	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,6	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	918,5	0,40	19,40	1,75	36,1

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-01	o_H05_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	918,5	0,40	19,40	1,75	36,1
	BC_H-01	o_H05_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,1	Ok	918,5	0,40	19,40	1,75	36,1

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_H-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_26 g0_27 g0_28 g0_29 g0_30 g0_23 g0_24 g0_25
BC_H-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_20 g0_21 g0_22 g0_15 g0_16 g0_17 g0_18 g0_19
BC_H-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_8 g0_9 g0_10 g0_11 g0_12 g0_13 g0_14 g0_7
BC_H-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_4 g0_5 g0_6 g0_1 g0_2 g0_3
BC_H-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_6 g1_7 g1_8 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5
BC_H-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_24 g1_25 g1_26 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23
BC_H-07	2,62	Ja	7,50	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5
BC_H-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_24 g2_25 g2_26 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23
BC_EBV	10,12	Ja	0,00	brandruimte	60	0,38		g0_31 g0_32 g0_33 g0_34

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	9,07	3,75	,84	3,75	4,50	90,00	,00	,000
g0_2	,84	3,75	,84	3,36	4,50	90,00	,00	,000
g0_3	,84	3,36	,15	3,36	4,50	90,00	,00	,000
g0_4	,15	3,36	,15	,00	4,50	90,00	,00	,000
g0_5	,15	,00	9,07	,00	4,50	90,00	,00	,000
g0_6	9,07	,00	9,07	3,75	4,50	90,00	,00	,000
g0_7	,15	4,00	9,07	4,00	4,50	90,00	,00	,000
g0_8	9,07	4,00	9,07	7,75	4,50	90,00	,00	,000
g0_9	9,07	7,75	3,10	7,75	4,50	90,00	,00	,000
g0_10	3,10	7,75	3,10	6,65	4,50	90,00	,00	,000
g0_11	3,10	6,65	2,46	6,65	4,50	90,00	,00	,000
g0_12	2,46	6,65	2,46	7,75	4,50	90,00	,00	,000
g0_13	2,46	7,75	,15	7,75	4,50	90,00	,00	,000
g0_14	,15	7,75	,15	4,00	4,50	90,00	,00	,000
g0_15	,15	8,00	2,46	8,00	4,50	90,00	,00	,000
g0_16	2,46	8,00	2,46	9,10	4,50	90,00	,00	,000
g0_17	2,46	9,10	3,10	9,10	4,50	90,00	,00	,000
g0_18	3,10	9,10	3,10	8,00	4,50	90,00	,00	,000
g0_19	3,10	8,00	9,07	8,00	4,50	90,00	,00	,000
g0_20	9,07	8,00	9,07	11,75	4,50	90,00	,00	,000
g0_21	9,07	11,75	,15	11,75	4,50	90,00	,00	,000
g0_22	,15	11,75	,15	8,00	4,50	90,00	,00	,000
g0_23	,15	12,39	,84	12,39	4,50	90,00	,00	,000
g0_24	,84	12,39	,84	12,00	4,50	90,00	,00	,000
g0_25	,84	12,00	9,07	12,00	4,50	90,00	,00	,000
g0_26	9,07	12,00	9,07	15,75	4,50	90,00	,00	,000
g0_27	9,07	15,75	-1,20	15,75	4,50	90,00	,00	,000
g0_28	-1,20	15,75	-1,20	13,57	4,50	90,00	,00	,000
g0_29	-1,20	13,57	,15	13,57	4,50	90,00	,00	,000
g0_30	,15	13,57	,15	12,39	4,50	90,00	,00	,000
g0_31	-4,34	13,37	-4,34	3,07	10,50	90,00	,00	,000
g0_32	-4,34	3,07	-,21	3,07	10,50	90,00	,00	,000
g0_33	-,21	3,07	-,21	13,37	10,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	-,21	13,37	-4,34	13,37	10,50	90,00	,00	,000
g1_1	,15	8,00	2,46	8,00	3,00	90,00	4,50	,000
g1_2	2,46	8,00	2,46	9,10	3,00	90,00	4,50	,000
g1_3	2,46	9,10	3,10	9,10	3,00	90,00	4,50	,000
g1_4	3,10	9,10	3,10	8,00	3,00	90,00	4,50	,000
g1_5	3,10	8,00	7,45	8,00	3,00	90,00	4,50	,000
g1_6	7,45	8,00	7,45	12,00	3,00	90,00	4,50	,000
g1_7	7,45	12,00	9,07	12,00	3,00	90,00	4,50	,000
g1_8	9,07	12,00	9,07	15,75	3,00	90,00	4,50	,000
g1_9	9,07	15,75	,00	15,75	3,00	90,00	4,50	,000
g1_10	,00	15,75	,00	12,39	3,00	90,00	4,50	,000
g1_11	,00	12,39	,84	12,39	3,00	90,00	4,50	,000
g1_12	,84	12,39	,84	11,75	3,00	90,00	4,50	,000
g1_13	,84	11,75	,15	11,75	3,00	90,00	4,50	,000
g1_14	,15	11,75	,15	8,00	3,00	90,00	4,50	,000
g1_15	9,07	7,75	3,10	7,75	3,00	90,00	4,50	,000
g1_16	3,10	7,75	3,10	6,65	3,00	90,00	4,50	,000
g1_17	3,10	6,65	2,46	6,65	3,00	90,00	4,50	,000
g1_18	2,46	6,65	2,46	7,75	3,00	90,00	4,50	,000
g1_19	2,46	7,75	,15	7,75	3,00	90,00	4,50	,000
g1_20	,15	7,75	,15	4,00	3,00	90,00	4,50	,000
g1_21	,15	4,00	,84	4,00	3,00	90,00	4,50	,000
g1_22	,84	4,00	,84	3,36	3,00	90,00	4,50	,000
g1_23	,84	3,36	,15	3,36	3,00	90,00	4,50	,000
g1_24	,15	3,36	,15	,00	3,00	90,00	4,50	,000
g1_25	,15	,00	9,07	,00	3,00	90,00	4,50	,000
g1_26	9,07	,00	9,07	7,75	3,00	90,00	4,50	,000
g2_1	,15	8,00	2,46	8,00	3,00	90,00	7,50	,000
g2_2	2,46	8,00	2,46	9,10	3,00	90,00	7,50	,000
g2_3	2,46	9,10	3,10	9,10	3,00	90,00	7,50	,000
g2_4	3,10	9,10	3,10	8,00	3,00	90,00	7,50	,000
g2_5	3,10	8,00	7,45	8,00	3,00	90,00	7,50	,000
g2_6	7,45	8,00	7,45	12,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_7	7,45	12,00	9,07	12,00	3,00	90,00	7,50	,000
g2_8	9,07	12,00	9,07	15,75	3,00	90,00	7,50	,000
g2_9	9,07	15,75	,00	15,75	3,00	90,00	7,50	,000
g2_10	,00	15,75	,00	12,39	3,00	90,00	7,50	,000
g2_11	,00	12,39	,84	12,39	3,00	90,00	7,50	,000
g2_12	,84	12,39	,84	11,75	3,00	90,00	7,50	,000
g2_13	,84	11,75	,15	11,75	3,00	90,00	7,50	,000
g2_14	,15	11,75	,15	8,00	3,00	90,00	7,50	,000
g2_15	9,07	7,75	3,10	7,75	3,00	90,00	7,50	,000
g2_16	3,10	7,75	3,10	6,65	3,00	90,00	7,50	,000
g2_17	3,10	6,65	2,46	6,65	3,00	90,00	7,50	,000
g2_18	2,46	6,65	2,46	7,75	3,00	90,00	7,50	,000
g2_19	2,46	7,75	,15	7,75	3,00	90,00	7,50	,000
g2_20	,15	7,75	,15	4,00	3,00	90,00	7,50	,000
g2_21	,15	4,00	,84	4,00	3,00	90,00	7,50	,000
g2_22	,84	4,00	,84	3,36	3,00	90,00	7,50	,000
g2_23	,84	3,36	,15	3,36	3,00	90,00	7,50	,000
g2_24	,15	3,36	,15	,00	3,00	90,00	7,50	,000
g2_25	,15	,00	9,07	,00	3,00	90,00	7,50	,000
g2_26	9,07	,00	9,07	7,75	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_H01_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_06	,59	2,48	,99	,00	2,45	,00	Opgaand	g0_28	BC_H-01
o_H01_07	,59	3,10	,99	,00	,61	,00	Opgaand	g0_28	BC_H-01
o_H02_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_20	BC_H-02
o_H03_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_8	BC_H-03
o_H04_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_06	1,77	,03	,99	2,45	,00	,00	Opgaand	g0_4	BC_H-04
o_H04_07	1,77	2,48	,99	,61	,00	,00	Opgaand	g0_4	BC_H-04
o_H04_08	5,67	,88	,58	2,25	,00	,00	Opgaand	g0_5	BC_H-04
o_H04_09	6,36	,94	,47	2,10	,00	,00	Opgaand	g0_5	BC_H-04
o_H05_01	,23	4,85	,96	1,86	,00	,00	Opgaand	g1_10	BC_H-05
o_H05_02	,37	4,64	,79	2,11	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_03	1,34	4,53	1,00	2,45	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_04	2,43	4,53	1,00	2,45	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_05	,53	6,98	,87	,00	2,45	,00	Opgaand	g1_7	BC_H-05
o_H05_06	,16	4,62	,58	2,25	,00	,00	Opgaand	g1_8	BC_H-05
o_H05_07	,87	4,67	,47	2,10	,00	,00	Opgaand	g1_8	BC_H-05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_H05_08	2,06	4,62	,58	2,25	,00	,00	Opgaand	g1_8	BC_H-05
o_H05_09	2,77	4,67	,47	2,10	,00	,00	Opgaand	g1_8	BC_H-05
o_H06_01	1,40	4,61	,77	2,16	,00	,00	Opgaand	g1_24	BC_H-06
o_H06_02	1,97	4,62	,58	2,25	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_03	2,67	4,67	,47	2,10	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_04	5,82	4,67	,63	2,12	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_05	6,61	4,57	,79	2,28	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_06	7,49	4,57	,79	2,28	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_07	1,83	4,62	,58	2,25	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_08	2,63	4,67	,47	2,10	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_09	6,15	4,62	,58	2,25	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_10	6,95	4,67	,47	2,10	,00	,00	Opgaand	g1_26	BC_H-06
o_H07_01	,23	7,85	,96	1,86	,00	,00	Opgaand	g2_10	BC_H-07
o_H07_02	,37	7,64	,79	2,11	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_03	1,34	7,53	1,00	2,45	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_04	2,43	7,53	1,00	2,45	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_05	,53	9,98	,87	,00	2,45	,00	Opgaand	g2_7	BC_H-07
o_H07_06	,16	7,62	,58	2,25	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_07	,87	7,67	,47	2,10	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_08	2,06	7,62	,58	2,25	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_09	2,77	7,67	,47	2,10	,00	,00	Opgaand	g2_8	BC_H-07
o_H08_01	1,40	7,61	,77	2,16	,00	,00	Opgaand	g2_24	BC_H-08
o_H08_02	1,97	7,62	,58	2,25	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_03	2,67	7,67	,47	2,10	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_04	5,82	7,67	,63	2,12	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_05	6,61	7,57	,79	2,28	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_06	7,49	7,57	,79	2,28	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_07	1,83	7,62	,58	2,25	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_08	2,63	7,67	,47	2,10	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_09	6,15	7,62	,58	2,25	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_10	6,95	7,67	,47	2,10	,00	,00	Opgaand	g2_26	BC_H-08
o_EBV_01	,05	,03	,98	3,10	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_02	1,71	,92	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_EBV_03	1,71	4,62	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_04	1,71	7,62	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_05	1,70	,03	,98	3,10	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_06	3,04	,03	,98	3,10	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_07	1,88	4,62	,76	2,00	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_08	1,88	7,62	,76	2,00	,00	,00	Opgaand	g0_34	BC_EBV

2020-157_mpi_20220902_ber_Brandoverslag blok H_0001.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok H_0002.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_H-04		o_H06_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,5	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	6,2	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_H06_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	9,7	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,8	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,6	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,3	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,4	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,8	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	3,1	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,6	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	2,2	Ok	951,3	0,73	7,09	1,77	33,1
BC_H-04		o_EBV_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	951,3	0,73	7,09	1,77	33,1

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-04	o_EBV_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_EBV_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_EBV_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_EBV_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_EBV_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_EBV_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_EBV_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_EBV_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-04	o_H06_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,5	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,3	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,9	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	1,0	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,2	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,4	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	12,0	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,4	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	11,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,8	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,7	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-04	o_H06_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,7	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	10,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,1	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	0,6	Ok	951,3	0,73	7,09	1,77	33,1
	BC_H-04	o_H06_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020SEMI	8,3	Ok	951,3	0,73	7,09	1,77	33,1

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_H-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_26 g0_27 g0_28 g0_29 g0_30 g0_23 g0_24 g0_25
BC_H-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_20 g0_21 g0_22 g0_15 g0_16 g0_17 g0_18 g0_19
BC_H-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_8 g0_9 g0_10 g0_11 g0_12 g0_13 g0_14 g0_7
BC_H-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_4 g0_5 g0_6 g0_1 g0_2 g0_3
BC_H-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_6 g1_7 g1_8 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5
BC_H-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_24 g1_25 g1_26 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23
BC_H-07	2,62	Ja	7,50	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5
BC_H-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_24 g2_25 g2_26 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23
BC_EBV	10,12	Ja	0,00	brandruimte	60	0,38		g0_31 g0_32 g0_33 g0_34

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	9,07	3,75	,84	3,75	4,50	90,00	,00	,000
g0_2	,84	3,75	,84	3,36	4,50	90,00	,00	,000
g0_3	,84	3,36	,15	3,36	4,50	90,00	,00	,000
g0_4	,15	3,36	,15	,00	4,50	90,00	,00	,000
g0_5	,15	,00	9,07	,00	4,50	90,00	,00	,000
g0_6	9,07	,00	9,07	3,75	4,50	90,00	,00	,000
g0_7	,15	4,00	9,07	4,00	4,50	90,00	,00	,000
g0_8	9,07	4,00	9,07	7,75	4,50	90,00	,00	,000
g0_9	9,07	7,75	3,10	7,75	4,50	90,00	,00	,000
g0_10	3,10	7,75	3,10	6,65	4,50	90,00	,00	,000
g0_11	3,10	6,65	2,46	6,65	4,50	90,00	,00	,000
g0_12	2,46	6,65	2,46	7,75	4,50	90,00	,00	,000
g0_13	2,46	7,75	,15	7,75	4,50	90,00	,00	,000
g0_14	,15	7,75	,15	4,00	4,50	90,00	,00	,000
g0_15	,15	8,00	2,46	8,00	4,50	90,00	,00	,000
g0_16	2,46	8,00	2,46	9,10	4,50	90,00	,00	,000
g0_17	2,46	9,10	3,10	9,10	4,50	90,00	,00	,000
g0_18	3,10	9,10	3,10	8,00	4,50	90,00	,00	,000
g0_19	3,10	8,00	9,07	8,00	4,50	90,00	,00	,000
g0_20	9,07	8,00	9,07	11,75	4,50	90,00	,00	,000
g0_21	9,07	11,75	,15	11,75	4,50	90,00	,00	,000
g0_22	,15	11,75	,15	8,00	4,50	90,00	,00	,000
g0_23	,15	12,39	,84	12,39	4,50	90,00	,00	,000
g0_24	,84	12,39	,84	12,00	4,50	90,00	,00	,000
g0_25	,84	12,00	9,07	12,00	4,50	90,00	,00	,000
g0_26	9,07	12,00	9,07	15,75	4,50	90,00	,00	,000
g0_27	9,07	15,75	-1,20	15,75	4,50	90,00	,00	,000
g0_28	-1,20	15,75	-1,20	13,57	4,50	90,00	,00	,000
g0_29	-1,20	13,57	,15	13,57	4,50	90,00	,00	,000
g0_30	,15	13,57	,15	12,39	4,50	90,00	,00	,000
g0_31	-4,34	13,37	-4,34	3,07	10,50	90,00	,00	,000
g0_32	-4,34	3,07	-,21	3,07	10,50	90,00	,00	,000
g0_33	-,21	3,07	-,21	13,37	10,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	-,21	13,37	-4,34	13,37	10,50	90,00	,00	,000
g1_1	,15	8,00	2,46	8,00	3,00	90,00	4,50	,000
g1_2	2,46	8,00	2,46	9,10	3,00	90,00	4,50	,000
g1_3	2,46	9,10	3,10	9,10	3,00	90,00	4,50	,000
g1_4	3,10	9,10	3,10	8,00	3,00	90,00	4,50	,000
g1_5	3,10	8,00	7,45	8,00	3,00	90,00	4,50	,000
g1_6	7,45	8,00	7,45	12,00	3,00	90,00	4,50	,000
g1_7	7,45	12,00	9,07	12,00	3,00	90,00	4,50	,000
g1_8	9,07	12,00	9,07	15,75	3,00	90,00	4,50	,000
g1_9	9,07	15,75	,00	15,75	3,00	90,00	4,50	,000
g1_10	,00	15,75	,00	12,39	3,00	90,00	4,50	,000
g1_11	,00	12,39	,84	12,39	3,00	90,00	4,50	,000
g1_12	,84	12,39	,84	11,75	3,00	90,00	4,50	,000
g1_13	,84	11,75	,15	11,75	3,00	90,00	4,50	,000
g1_14	,15	11,75	,15	8,00	3,00	90,00	4,50	,000
g1_15	9,07	7,75	3,10	7,75	3,00	90,00	4,50	,000
g1_16	3,10	7,75	3,10	6,65	3,00	90,00	4,50	,000
g1_17	3,10	6,65	2,46	6,65	3,00	90,00	4,50	,000
g1_18	2,46	6,65	2,46	7,75	3,00	90,00	4,50	,000
g1_19	2,46	7,75	,15	7,75	3,00	90,00	4,50	,000
g1_20	,15	7,75	,15	4,00	3,00	90,00	4,50	,000
g1_21	,15	4,00	,84	4,00	3,00	90,00	4,50	,000
g1_22	,84	4,00	,84	3,36	3,00	90,00	4,50	,000
g1_23	,84	3,36	,15	3,36	3,00	90,00	4,50	,000
g1_24	,15	3,36	,15	,00	3,00	90,00	4,50	,000
g1_25	,15	,00	9,07	,00	3,00	90,00	4,50	,000
g1_26	9,07	,00	9,07	7,75	3,00	90,00	4,50	,000
g2_1	,15	8,00	2,46	8,00	3,00	90,00	7,50	,000
g2_2	2,46	8,00	2,46	9,10	3,00	90,00	7,50	,000
g2_3	2,46	9,10	3,10	9,10	3,00	90,00	7,50	,000
g2_4	3,10	9,10	3,10	8,00	3,00	90,00	7,50	,000
g2_5	3,10	8,00	7,45	8,00	3,00	90,00	7,50	,000
g2_6	7,45	8,00	7,45	12,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_7	7,45	12,00	9,07	12,00	3,00	90,00	7,50	,000
g2_8	9,07	12,00	9,07	15,75	3,00	90,00	7,50	,000
g2_9	9,07	15,75	,00	15,75	3,00	90,00	7,50	,000
g2_10	,00	15,75	,00	12,39	3,00	90,00	7,50	,000
g2_11	,00	12,39	,84	12,39	3,00	90,00	7,50	,000
g2_12	,84	12,39	,84	11,75	3,00	90,00	7,50	,000
g2_13	,84	11,75	,15	11,75	3,00	90,00	7,50	,000
g2_14	,15	11,75	,15	8,00	3,00	90,00	7,50	,000
g2_15	9,07	7,75	3,10	7,75	3,00	90,00	7,50	,000
g2_16	3,10	7,75	3,10	6,65	3,00	90,00	7,50	,000
g2_17	3,10	6,65	2,46	6,65	3,00	90,00	7,50	,000
g2_18	2,46	6,65	2,46	7,75	3,00	90,00	7,50	,000
g2_19	2,46	7,75	,15	7,75	3,00	90,00	7,50	,000
g2_20	,15	7,75	,15	4,00	3,00	90,00	7,50	,000
g2_21	,15	4,00	,84	4,00	3,00	90,00	7,50	,000
g2_22	,84	4,00	,84	3,36	3,00	90,00	7,50	,000
g2_23	,84	3,36	,15	3,36	3,00	90,00	7,50	,000
g2_24	,15	3,36	,15	,00	3,00	90,00	7,50	,000
g2_25	,15	,00	9,07	,00	3,00	90,00	7,50	,000
g2_26	9,07	,00	9,07	7,75	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_H01_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_06	,59	2,48	,99	,00	2,45	,00	Opgaand	g0_28	BC_H-01
o_H01_07	,59	3,10	,99	,00	,61	,00	Opgaand	g0_28	BC_H-01
o_H02_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_20	BC_H-02
o_H03_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_8	BC_H-03
o_H04_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_06	1,77	,03	,99	2,45	,00	,00	Opgaand	g0_4	BC_H-04
o_H04_07	1,77	2,48	,99	,61	,00	,00	Opgaand	g0_4	BC_H-04
o_H04_08	5,67	,88	,58	2,25	,00	,00	Opgaand	g0_5	BC_H-04
o_H04_09	6,36	,94	,47	2,10	,00	,00	Opgaand	g0_5	BC_H-04
o_H05_01	,23	4,85	,96	1,86	,00	,00	Opgaand	g1_10	BC_H-05
o_H05_02	,37	4,64	,79	2,11	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_03	1,34	4,53	1,00	2,45	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_04	2,43	4,53	1,00	2,45	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_05	,53	6,98	,87	,00	2,45	,00	Opgaand	g1_7	BC_H-05
o_H05_06	,16	4,62	,58	2,25	,00	,00	Opgaand	g1_8	BC_H-05
o_H05_07	,87	4,67	,47	2,10	,00	,00	Opgaand	g1_8	BC_H-05


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_H05_08	2,06	4,62	,58	2,25	,00	,00	Opgaand	g1_8	BC_H-05
o_H05_09	2,77	4,67	,47	2,10	,00	,00	Opgaand	g1_8	BC_H-05
o_H06_01	1,40	4,61	,77	2,16	,00	,00	Opgaand	g1_24	BC_H-06
o_H06_02	1,97	4,62	,58	2,25	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_03	2,67	4,67	,47	2,10	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_04	5,82	4,67	,63	2,12	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_05	6,61	4,57	,79	2,28	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_06	7,49	4,57	,79	2,28	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_07	1,83	4,62	,58	2,25	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_08	2,63	4,67	,47	2,10	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_09	6,15	4,62	,58	2,25	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_10	6,95	4,67	,47	2,10	,00	,00	Opgaand	g1_26	BC_H-06
o_H07_01	,23	7,85	,96	1,86	,00	,00	Opgaand	g2_10	BC_H-07
o_H07_02	,37	7,64	,79	2,11	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_03	1,34	7,53	1,00	2,45	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_04	2,43	7,53	1,00	2,45	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_05	,53	9,98	,87	,00	2,45	,00	Opgaand	g2_7	BC_H-07
o_H07_06	,16	7,62	,58	2,25	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_07	,87	7,67	,47	2,10	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_08	2,06	7,62	,58	2,25	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_09	2,77	7,67	,47	2,10	,00	,00	Opgaand	g2_8	BC_H-07
o_H08_01	1,40	7,61	,77	2,16	,00	,00	Opgaand	g2_24	BC_H-08
o_H08_02	1,97	7,62	,58	2,25	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_03	2,67	7,67	,47	2,10	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_04	5,82	7,67	,63	2,12	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_05	6,61	7,57	,79	2,28	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_06	7,49	7,57	,79	2,28	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_07	1,83	7,62	,58	2,25	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_08	2,63	7,67	,47	2,10	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_09	6,15	7,62	,58	2,25	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_10	6,95	7,67	,47	2,10	,00	,00	Opgaand	g2_26	BC_H-08
o_EBV_01	,05	,03	,98	3,10	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_02	1,71	,92	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_EBV_03	1,71	4,62	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_04	1,71	7,62	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_05	1,70	,03	,98	3,10	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_06	3,04	,03	,98	3,10	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_07	1,88	4,62	,76	2,00	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_08	1,88	7,62	,76	2,00	,00	,00	Opgaand	g0_34	BC_EBV


2020-157_mpi_20220902_ber_Brandoverslag blok H_0003.jpg



The drawing shows a floor plan with several rooms and structural features:

- Rooms and Areas:**
 - g0_32:** A red-shaded rectangular area on the left side.
 - g0_5:** A large rectangular area at the bottom.
 - g1_25:** A central rectangular area.
 - g2_25:** A rectangular area at the top.
- Structural Elements:**
 - Columns:** Represented by black dots. A grid of columns is visible in the central and right areas, with labels like **g05_01**, **g05_02**, **g05_03**, **g05_04**, **g05_05**, and **g05_06**.
 - Walls:** Represented by solid black lines.
 - Doors:** Indicated by small black arcs on the walls.
- Annotations:**
 - g04_01** to **g04_08** and **g08_01** to **g08_06** are labels for specific structural elements or rooms.
 - A red rectangular area is labeled **g0_32**.
- Other Features:**
 - A blue dashed line runs diagonally across the central area.
 - A red box with the text "Behoort tot het bouwarchief" (Belongs to the building archive) is located in the top right corner.

2020-157_mpi_20220902_ber_Brandoverslag blok H_0005.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-05	o_H07_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1013,2	0,80	10,63	5,37	62,0

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-05	o_H07_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,1	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1013,2	0,80	10,63	5,37	62,0

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_H-05	o_H07_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_H07_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	1013,2	0,80	10,63	5,37	62,0
	BC_H-05	o_EBV_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	1013,2	0,80	10,63	5,37	62,0

Behoort tot het bouwarchief

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_H-01	4,12	Ja	0,00	brandruimte	60	0,38		g0_26 g0_27 g0_28 g0_29 g0_30 g0_23 g0_24 g0_25
BC_H-02	4,12	Ja	0,00	brandruimte	60	0,38		g0_20 g0_21 g0_22 g0_15 g0_16 g0_17 g0_18 g0_19
BC_H-03	4,12	Ja	0,00	brandruimte	60	0,38		g0_8 g0_9 g0_10 g0_11 g0_12 g0_13 g0_14 g0_7
BC_H-04	4,12	Ja	0,00	brandruimte	60	0,38		g0_4 g0_5 g0_6 g0_1 g0_2 g0_3
BC_H-05	2,62	Ja	4,50	brandruimte	60	0,38		g1_6 g1_7 g1_8 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_1 g1_2 g1_3 g1_4 g1_5
BC_H-06	2,62	Ja	4,50	brandruimte	60	0,38		g1_24 g1_25 g1_26 g1_15 g1_16 g1_17 g1_18 g1_19 g1_20 g1_21 g1_22 g1_23
BC_H-07	2,62	Ja	7,50	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_11 g2_12 g2_13 g2_14 g2_1 g2_2 g2_3 g2_4 g2_5
BC_H-08	2,62	Ja	7,50	brandruimte	60	0,38		g2_24 g2_25 g2_26 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23
BC_EBV	10,12	Ja	0,00	brandruimte	60	0,38		g0_31 g0_32 g0_33 g0_34

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_1	9,07	3,75	,84	3,75	4,50	90,00	,00	,000
g0_2	,84	3,75	,84	3,36	4,50	90,00	,00	,000
g0_3	,84	3,36	,15	3,36	4,50	90,00	,00	,000
g0_4	,15	3,36	,15	,00	4,50	90,00	,00	,000
g0_5	,15	,00	9,07	,00	4,50	90,00	,00	,000
g0_6	9,07	,00	9,07	3,75	4,50	90,00	,00	,000
g0_7	,15	4,00	9,07	4,00	4,50	90,00	,00	,000
g0_8	9,07	4,00	9,07	7,75	4,50	90,00	,00	,000
g0_9	9,07	7,75	3,10	7,75	4,50	90,00	,00	,000
g0_10	3,10	7,75	3,10	6,65	4,50	90,00	,00	,000
g0_11	3,10	6,65	2,46	6,65	4,50	90,00	,00	,000
g0_12	2,46	6,65	2,46	7,75	4,50	90,00	,00	,000
g0_13	2,46	7,75	,15	7,75	4,50	90,00	,00	,000
g0_14	,15	7,75	,15	4,00	4,50	90,00	,00	,000
g0_15	,15	8,00	2,46	8,00	4,50	90,00	,00	,000
g0_16	2,46	8,00	2,46	9,10	4,50	90,00	,00	,000
g0_17	2,46	9,10	3,10	9,10	4,50	90,00	,00	,000
g0_18	3,10	9,10	3,10	8,00	4,50	90,00	,00	,000
g0_19	3,10	8,00	9,07	8,00	4,50	90,00	,00	,000
g0_20	9,07	8,00	9,07	11,75	4,50	90,00	,00	,000
g0_21	9,07	11,75	,15	11,75	4,50	90,00	,00	,000
g0_22	,15	11,75	,15	8,00	4,50	90,00	,00	,000
g0_23	,15	12,39	,84	12,39	4,50	90,00	,00	,000
g0_24	,84	12,39	,84	12,00	4,50	90,00	,00	,000
g0_25	,84	12,00	9,07	12,00	4,50	90,00	,00	,000
g0_26	9,07	12,00	9,07	15,75	4,50	90,00	,00	,000
g0_27	9,07	15,75	-1,20	15,75	4,50	90,00	,00	,000
g0_28	-1,20	15,75	-1,20	13,57	4,50	90,00	,00	,000
g0_29	-1,20	13,57	,15	13,57	4,50	90,00	,00	,000
g0_30	,15	13,57	,15	12,39	4,50	90,00	,00	,000
g0_31	-4,34	13,37	-4,34	3,07	10,50	90,00	,00	,000
g0_32	-4,34	3,07	-,21	3,07	10,50	90,00	,00	,000
g0_33	-,21	3,07	-,21	13,37	10,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_34	-,21	13,37	-4,34	13,37	10,50	90,00	,00	,000
g1_1	,15	8,00	2,46	8,00	3,00	90,00	4,50	,000
g1_2	2,46	8,00	2,46	9,10	3,00	90,00	4,50	,000
g1_3	2,46	9,10	3,10	9,10	3,00	90,00	4,50	,000
g1_4	3,10	9,10	3,10	8,00	3,00	90,00	4,50	,000
g1_5	3,10	8,00	7,45	8,00	3,00	90,00	4,50	,000
g1_6	7,45	8,00	7,45	12,00	3,00	90,00	4,50	,000
g1_7	7,45	12,00	9,07	12,00	3,00	90,00	4,50	,000
g1_8	9,07	12,00	9,07	15,75	3,00	90,00	4,50	,000
g1_9	9,07	15,75	,00	15,75	3,00	90,00	4,50	,000
g1_10	,00	15,75	,00	12,39	3,00	90,00	4,50	,000
g1_11	,00	12,39	,84	12,39	3,00	90,00	4,50	,000
g1_12	,84	12,39	,84	11,75	3,00	90,00	4,50	,000
g1_13	,84	11,75	,15	11,75	3,00	90,00	4,50	,000
g1_14	,15	11,75	,15	8,00	3,00	90,00	4,50	,000
g1_15	9,07	7,75	3,10	7,75	3,00	90,00	4,50	,000
g1_16	3,10	7,75	3,10	6,65	3,00	90,00	4,50	,000
g1_17	3,10	6,65	2,46	6,65	3,00	90,00	4,50	,000
g1_18	2,46	6,65	2,46	7,75	3,00	90,00	4,50	,000
g1_19	2,46	7,75	,15	7,75	3,00	90,00	4,50	,000
g1_20	,15	7,75	,15	4,00	3,00	90,00	4,50	,000
g1_21	,15	4,00	,84	4,00	3,00	90,00	4,50	,000
g1_22	,84	4,00	,84	3,36	3,00	90,00	4,50	,000
g1_23	,84	3,36	,15	3,36	3,00	90,00	4,50	,000
g1_24	,15	3,36	,15	,00	3,00	90,00	4,50	,000
g1_25	,15	,00	9,07	,00	3,00	90,00	4,50	,000
g1_26	9,07	,00	9,07	7,75	3,00	90,00	4,50	,000
g2_1	,15	8,00	2,46	8,00	3,00	90,00	7,50	,000
g2_2	2,46	8,00	2,46	9,10	3,00	90,00	7,50	,000
g2_3	2,46	9,10	3,10	9,10	3,00	90,00	7,50	,000
g2_4	3,10	9,10	3,10	8,00	3,00	90,00	7,50	,000
g2_5	3,10	8,00	7,45	8,00	3,00	90,00	7,50	,000
g2_6	7,45	8,00	7,45	12,00	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_7	7,45	12,00	9,07	12,00	3,00	90,00	7,50	,000
g2_8	9,07	12,00	9,07	15,75	3,00	90,00	7,50	,000
g2_9	9,07	15,75	,00	15,75	3,00	90,00	7,50	,000
g2_10	,00	15,75	,00	12,39	3,00	90,00	7,50	,000
g2_11	,00	12,39	,84	12,39	3,00	90,00	7,50	,000
g2_12	,84	12,39	,84	11,75	3,00	90,00	7,50	,000
g2_13	,84	11,75	,15	11,75	3,00	90,00	7,50	,000
g2_14	,15	11,75	,15	8,00	3,00	90,00	7,50	,000
g2_15	9,07	7,75	3,10	7,75	3,00	90,00	7,50	,000
g2_16	3,10	7,75	3,10	6,65	3,00	90,00	7,50	,000
g2_17	3,10	6,65	2,46	6,65	3,00	90,00	7,50	,000
g2_18	2,46	6,65	2,46	7,75	3,00	90,00	7,50	,000
g2_19	2,46	7,75	,15	7,75	3,00	90,00	7,50	,000
g2_20	,15	7,75	,15	4,00	3,00	90,00	7,50	,000
g2_21	,15	4,00	,84	4,00	3,00	90,00	7,50	,000
g2_22	,84	4,00	,84	3,36	3,00	90,00	7,50	,000
g2_23	,84	3,36	,15	3,36	3,00	90,00	7,50	,000
g2_24	,15	3,36	,15	,00	3,00	90,00	7,50	,000
g2_25	,15	,00	9,07	,00	3,00	90,00	7,50	,000
g2_26	9,07	,00	9,07	7,75	3,00	90,00	7,50	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_H01_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_26	BC_H-01
o_H01_06	,59	2,48	,99	,00	2,45	,00	Opgaand	g0_28	BC_H-01
o_H01_07	,59	3,10	,99	,00	,61	,00	Opgaand	g0_28	BC_H-01
o_H02_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_20	BC_H-02
o_H02_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_20	BC_H-02
o_H03_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_8	BC_H-03
o_H03_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_8	BC_H-03
o_H04_01	,47	,88	,91	1,63	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_02	,47	2,54	1,65	,57	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_03	1,49	,94	,57	1,47	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_04	2,25	,03	,99	2,45	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_05	2,25	2,54	,99	,57	,00	,00	Opgaand	g0_6	BC_H-04
o_H04_06	1,77	,03	,99	2,45	,00	,00	Opgaand	g0_4	BC_H-04
o_H04_07	1,77	2,48	,99	,61	,00	,00	Opgaand	g0_4	BC_H-04
o_H04_08	5,67	,88	,58	2,25	,00	,00	Opgaand	g0_5	BC_H-04
o_H04_09	6,36	,94	,47	2,10	,00	,00	Opgaand	g0_5	BC_H-04
o_H05_01	,23	4,85	,96	1,86	,00	,00	Opgaand	g1_10	BC_H-05
o_H05_02	,37	4,64	,79	2,11	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_03	1,34	4,53	1,00	2,45	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_04	2,43	4,53	1,00	2,45	,00	,00	Opgaand	g1_6	BC_H-05
o_H05_05	,53	6,98	,87	,00	2,45	,00	Opgaand	g1_7	BC_H-05
o_H05_06	,16	4,62	,58	2,25	,00	,00	Opgaand	g1_8	BC_H-05
o_H05_07	,87	4,67	,47	2,10	,00	,00	Opgaand	g1_8	BC_H-05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_H05_08	2,06	4,62	,58	2,25	,00	,00	Opgaand	g1_8	BC_H-05
o_H05_09	2,77	4,67	,47	2,10	,00	,00	Opgaand	g1_8	BC_H-05
o_H06_01	1,40	4,61	,77	2,16	,00	,00	Opgaand	g1_24	BC_H-06
o_H06_02	1,97	4,62	,58	2,25	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_03	2,67	4,67	,47	2,10	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_04	5,82	4,67	,63	2,12	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_05	6,61	4,57	,79	2,28	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_06	7,49	4,57	,79	2,28	,00	,00	Opgaand	g1_25	BC_H-06
o_H06_07	1,83	4,62	,58	2,25	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_08	2,63	4,67	,47	2,10	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_09	6,15	4,62	,58	2,25	,00	,00	Opgaand	g1_26	BC_H-06
o_H06_10	6,95	4,67	,47	2,10	,00	,00	Opgaand	g1_26	BC_H-06
o_H07_01	,23	7,85	,96	1,86	,00	,00	Opgaand	g2_10	BC_H-07
o_H07_02	,37	7,64	,79	2,11	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_03	1,34	7,53	1,00	2,45	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_04	2,43	7,53	1,00	2,45	,00	,00	Opgaand	g2_6	BC_H-07
o_H07_05	,53	9,98	,87	,00	2,45	,00	Opgaand	g2_7	BC_H-07
o_H07_06	,16	7,62	,58	2,25	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_07	,87	7,67	,47	2,10	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_08	2,06	7,62	,58	2,25	,00	,00	Opgaand	g2_8	BC_H-07
o_H07_09	2,77	7,67	,47	2,10	,00	,00	Opgaand	g2_8	BC_H-07
o_H08_01	1,40	7,61	,77	2,16	,00	,00	Opgaand	g2_24	BC_H-08
o_H08_02	1,97	7,62	,58	2,25	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_03	2,67	7,67	,47	2,10	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_04	5,82	7,67	,63	2,12	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_05	6,61	7,57	,79	2,28	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_06	7,49	7,57	,79	2,28	,00	,00	Opgaand	g2_25	BC_H-08
o_H08_07	1,83	7,62	,58	2,25	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_08	2,63	7,67	,47	2,10	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_09	6,15	7,62	,58	2,25	,00	,00	Opgaand	g2_26	BC_H-08
o_H08_10	6,95	7,67	,47	2,10	,00	,00	Opgaand	g2_26	BC_H-08
o_EBV_01	,05	,03	,98	3,10	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_02	1,71	,92	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_EBV_03	1,71	4,62	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_04	1,71	7,62	1,20	2,25	,00	,00	Opgaand	g0_32	BC_EBV
o_EBV_05	1,70	,03	,98	3,10	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_06	3,04	,03	,98	3,10	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_07	1,88	4,62	,76	2,00	,00	,00	Opgaand	g0_34	BC_EBV
o_EBV_08	1,88	7,62	,76	2,00	,00	,00	Opgaand	g0_34	BC_EBV

2020-157_mpi_20220902_ber_Brandoverslag blok H_0006.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok H_0007.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_Garage	o_T03_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok					
	BC_Garage	o_T03_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok					
	BC_Garage	o_T03_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,6	Ok					
	BC_Garage	o_T03_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_Garage	o_T03_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok					
	BC_Garage	o_T03_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,5	Ok					
	BC_Garage	o_T03_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok					
	BC_Garage	o_T03_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok					
	BC_Garage	o_T03_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,3	Ok					
	BC_Garage	o_T03_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_Garage	o_T03_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok					
	BC_Garage	o_T03_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,4	Ok					
	BC_Garage	o_T03_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_Garage	o_T03_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_Garage	o_T03_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok					
	BC_Garage	o_T03_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_Garage	o_T03_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_Garage	o_T03_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok					
	BC_Garage	o_T03_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_Garage	o_T03_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok					
	BC_Garage	o_T03_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok					
	BC_Garage	o_T03_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_Garage	o_T03_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok					
	BC_Garage	o_T03_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok					
	BC_Garage	o_T03_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_Garage	o_T03_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_Garage	o_T03_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok					

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_1 g00_2 g00_3 g00_4 g00_5 g00_6
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_22	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2

Behoort tot het bouwarchief

Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_Algemeen	o_T03_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	676,9	0,69	7,97	1,29	27,1

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_Algemeen	o_T03_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	676,9	0,69	7,97	1,29	27,1

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_Algemeen	o_T03_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	676,9	0,69	7,97	1,29	27,1
	BC_Algemeen	o_T03_15	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	676,9	0,69	7,97	1,29	27,1

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_11 g00_12 g00_13 g00_14 g00_15 g00_16
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_22	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2

2020-157_mpi_20220902_ber_Brandoverslag blok T_0002.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0003.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T01	o_T03_17	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,5	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,5	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,8	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_17	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,6	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,3	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_19	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_18	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	989,9	1,06	12,43	2,23	161,8

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T01		o_T03_16	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_16	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,8	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,2	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,4	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_20	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,0	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,4	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_22	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_21	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_21	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_21	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_21	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
BC_T01		o_T03_21	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	989,9	1,06	12,43	2,23	161,8

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T01	o_T03_21	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_21	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_21	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_21	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_23	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_24	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_25	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	989,9	1,06	12,43	2,23	161,8

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T01	o_T03_26	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_26	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,5	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_27	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,5	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	989,9	1,06	12,43	2,23	161,8
	BC_T01	o_T03_28	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	989,9	1,06	12,43	2,23	161,8

Behoort tot het bouwarchief

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_11 g00_12 g00_13 g00_14 g00_15 g00_16
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_22	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2

2020-157_mpi_20220902_ber_Brandoverslag blok T_0004.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0005.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T02	o_T04_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_T02	o_T04_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_T02	o_T04_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_T02	o_T04_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_T02	o_T04_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_T02	o_T04_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_T02	o_T04_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_T02	o_T04_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok					

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T02	o_T04_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok					
	BC_T02	o_T04_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					
	BC_T02	o_T04_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,4	Ok					
	BC_T02	o_T04_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_T02	o_T04_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok					
	BC_T02	o_T04_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok					
	BC_T02	o_T04_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok					
	BC_T02	o_T04_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok					
	BC_T02	o_T04_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok					
	BC_T02	o_T04_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok					
	BC_T02	o_T04_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok					
	BC_T02	o_T04_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok					
	BC_T02	o_T04_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_T02	o_T04_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T02	o_T04_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_T02	o_T04_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_T02	o_T04_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_T02	o_T04_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_T02	o_T04_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_T02	o_T04_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_T02	o_T04_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_T02	o_T04_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_14	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_T02	o_T04_14	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_14	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_14	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_14	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_14	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_T02	o_T04_14	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_14	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_14	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_T02	o_T04_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok					
	BC_T02	o_T04_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok					
	BC_T02	o_T04_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok					
	BC_T02	o_T04_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok					
	BC_T02	o_T04_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok					
	BC_T02	o_T04_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,6	Ok					
	BC_T02	o_T04_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok					
	BC_T02	o_T04_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok					
	BC_T02	o_T04_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok					
	BC_T02	o_T04_15	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T02	o_T04_15	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_T02	o_T04_15	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok					
	BC_T02	o_T04_15	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_15	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_T02	o_T04_15	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok					
	BC_T02	o_T04_15	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_15	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok					
	BC_T02	o_T04_15	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,5	Ok					
	BC_T02	o_T04_16	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok					
	BC_T02	o_T04_16	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok					
	BC_T02	o_T04_16	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,8	Ok					
	BC_T02	o_T04_16	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok					
	BC_T02	o_T04_16	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok					
	BC_T02	o_T04_16	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,1	Ok					
	BC_T02	o_T04_16	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok					
	BC_T02	o_T04_16	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok					
	BC_T02	o_T04_16	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok					
	BC_T02	o_T04_18	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_18	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_18	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok					
	BC_T02	o_T04_18	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_18	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_18	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok					
	BC_T02	o_T04_18	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_18	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok					
	BC_T02	o_T04_18	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,5	Ok					
	BC_T02	o_T04_17	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_17	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_17	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok					
	BC_T02	o_T04_17	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_17	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_17	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok					
	BC_T02	o_T04_17	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T02	o_T04_17	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_17	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok					
	BC_T02	o_T04_19	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_T02	o_T04_19	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok					
	BC_T02	o_T04_19	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,2	Ok					
	BC_T02	o_T04_19	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok					
	BC_T02	o_T04_19	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok					
	BC_T02	o_T04_19	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,6	Ok					
	BC_T02	o_T04_19	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_19	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok					
	BC_T02	o_T04_19	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok					
	BC_T02	o_T04_21	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_T02	o_T04_21	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok					
	BC_T02	o_T04_21	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok					
	BC_T02	o_T04_21	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_T02	o_T04_21	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_21	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok					
	BC_T02	o_T04_21	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_21	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_21	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok					
	BC_T02	o_T04_20	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_20	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_20	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
	BC_T02	o_T04_20	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_T02	o_T04_20	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_20	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_20	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_T02	o_T04_20	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_T02	o_T04_20	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_T02	o_T04_22	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok					
	BC_T02	o_T04_22	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok					
	BC_T02	o_T04_22	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,2	Ok					
	BC_T02	o_T04_22	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T02	o_T04_22	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok					
	BC_T02	o_T04_22	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok					
	BC_T02	o_T04_22	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_T02	o_T04_22	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok					
	BC_T02	o_T04_22	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok					
	BC_T02	o_T04_24	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_T02	o_T04_24	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_24	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,4	Ok					
	BC_T02	o_T04_24	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_T02	o_T04_24	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_24	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok					
	BC_T02	o_T04_24	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_24	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_T02	o_T04_24	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok					
	BC_T02	o_T04_23	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_T02	o_T04_23	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_T02	o_T04_23	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_23	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_T02	o_T04_23	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_23	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_23	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_T02	o_T04_23	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_23	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok					
	BC_T02	o_T04_26	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_26	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_26	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_T02	o_T04_26	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_26	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_T02	o_T04_26	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_T02	o_T04_26	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_T02	o_T04_26	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_T02	o_T04_26	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_T02	o_T04_27	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T02	o_T04_27	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_T02	o_T04_27	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,4	Ok					
	BC_T02	o_T04_27	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_T02	o_T04_27	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_T02	o_T04_27	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,2	Ok					
	BC_T02	o_T04_27	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_T02	o_T04_27	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_T02	o_T04_27	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok					
	BC_T02	o_T04_25	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok					
	BC_T02	o_T04_25	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok					
	BC_T02	o_T04_25	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok					
	BC_T02	o_T04_25	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_T02	o_T04_25	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok					
	BC_T02	o_T04_25	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok					
	BC_T02	o_T04_25	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_T02	o_T04_25	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok					
	BC_T02	o_T04_25	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,8	Ok					

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_11 g00_12 g00_13 g00_14 g00_15 g00_16
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_22	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2

2020-157_mpi_20220902_ber_Brandoverslag blok T_0007.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0008.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T03	o_T05_24b	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_24b	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	1001,6	0,98	11,95	5,31	150,3

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T03		o_T05_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,6	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,5	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
BC_T03		o_T05_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1001,6	0,98	11,95	5,31	150,3

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T03	o_T05_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T03	o_T05_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T03	o_T05_14	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_14	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_15	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_16	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T03	o_T05_18	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_18	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_19	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_17	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_21	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	1001,6	0,98	11,95	5,31	150,3

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T03	o_T05_20	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_20	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_22	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_23	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	1001,6	0,98	11,95	5,31	150,3

Behoort tot het bouwarchief

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T03	o_T05_25	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3
	BC_T03	o_T05_25	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	1001,6	0,98	11,95	5,31	150,3

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_11 g00_12 g00_13 g00_14 g00_15 g00_16
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	8,57	,97	,00	,85	,00	Opgaand	g2_14	BC_T05
o_T05_24b	2,78	8,57	,97	1,48	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_22	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2


2020-157_mpi_20220902_ber_Brandoverslag blok T_0009.jpg



2020-157 mpi_20220902_ber_Brandoverslag blok T_0010.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0011.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T04	o_T06_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_02b	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	915,2	1,29	8,40	5,30	123,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T04		o_T06_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	915,2	1,29	8,40	5,30	123,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T04		o_T06_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,5	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	915,2	1,29	8,40	5,30	123,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T04	o_T06_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	9,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_14	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	4,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	915,2	1,29	8,40	5,30	123,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T04		o_T06_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_15	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_17	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_16	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T04		o_T06_18	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_18	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_20	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_19	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_21	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	915,2	1,29	8,40	5,30	123,4
BC_T04		o_T06_23	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T04	o_T06_23	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_23	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_23	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_23	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_23	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_23	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_23	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_23	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_22	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,6	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_24	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,0	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T04	o_T06_26	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_26	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,6	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_25	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,8	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,5	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	915,2	1,29	8,40	5,30	123,4
	BC_T04	o_T06_27	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok	915,2	1,29	8,40	5,30	123,4

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_11 g00_12 g00_13 g00_14 g00_15 g00_16
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	8,57	,97	,00	,85	,00	Opgaand	g2_14	BC_T05
o_T05_24b	2,78	8,57	,97	1,48	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	8,57	,97	,00	,85	,00	Opgaand	g2_7	BC_T06
o_T06_02b	2,96	8,57	,97	1,48	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_22	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2


2020-157_mpi_20220902_ber_Brandoverslag blok T_0012.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0013.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0014.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_50	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_50	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_52	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_53	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_51	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_51	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_54	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_56	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_57	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_57	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_55	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_14	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_14	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_15	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_16	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	14,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	970,9	1,03	9,73	8,43	126,6

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T05	o_T07_17	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_17	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,6	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,2	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	970,9	1,03	9,73	8,43	126,6
	BC_T05	o_T07_18	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok	970,9	1,03	9,73	8,43	126,6

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_11 g00_12 g00_13 g00_14 g00_15 g00_16
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	8,57	,97	,00	,85	,00	Opgaand	g2_14	BC_T05
o_T05_24b	2,78	8,57	,97	1,48	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	8,57	,97	,00	,85	,00	Opgaand	g2_7	BC_T06
o_T06_02b	2,96	8,57	,97	1,48	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_22	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2


2020-157_mpi_20220902_ber_Brandoverslag blok T_0015.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0016.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0017.jpg



Behoort tot het bouwarchief

BRANDSCENARIO'S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T06	o_T07_22b	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_22b	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_48	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_49	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	894,0	1,28	7,87	8,43	101,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T06	o_T07_46	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_46	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_47	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_44	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T06	o_T07_45	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_45	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_43	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_41	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_42	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4

Behoort tot het bouwarchief

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T06	o_T07_40	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_40	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_38	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_39	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_37	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_37	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_37	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_37	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_37	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_37	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_37	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	894,0	1,28	7,87	8,43	101,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T06		o_T07_37	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_37	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,2	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,7	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_35	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,0	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_36	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_34	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_T06		o_T07_32	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_32	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_33	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,5	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,8	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_30	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_31	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	894,0	1,28	7,87	8,43	101,4
BC_T06		o_T07_28	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	894,0	1,28	7,87	8,43	101,4

Behoort tot het bouwarchief

BRANDSCENARIO"S															
Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T06	o_T07_28	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_28	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_28	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_28	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_28	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_28	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_28	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_28	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_29	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_26	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	5,3	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,2	Ok	894,0	1,28	7,87	8,43	101,4

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_T06	o_T07_24	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_24	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_25	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_27	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,6	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	894,0	1,28	7,87	8,43	101,4
	BC_T06	o_T07_23	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,8	Ok	894,0	1,28	7,87	8,43	101,4

Behoort tot het bouwarchief

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_Garage1	2,72	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g00_7 g00_8 g00_9 g00_10 g00_11 g00_12 g00_13 g00_14 g00_15 g00_16
BC_Garage2	5,82	Ja	-1,70	brandruimte	60	0,38	BC_Garage	g0_18 g0_19 g0_20 g0_17
BC_Algemeen	4,12	Ja	0,00	brandruimte	60	0,38		g0_14 g0_15 g0_16 g0_13
BC_T01	2,72	Ja	1,40	brandruimte	60	0,38		g0_6 g0_7 g0_8 g0_9 g0_10 g0_11 g0_12 g0_1 g0_2 g0_3 g0_4 g0_5
BC_T02_kelder	2,72	Ja	-1,70	brandruimte	60	0,38	BC_T02	g00_19 g00_20 g00_13 g00_14 g00_15 g00_16 g00_17 g00_18
BC_T02_bg1	4,12	Ja	0,00	brandruimte	60	0,38	BC_T02	g0_29 g0_30 g0_31 g0_32
BC_T02_bg2	2,72	Ja	1,40	brandruimte	60	0,38	BC_T02	g0_28 g0_25 g0_26 g0_27
BC_T03	2,72	Ja	4,50	brandruimte	60	0,38		g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_T04	2,72	Ja	4,50	brandruimte	60	0,38		g1_7 g1_8 g1_9 g1_10 g1_1 g1_2 g1_3 g1_4 g1_5 g1_6
BC_T05	2,72	Ja	7,60	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_11
BC_T06	2,72	Ja	7,60	brandruimte	60	0,38		g2_6 g2_7 g2_8 g2_9 g2_10 g2_1 g2_2 g2_3 g2_4 g2_5
BC_T07	2,72	Ja	10,70	brandruimte	60	0,38		g3_7 g3_8 g3_9 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_1 g3_2 g3_3 g3_4 g3_5 g3_6
BC_T07								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	4,97	,00	19,93	,00	3,10	90,00	-1,70	,000
g00_2	19,93	,00	19,93	14,15	3,10	90,00	-1,70	,000
g00_3	19,93	14,15	15,35	14,15	3,10	90,00	-1,70	,000
g00_4	15,35	14,15	15,35	15,57	3,10	90,00	-1,70	,000
g00_5	15,35	15,57	7,25	15,57	3,10	90,00	-1,70	,000
g00_6	7,25	15,57	7,25	10,80	3,10	90,00	-1,70	,000
g00_7	7,25	10,80	5,65	10,80	3,10	90,00	-1,70	,000
g00_8	5,65	10,80	5,65	5,88	3,10	90,00	-1,70	,000
g00_9	5,65	5,88	4,97	5,88	3,10	90,00	-1,70	,000
g00_10	4,97	5,88	4,97	,00	3,10	90,00	-1,70	,000
g00_13	4,76	20,31	4,76	14,53	3,10	90,00	-1,70	,000
g00_14	4,76	14,53	6,91	14,53	3,10	90,00	-1,70	,000
g00_15	6,91	14,53	6,91	15,96	3,10	90,00	-1,70	,000
g00_16	6,91	15,96	15,72	15,96	3,10	90,00	-1,70	,000
g00_17	15,72	15,96	15,72	14,52	3,10	90,00	-1,70	,000
g00_18	15,72	14,52	19,93	14,52	3,10	90,00	-1,70	,000
g00_19	19,93	14,52	19,93	17,95	3,10	90,00	-1,70	,000
g00_20	19,93	17,95	4,76	20,31	3,10	90,00	-1,70	,000
g0_1	10,43	14,15	10,43	9,13	3,10	90,00	1,40	,000
g0_2	10,43	9,13	5,98	9,13	3,10	90,00	1,40	,000
g0_3	5,98	9,13	5,98	5,88	3,10	90,00	1,40	,000
g0_4	5,98	5,88	4,97	5,88	3,10	90,00	1,40	,000
g0_5	4,97	5,88	4,97	,00	3,10	90,00	1,40	,000
g0_6	4,97	,00	19,93	,00	3,10	90,00	1,40	,000
g0_7	19,93	,00	19,93	4,45	3,10	90,00	1,40	,000
g0_8	19,93	4,45	16,14	4,45	3,10	90,00	1,40	,000
g0_9	16,14	4,45	16,14	9,52	3,10	90,00	1,40	,000
g0_10	16,14	9,52	19,93	9,52	3,10	90,00	1,40	,000
g0_11	19,93	9,52	19,93	14,15	3,10	90,00	1,40	,000
g0_12	19,93	14,15	10,43	14,15	3,10	90,00	1,40	,000
g0_13	4,60	5,88	,00	5,88	4,50	90,00	,00	,000
g0_14	,00	5,88	,00	,00	4,50	90,00	,00	,000
g0_15	,00	,00	4,60	,00	4,50	90,00	,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_16	4,60	,00	4,60	5,88	4,50	90,00	,00	,000
g0_17	5,58	9,13	,00	9,13	6,20	90,00	-1,70	,000
g0_18	,00	9,13	,00	6,28	6,20	90,00	-1,70	,000
g0_19	,00	6,28	5,58	6,28	6,20	90,00	-1,70	,000
g0_20	5,58	6,28	5,58	9,13	6,20	90,00	-1,70	,000
g0_25	15,35	18,66	4,71	20,32	3,10	90,00	1,40	,000
g0_26	4,71	20,32	4,71	14,53	3,10	90,00	1,40	,000
g0_27	4,71	14,53	15,35	14,53	3,10	90,00	1,40	,000
g0_28	15,35	14,53	15,35	18,66	3,10	90,00	1,40	,000
g0_29	,00	21,05	,00	14,53	4,50	90,00	,00	,000
g0_30	,00	14,53	4,61	14,53	4,50	90,00	,00	,000
g0_31	4,61	14,53	4,61	20,33	4,50	90,00	,00	,000
g0_32	4,61	20,33	,00	21,05	4,50	90,00	,00	,000
g1_1	,00	21,05	,00	9,55	3,10	90,00	4,50	,000
g1_2	,00	9,55	1,81	9,55	3,10	90,00	4,50	,000
g1_3	1,81	9,55	1,81	14,53	3,10	90,00	4,50	,000
g1_4	1,81	14,53	10,43	14,53	3,10	90,00	4,50	,000
g1_5	10,43	14,53	10,43	9,55	3,10	90,00	4,50	,000
g1_6	10,43	9,55	15,22	9,55	3,10	90,00	4,50	,000
g1_7	15,22	9,55	15,22	14,37	3,10	90,00	4,50	,000
g1_8	15,22	14,37	17,48	14,37	3,10	90,00	4,50	,000
g1_9	17,48	14,37	17,48	18,33	3,10	90,00	4,50	,000
g1_10	17,48	18,33	,00	21,05	3,10	90,00	4,50	,000
g1_11	,00	9,13	,00	,00	3,10	90,00	4,50	,000
g1_12	,00	,00	15,22	,00	3,10	90,00	4,50	,000
g1_13	15,22	,00	15,22	4,67	3,10	90,00	4,50	,000
g1_14	15,22	4,67	17,48	4,67	3,10	90,00	4,50	,000
g1_15	17,48	4,67	17,48	9,30	3,10	90,00	4,50	,000
g1_16	17,48	9,30	10,43	9,30	3,10	90,00	4,50	,000
g1_17	10,43	9,30	10,43	9,13	3,10	90,00	4,50	,000
g1_18	10,43	9,13	,00	9,13	3,10	90,00	4,50	,000
g2_1	,00	21,05	,00	9,55	3,10	90,00	7,60	,000
g2_2	,00	9,55	1,81	9,55	3,10	90,00	7,60	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_3	1,81	9,55	1,81	14,53	3,10	90,00	7,60	,000
g2_4	1,81	14,53	10,43	14,53	3,10	90,00	7,60	,000
g2_5	10,43	14,53	10,43	9,55	3,10	90,00	7,60	,000
g2_6	10,43	9,55	15,22	9,55	3,10	90,00	7,60	,000
g2_7	15,22	9,55	15,22	14,15	3,10	90,00	7,60	,000
g2_8	15,22	14,15	12,57	14,15	3,10	90,00	7,60	,000
g2_9	12,57	14,15	12,57	19,09	3,10	90,00	7,60	,000
g2_10	12,57	19,09	,00	21,05	3,10	90,00	7,60	,000
g2_11	12,57	9,13	,00	9,13	3,10	90,00	7,60	,000
g2_12	,00	9,13	,00	,00	3,10	90,00	7,60	,000
g2_13	,00	,00	15,22	,00	3,10	90,00	7,60	,000
g2_14	15,22	,00	15,22	4,45	3,10	90,00	7,60	,000
g2_15	15,22	4,45	12,57	4,45	3,10	90,00	7,60	,000
g2_16	12,57	4,45	12,57	9,13	3,10	90,00	7,60	,000
g3_1	,00	21,05	,00	14,53	3,10	90,00	10,70	,000
g3_2	,00	14,53	10,43	14,53	3,10	90,00	10,70	,000
g3_3	10,43	14,53	10,43	9,13	3,10	90,00	10,70	,000
g3_4	10,43	9,13	1,81	9,13	3,10	90,00	10,70	,000
g3_5	1,81	9,13	1,81	14,38	3,10	90,00	10,70	,000
g3_6	1,81	14,38	,00	14,38	3,10	90,00	10,70	,000
g3_7	,00	14,38	,00	,00	3,10	90,00	10,70	,000
g3_8	,00	,00	10,01	,00	3,10	90,00	10,70	,000
g3_9	10,01	,00	10,01	4,71	3,10	90,00	10,70	,000
g3_10	10,01	4,71	12,57	4,71	3,10	90,00	10,70	,000
g3_11	12,57	4,71	12,57	9,30	3,10	90,00	10,70	,000
g3_12	12,57	9,30	11,43	9,30	3,10	90,00	10,70	,000
g3_13	11,43	9,30	11,43	14,37	3,10	90,00	10,70	,000
g3_14	11,43	14,37	12,57	14,37	3,10	90,00	10,70	,000
g3_15	12,57	14,37	12,57	19,09	3,10	90,00	10,70	,000
g3_16	12,57	19,09	,00	21,05	3,10	90,00	10,70	,000

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_01	,60	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_02	2,32	-1,58	,97	2,47	,00	,00	Opgaand	g00_19	BC_T02_kelder
o_T02_03	2,92	-1,63	1,16	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_04	2,96	-,77	1,05	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_05	5,20	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_06	5,25	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_07	6,23	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_08	7,92	-,29	,26	,77	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_09	10,50	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_10	10,55	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_11	11,59	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_12	13,18	-1,63	,97	,75	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_13	13,23	-,77	,87	1,29	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_14	14,27	-1,63	,51	2,21	,00	,00	Opgaand	g00_20	BC_T02_kelder
o_T02_15	,43	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_16	,38	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_17	1,24	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_18	2,91	,12	,70	2,05	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_19	2,87	2,28	,80	1,39	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_20	3,72	,07	,51	3,61	,00	,00	Opgaand	g0_32	BC_T02_bg1
o_T02_21	,39	,12	,40	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_22	,34	2,63	,50	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_23	,90	,07	,51	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_24	2,61	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_25	2,53	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_26	3,48	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_27	5,00	,12	,73	2,40	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_28	4,92	2,63	,90	1,04	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_29	5,88	,07	,32	3,61	,00	,00	Opgaand	g0_29	BC_T02_bg1
o_T02_30	,76	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_31	1,69	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_32	2,63	1,52	,73	2,17	,00	,00	Opgaand	g0_28	BC_T02_bg2
o_T02_33	,52	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T02_34	,57	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_35	1,54	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_36	5,82	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_37	5,87	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_38	6,84	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_39	8,47	1,47	,97	,75	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_40	8,52	2,33	,87	1,29	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T02_41	9,49	1,47	,51	2,21	,00	,00	Opgaand	g0_25	BC_T02_bg2
o_T01_01	,46	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_02	,51	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_03	1,46	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_04	3,11	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_05	3,16	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_06	4,11	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_07	5,76	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_08	5,81	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_09	6,76	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_10	8,41	1,47	,97	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_11	8,46	2,33	,87	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_12	9,41	1,47	,51	2,21	,00	,00	Opgaand	g0_6	BC_T01
o_T01_13	13,46	1,47	1,16	,75	,00	,00	Opgaand	g0_6	BC_T01
o_T01_14	13,51	2,33	1,05	1,29	,00	,00	Opgaand	g0_6	BC_T01
o_T01_15	,53	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_16	2,78	1,52	,97	2,33	,00	,00	Opgaand	g0_7	BC_T01
o_T01_17	,41	1,62	,73	2,19	,00	,00	Opgaand	g0_8	BC_T01
o_T01_18	,97	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_19	2,08	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_20	3,19	1,52	,91	2,17	,00	,00	Opgaand	g0_9	BC_T01
o_T01_21	2,64	1,62	,73	2,19	,00	,00	Opgaand	g0_10	BC_T01
o_T01_22	,71	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T01_23	2,96	1,52	,97	2,33	,00	,00	Opgaand	g0_11	BC_T01
o_T03_01	,29	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_02	,34	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T03_03	1,07	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_04	2,72	4,57	,71	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_05	2,77	5,43	,61	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_06	3,50	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_07	7,57	4,57	,77	,75	,00	,00	Opgaand	g1_11	BC_T03
o_T03_08	7,62	5,43	,67	1,29	,00	,00	Opgaand	g1_11	BC_T03
o_T03_09	8,40	4,57	,51	2,21	,00	,00	Opgaand	g1_11	BC_T03
o_T03_10	,13	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_11	,18	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_12	1,13	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_13	2,78	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_14	2,83	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_15	3,78	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_16	6,63	5,91	,26	,77	,00	,00	Opgaand	g1_12	BC_T03
o_T03_17	8,08	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_18	8,13	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_19	9,08	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_20	13,38	4,57	,97	,75	,00	,00	Opgaand	g1_12	BC_T03
o_T03_21	13,43	5,43	,87	1,29	,00	,00	Opgaand	g1_12	BC_T03
o_T03_22	14,38	4,57	,51	2,21	,00	,00	Opgaand	g1_12	BC_T03
o_T03_23	,58	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_24	1,68	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_25	2,79	4,62	,91	2,17	,00	,00	Opgaand	g1_13	BC_T03
o_T03_26	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_14	BC_T03
o_T03_27	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T03_28	2,96	4,62	,97	2,33	,00	,00	Opgaand	g1_15	BC_T03
o_T04_01	,72	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_02	1,83	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_03	2,94	4,62	,91	2,17	,00	,00	Opgaand	g1_7	BC_T04
o_T04_04	1,13	4,72	,73	2,23	,00	,00	Opgaand	g1_8	BC_T04
o_T04_05	,71	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_06	2,44	4,62	,97	2,33	,00	,00	Opgaand	g1_9	BC_T04
o_T04_07	2,65	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T04_08	2,70	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_09	3,66	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_10	5,30	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_11	5,35	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_12	6,31	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_13	7,95	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_14	8,00	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_15	8,96	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_16	10,60	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_17	10,65	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_18	11,61	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_19	15,73	4,57	,97	,75	,00	,00	Opgaand	g1_10	BC_T04
o_T04_20	15,79	5,43	,87	1,29	,00	,00	Opgaand	g1_10	BC_T04
o_T04_21	16,74	4,57	,51	2,21	,00	,00	Opgaand	g1_10	BC_T04
o_T04_22	,35	4,57	,49	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_23	,40	5,43	,39	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_24	,90	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_25	4,92	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_26	4,97	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_27	5,69	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T04_28	9,71	4,57	,71	,75	,00	,00	Opgaand	g1_1	BC_T04
o_T04_29	9,77	5,43	,61	1,29	,00	,00	Opgaand	g1_1	BC_T04
o_T04_30	10,48	4,57	,51	2,21	,00	,00	Opgaand	g1_1	BC_T04
o_T05_01	,29	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_02	,34	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_03	1,07	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_04	2,72	7,67	,71	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_05	2,77	8,53	,61	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_06	3,50	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_07	7,57	7,67	,77	,75	,00	,00	Opgaand	g2_12	BC_T05
o_T05_08	7,62	8,53	,67	1,29	,00	,00	Opgaand	g2_12	BC_T05
o_T05_09	8,40	7,67	,51	2,21	,00	,00	Opgaand	g2_12	BC_T05
o_T05_10	,13	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T05_11	,18	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_12	1,13	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_13	2,78	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_14	2,83	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_15	3,78	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_16	6,63	9,01	,26	,77	,00	,00	Opgaand	g2_13	BC_T05
o_T05_17	8,08	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_18	8,13	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_19	9,08	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_20	13,38	7,67	,97	,75	,00	,00	Opgaand	g2_13	BC_T05
o_T05_21	13,43	8,53	,87	1,29	,00	,00	Opgaand	g2_13	BC_T05
o_T05_22	14,38	7,67	,51	2,21	,00	,00	Opgaand	g2_13	BC_T05
o_T05_23	,53	7,72	,97	2,33	,00	,00	Opgaand	g2_14	BC_T05
o_T05_24	2,78	8,57	,97	,00	,85	,00	Opgaand	g2_14	BC_T05
o_T05_24b	2,78	8,57	,97	1,48	,00	,00	Opgaand	g2_14	BC_T05
o_T05_25	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_15	BC_T05
o_T05_26	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_27	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T05_28	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_16	BC_T05
o_T06_01	,71	7,72	,97	2,33	,00	,00	Opgaand	g2_7	BC_T06
o_T06_02	2,96	8,57	,97	,00	,85	,00	Opgaand	g2_7	BC_T06
o_T06_02b	2,96	8,57	,97	1,48	,00	,00	Opgaand	g2_7	BC_T06
o_T06_03	,68	7,82	,73	2,23	,00	,00	Opgaand	g2_8	BC_T06
o_T06_04	,97	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_05	2,08	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_06	3,19	7,72	,91	2,17	,00	,00	Opgaand	g2_9	BC_T06
o_T06_07	,38	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_08	,43	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_09	1,38	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_10	3,04	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_11	3,09	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_12	4,04	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_13	5,69	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T06_14	5,74	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_15	6,69	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_16	10,82	7,67	,97	,75	,00	,00	Opgaand	g2_10	BC_T06
o_T06_17	10,87	8,53	,87	1,29	,00	,00	Opgaand	g2_10	BC_T06
o_T06_18	11,82	7,67	,51	2,21	,00	,00	Opgaand	g2_10	BC_T06
o_T06_19	,35	7,67	,49	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_20	,40	8,53	,39	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_21	,90	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_22	4,92	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_23	4,97	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_24	5,69	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T06_25	9,71	7,67	,71	,75	,00	,00	Opgaand	g2_1	BC_T06
o_T06_26	9,77	8,53	,61	1,29	,00	,00	Opgaand	g2_1	BC_T06
o_T06_27	10,48	7,67	,51	2,21	,00	,00	Opgaand	g2_1	BC_T06
o_T07_01	1,23	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_02	1,28	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_03	2,55	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_04	2,60	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_05	3,88	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_06	3,93	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_07	5,20	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_08	5,25	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_09	7,85	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_10	7,90	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_11	9,18	10,77	,64	,75	,00	,00	Opgaand	g3_8	BC_T07
o_T07_12	9,23	11,63	,54	1,55	,00	,00	Opgaand	g3_8	BC_T07
o_T07_13	,58	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_14	1,68	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_15	2,79	10,82	,91	2,17	,00	,00	Opgaand	g3_9	BC_T07
o_T07_16	1,13	10,92	,73	2,23	,00	,00	Opgaand	g3_10	BC_T07
o_T07_17	,71	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_18	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_11	BC_T07
o_T07_19	,97	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_20	2,08	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_21	3,19	10,82	,91	2,17	,00	,00	Opgaand	g3_13	BC_T07
o_T07_22	,71	11,67	,97	,00	,85	,00	Opgaand	g3_15	BC_T07
o_T07_22b	,71	11,67	,97	1,48	,00	,00	Opgaand	g3_15	BC_T07
o_T07_23	2,96	10,82	,97	2,33	,00	,00	Opgaand	g3_15	BC_T07
o_T07_24	,17	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_25	,21	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_26	1,49	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_27	1,54	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_28	5,46	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_29	5,51	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_30	6,78	10,77	,64	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_31	6,83	11,63	,54	1,55	,00	,00	Opgaand	g3_16	BC_T07
o_T07_32	8,12	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_33	8,16	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_34	9,42	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_35	10,60	10,77	1,26	,75	,00	,00	Opgaand	g3_16	BC_T07
o_T07_36	10,65	11,63	1,16	1,65	,00	,00	Opgaand	g3_16	BC_T07
o_T07_37	11,90	10,77	,50	2,57	,00	,00	Opgaand	g3_16	BC_T07
o_T07_38	,12	10,77	,96	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_39	,17	11,63	,86	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_40	1,14	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_41	2,30	10,77	1,18	,75	,00	,00	Opgaand	g3_1	BC_T07
o_T07_42	2,35	11,63	1,08	1,65	,00	,00	Opgaand	g3_1	BC_T07
o_T07_43	3,53	10,77	,50	2,57	,00	,00	Opgaand	g3_1	BC_T07
o_T07_44	1,67	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_45	1,72	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_46	2,89	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_47	2,94	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_48	4,10	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_49	4,15	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_50	6,52	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_51	6,57	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_T07_52	7,74	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_53	7,79	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_54	11,37	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_55	11,42	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_T07_56	12,59	10,77	,64	,75	,00	,00	Opgaand	g3_7	BC_T07
o_T07_57	12,64	11,63	,54	1,55	,00	,00	Opgaand	g3_7	BC_T07
o_Alg_01	,07	,07	,69	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_02	1,95	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_03	1,90	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_04	2,67	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_05	4,37	,12	,61	2,40	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_06	4,32	2,63	,71	1,04	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_07	5,15	,07	,51	3,61	,00	,00	Opgaand	g0_14	BC_Algemeen
o_Alg_08	,18	,12	,83	2,40	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_09	,13	2,63	,94	1,04	,00	,00	Opgaand	g0_15	BC_Algemeen
o_Alg_10	1,13	,07	,51	3,61	,00	,00	Opgaand	g0_15	BC_Algemeen
BC_Gar_01	5,22	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_02	7,47	-1,61	1,20	2,60	,00	,00	Opgaand	g00_2	BC_Garage1
BC_Gar_03	,10	2,55	2,63	1,15	,00	,00	Opgaand	g0_18	BC_Garage2
BC_Gar_04	,10	-,05	2,63	2,60	,00	,00	Opgaand	g0_18	BC_Garage2

2020-157_mpi_20220902_ber_Brandoverslag blok T_0018.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0019.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok T_0020.jpg



BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-02	o_A05_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					
	BC_A-02	o_A05_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok					
	BC_A-02	o_A05_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok					
	BC_A-02	o_A05_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_A-02	o_A05_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_A-02	o_A05_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok					
	BC_A-02	o_A05_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_A-02	o_A05_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_A-02	o_A05_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_A-02	o_A05_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_A-02	o_A05_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_A-02	o_A05_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,8	Ok					
	BC_A-02	o_A05_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-02	o_A05_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_A-02	o_A05_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok					
	BC_A-02	o_A05_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-02	o_A05_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_A-02	o_A05_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,6	Ok					
	BC_A-02	o_A05_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-02	o_A05_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok					
	BC_A-02	o_A05_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,4	Ok					
	BC_A-02	o_A05_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-02	o_A05_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
	BC_A-02	o_A05_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,7	Ok					
	BC_A-02	o_A05_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_A-02	o_A05_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_A-02	o_A05_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,1	Ok					
	BC_A-02	o_A03_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_A-02	o_A03_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-02	o_A03_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-02	o_A03_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-02	o_A03_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_A-02	o_A03_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-02	o_A03_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_A-02	o_A03_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-02	o_A03_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-02	o_A03_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_A-02	o_A03_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok					
	BC_A-02	o_A03_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-02	o_A03_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok					
	BC_A-02	o_A03_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_A-02	o_A03_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
	BC_A-02	o_A03_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-02	o_A03_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok					
	BC_A-02	o_A03_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_A-02	o_A03_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_A-02	o_A03_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok					
	BC_A-02	o_A03_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok					
	BC_A-02	o_A03_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-02	o_A03_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok					
	BC_A-02	o_A03_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-02	o_A03_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok					
	BC_A-02	o_A03_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,1	Ok					
	BC_A-02	o_A03_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-02	o_A03_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					

Behoort tot het bouwarchief

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_garage	6,12	Ja	1,00	brandruimte	60	0,38		g00_15 g00_16 g00_17 g00_14
BC_A-01_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-01	g00_8 g00_9 g00_10 g00_11 g00_12 g00_13
BC_A-01_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-01	g0_6 g0_7 g0_8 g0_1 g0_2 g0_3 g0_4 g0_5
BC_A-01_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-01	g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40
BC_A-02_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-02	g00_2 g00_3 g00_4 g00_5 g00_6 g00_7 g00_1
BC_A-02_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-02	g0_18 g0_19 g0_9 g0_10 g0_11 g0_12 g0_13 g0_14 g0_15 g0_16 g0_17
BC_A-02_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-02	g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_1
BC_A-03	2,62	Ja	7,50	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_A-04	2,62	Ja	10,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30
BC_A-04								
BC_A-05_verd2	2,62	Ja	10,50	brandruimte	60	0,38	BC_A-05	g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11 g2_1
BC_A-05_verd3	2,62	Ja	13,50	brandruimte	60	0,38	BC_A-05	g3_1 g3_2 g3_3 g3_4 g3_5 g3_6 g3_7 g3_8 g3_9
BC_A-06	2,62	Ja	13,50	brandruimte	60	0,38		g3_19 g3_20 g3_21 g3_22 g3_23 g3_24 g3_25 g3_26 g3_27 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18
BC_A-06								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	16,32	,00	20,74	,00	3,00	90,00	,00	,000
g00_2	20,74	,00	20,74	7,58	3,00	90,00	,00	,000
g00_3	20,74	7,58	16,25	9,82	3,00	90,00	,00	,000
g00_4	16,25	9,82	15,02	7,35	3,00	90,00	,00	,000
g00_5	15,02	7,35	15,02	3,69	3,00	90,00	,00	,000
g00_6	15,02	3,69	16,32	3,69	3,00	90,00	,00	,000
g00_7	16,32	3,69	16,32	,00	3,00	90,00	,00	,000
g00_8	16,02	9,93	6,88	14,48	3,00	90,00	,00	,000
g00_9	6,88	14,48	,00	10,11	3,00	90,00	,00	,000
g00_10	,00	10,11	2,04	6,05	3,00	90,00	,00	,000
g00_11	2,04	6,05	5,44	7,38	3,00	90,00	,00	,000
g00_12	5,44	7,38	14,76	7,39	3,00	90,00	,00	,000
g00_13	14,76	7,39	16,02	9,93	3,00	90,00	,00	,000
g00_14	6,21	1,92	6,21	-3,81	6,50	90,00	1,00	,000
g00_15	6,21	-3,81	14,50	-3,81	6,50	90,00	1,00	,000
g00_16	14,50	-3,81	14,50	1,92	6,50	90,00	1,00	,000
g00_17	14,50	1,92	6,21	1,92	6,50	90,00	1,00	,000
g0_1	3,91	6,79	5,44	7,38	4,50	90,00	3,00	,000
g0_2	5,44	7,38	9,65	7,39	4,50	90,00	3,00	,000
g0_3	9,65	7,39	9,65	10,10	4,50	90,00	3,00	,000
g0_4	9,65	10,10	10,68	10,10	4,50	90,00	3,00	,000
g0_5	10,68	10,10	11,68	12,10	4,50	90,00	3,00	,000
g0_6	11,68	12,10	6,88	14,48	4,50	90,00	3,00	,000
g0_7	6,88	14,48	1,69	11,18	4,50	90,00	3,00	,000
g0_8	1,69	11,18	3,91	6,79	4,50	90,00	3,00	,000
g0_9	11,90	11,99	10,19	8,55	4,50	90,00	3,00	,000
g0_10	10,19	8,55	10,19	7,39	4,50	90,00	3,00	,000
g0_11	10,19	7,39	15,02	7,39	4,50	90,00	3,00	,000
g0_12	15,02	7,39	15,02	2,34	4,50	90,00	3,00	,000
g0_13	15,02	2,34	15,85	2,34	4,50	90,00	3,00	,000
g0_14	15,85	2,34	15,85	,79	4,50	90,00	3,00	,000
g0_15	15,85	,79	14,89	,79	4,50	90,00	3,00	,000
g0_16	14,89	,79	14,89	-1,98	4,50	90,00	3,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_17	14,89	-1,98	20,74	-1,98	4,50	90,00	3,00	,000
g0_18	20,74	-1,98	20,74	7,58	4,50	90,00	3,00	,000
g0_19	20,74	7,58	11,90	11,99	4,50	90,00	3,00	,000
g1_1	14,89	-3,81	20,74	-3,81	3,00	90,00	7,50	,000
g1_2	20,74	-3,81	20,74	5,56	3,00	90,00	7,50	,000
g1_3	20,74	5,56	15,02	5,56	3,00	90,00	7,50	,000
g1_4	15,02	5,56	15,02	2,34	3,00	90,00	7,50	,000
g1_5	15,02	2,34	15,85	2,34	3,00	90,00	7,50	,000
g1_6	15,85	2,34	15,85	,79	3,00	90,00	7,50	,000
g1_7	15,85	,79	14,89	,79	3,00	90,00	7,50	,000
g1_8	14,89	,79	14,89	-3,81	3,00	90,00	7,50	,000
g1_9	14,64	-3,81	14,64	-,92	3,00	90,00	7,50	,000
g1_10	14,64	-,92	14,10	-,92	3,00	90,00	7,50	,000
g1_11	14,10	-,92	14,10	,20	3,00	90,00	7,50	,000
g1_12	14,10	,20	14,64	,20	3,00	90,00	7,50	,000
g1_13	14,64	,20	14,64	1,92	3,00	90,00	7,50	,000
g1_14	14,64	1,92	9,82	1,92	3,00	90,00	7,50	,000
g1_15	9,82	1,92	9,82	7,50	3,00	90,00	7,50	,000
g1_16	9,82	7,50	15,02	7,50	3,00	90,00	7,50	,000
g1_17	15,02	7,50	15,02	5,76	3,00	90,00	7,50	,000
g1_18	15,02	5,76	20,74	5,76	3,00	90,00	7,50	,000
g1_19	20,74	5,76	20,74	9,33	3,00	90,00	7,50	,000
g1_20	20,74	9,33	12,59	13,38	3,00	90,00	7,50	,000
g1_21	12,59	13,38	10,19	8,55	3,00	90,00	7,50	,000
g1_22	10,19	8,55	8,74	8,55	3,00	90,00	7,50	,000
g1_23	8,74	8,55	8,74	7,13	3,00	90,00	7,50	,000
g1_24	8,74	7,13	5,49	7,13	3,00	90,00	7,50	,000
g1_25	5,49	7,13	3,54	6,37	3,00	90,00	7,50	,000
g1_26	3,54	6,37	5,04	,90	3,00	90,00	7,50	,000
g1_27	5,04	,90	3,52	,65	3,00	90,00	7,50	,000
g1_28	3,52	,65	3,68	-1,58	3,00	90,00	7,50	,000
g1_29	3,68	-1,58	3,85	-3,81	3,00	90,00	7,50	,000
g1_30	3,85	-3,81	14,64	-3,81	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_31	12,37	13,49	8,43	15,46	3,00	90,00	7,50	,000
g1_32	8,43	15,46	,00	10,11	3,00	90,00	7,50	,000
g1_33	,00	10,11	2,04	6,05	3,00	90,00	7,50	,000
g1_34	2,04	6,05	5,44	7,38	3,00	90,00	7,50	,000
g1_35	5,44	7,38	8,54	7,39	3,00	90,00	7,50	,000
g1_36	8,54	7,39	8,54	8,76	3,00	90,00	7,50	,000
g1_37	8,54	8,76	9,65	8,76	3,00	90,00	7,50	,000
g1_38	9,65	8,76	9,65	10,10	3,00	90,00	7,50	,000
g1_39	9,65	10,10	10,68	10,10	3,00	90,00	7,50	,000
g1_40	10,68	10,10	12,37	13,49	3,00	90,00	7,50	,000
g2_1	14,89	-1,98	20,74	-1,98	3,00	90,00	10,50	,000
g2_2	20,74	-1,98	20,74	9,33	3,00	90,00	10,50	,000
g2_3	20,74	9,33	12,59	13,38	3,00	90,00	10,50	,000
g2_4	12,59	13,38	10,19	8,55	3,00	90,00	10,50	,000
g2_5	10,19	8,55	10,19	7,50	3,00	90,00	10,50	,000
g2_6	10,19	7,50	15,02	7,50	3,00	90,00	10,50	,000
g2_7	15,02	7,50	15,02	2,34	3,00	90,00	10,50	,000
g2_8	15,02	2,34	15,85	2,34	3,00	90,00	10,50	,000
g2_9	15,85	2,34	15,85	,79	3,00	90,00	10,50	,000
g2_10	15,85	,79	14,89	,79	3,00	90,00	10,50	,000
g2_11	14,89	,79	14,89	-1,98	3,00	90,00	10,50	,000
g2_12	12,37	13,49	8,43	15,46	3,00	90,00	10,50	,000
g2_13	8,43	15,46	,00	10,11	3,00	90,00	10,50	,000
g2_14	,00	10,11	2,04	6,05	3,00	90,00	10,50	,000
g2_15	2,04	6,05	3,47	6,61	3,00	90,00	10,50	,000
g2_16	3,47	6,61	5,04	,90	3,00	90,00	10,50	,000
g2_17	5,04	,90	3,52	,65	3,00	90,00	10,50	,000
g2_18	3,52	,65	3,85	-3,81	3,00	90,00	10,50	,000
g2_19	3,85	-3,81	14,64	-3,81	3,00	90,00	10,50	,000
g2_20	14,64	-3,81	14,64	-,92	3,00	90,00	10,50	,000
g2_21	14,64	-,92	14,10	-,92	3,00	90,00	10,50	,000
g2_22	14,10	-,92	14,10	,20	3,00	90,00	10,50	,000
g2_23	14,10	,20	14,64	,20	3,00	90,00	10,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_24	14,64	,20	14,64	1,92	3,00	90,00	10,50	,000
g2_25	14,64	1,92	9,82	1,92	3,00	90,00	10,50	,000
g2_26	9,82	1,92	9,82	8,55	3,00	90,00	10,50	,000
g2_27	9,82	8,55	9,65	8,55	3,00	90,00	10,50	,000
g2_28	9,65	8,55	9,65	10,10	3,00	90,00	10,50	,000
g2_29	9,65	10,10	10,68	10,10	3,00	90,00	10,50	,000
g2_30	10,68	10,10	12,37	13,49	3,00	90,00	10,50	,000
g3_1	14,89	-1,98	20,74	-1,98	3,00	90,00	13,50	,000
g3_2	20,74	-1,98	20,74	9,18	3,00	90,00	13,50	,000
g3_3	20,74	9,18	15,93	9,18	3,00	90,00	13,50	,000
g3_4	15,93	9,18	15,02	7,35	3,00	90,00	13,50	,000
g3_5	15,02	7,35	15,02	2,34	3,00	90,00	13,50	,000
g3_6	15,02	2,34	15,85	2,34	3,00	90,00	13,50	,000
g3_7	15,85	2,34	15,85	,79	3,00	90,00	13,50	,000
g3_8	15,85	,79	14,89	,79	3,00	90,00	13,50	,000
g3_9	14,89	,79	14,89	-1,98	3,00	90,00	13,50	,000
g3_10	14,64	-3,81	14,64	-,92	3,00	90,00	13,50	,000
g3_11	14,64	-,92	14,10	-,92	3,00	90,00	13,50	,000
g3_12	14,10	-,92	14,10	,20	3,00	90,00	13,50	,000
g3_13	14,10	,20	14,64	,20	3,00	90,00	13,50	,000
g3_14	14,64	,20	14,64	1,92	3,00	90,00	13,50	,000
g3_15	14,64	1,92	9,82	1,92	3,00	90,00	13,50	,000
g3_16	9,82	1,92	9,82	7,50	3,00	90,00	13,50	,000
g3_17	9,82	7,50	14,81	7,50	3,00	90,00	13,50	,000
g3_18	14,81	7,50	15,65	9,18	3,00	90,00	13,50	,000
g3_19	15,65	9,18	12,19	9,18	3,00	90,00	13,50	,000
g3_20	12,19	9,18	8,27	15,36	3,00	90,00	13,50	,000
g3_21	8,27	15,36	,00	10,11	3,00	90,00	13,50	,000
g3_22	,00	10,11	2,04	6,05	3,00	90,00	13,50	,000
g3_23	2,04	6,05	3,47	6,61	3,00	90,00	13,50	,000
g3_24	3,47	6,61	5,04	,90	3,00	90,00	13,50	,000
g3_25	5,04	,90	3,52	,65	3,00	90,00	13,50	,000
g3_26	3,52	,65	3,85	-3,81	3,00	90,00	13,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_27	3,85	-3,81	14,64	-3,81	3,00	90,00	13,50	,000

Behoort tot het bouwarchief

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_Garage_01	,10	3,00	8,10	2,54	,00	,00	Opgaand	g00_15	BC_garage
o_A01_01	,44	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_02	5,07	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_03	,10	,00	1,11	2,60	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_04	3,27	,54	1,11	2,06	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_05	,21	3,00	3,44	3,40	,00	,00	Opgaand	g0_6	BC_A-01_bg
o_A01_06	,10	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_07	3,25	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_08	,82	3,00	3,50	2,60	,00	,00	Opgaand	g0_8	BC_A-01_bg
o_A01_09	2,25	7,50	1,85	2,29	,00	,00	Opgaand	g1_31	BC_A-01_verd1
o_A01_10	,74	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_11	5,32	7,50	1,33	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_12	8,69	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_13	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A01_14	2,43	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A02_01	4,26	1,00	1,11	1,60	,00	,00	Opgaand	g00_2	BC_A-02_kelder
o_A02_02	1,09	,00	3,44	2,60	,00	,00	Opgaand	g00_3	BC_A-02_kelder
o_A02_03	,50	3,00	4,62	2,60	,00	,00	Opgaand	g0_17	BC_A-02_bg
o_A02_04	2,87	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_05	6,17	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_06	1,09	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_07	5,72	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_08	,42	7,50	1,57	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_09	4,28	7,50	1,16	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_10	1,95	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A02_11	5,64	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A03_01	1,06	7,50	3,24	2,29	,00	,00	Opgaand	g1_26	BC_A-03
o_A03_02	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_28	BC_A-03
o_A03_03	,20	7,50	1,97	2,29	,00	,00	Opgaand	g1_29	BC_A-03
o_A03_04	1,84	7,50	1,60	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_05	6,14	7,50	1,16	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_06	1,76	7,50	1,54	2,29	,00	,00	Opgaand	g1_19	BC_A-03
o_A03_07	,26	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A03_08	4,80	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A03_09	7,07	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A04_01	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_02	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_03	1,36	10,50	3,24	2,29	,00	,00	Opgaand	g2_16	BC_A-04
o_A04_04	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_05	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_06	1,84	10,50	1,60	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_07	6,14	10,50	1,16	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_08	2,25	10,50	1,85	2,29	,00	,00	Opgaand	g2_12	BC_A-04
o_A04_09	,74	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_10	5,32	10,50	1,33	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_11	8,69	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A05_01	2,17	10,50	3,46	2,29	,00	,00	Opgaand	g2_1	BC_A-05_verd2
o_A05_02	,10	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_03	3,81	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_04	9,51	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_05	,26	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_06	4,80	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_07	7,07	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_08	,44	13,50	5,17	2,29	,00	,00	Opgaand	g3_1	BC_A-05_verd3
o_A05_09	1,21	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_10	3,87	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_11	6,50	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_12	9,14	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_13	,77	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_14	2,02	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_15	3,27	13,50	1,07	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A06_01	2,99	13,50	1,07	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_02	4,32	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_03	5,58	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_04	,99	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_05	5,07	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A06_06	7,81	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_07	,97	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_08	2,42	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_09	1,36	13,50	3,24	2,29	,00	,00	Opgaand	g3_24	BC_A-06
o_A06_10	,94	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_11	2,39	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_12	,85	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_13	3,50	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_14	6,15	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06

2020-157_mpi_20220902_ber_Brandoverslag blok A_0004.jpg




A 3D architectural rendering of a building facade, showing a complex arrangement of windows and doors. The facade is composed of several rectangular volumes in shades of gray. The windows are white, and the doors are also white, some with black frames. The labels for the windows and doors are as follows:

- g3_2**: Located at the top left, above a window.
- g2_2**: Located on the left side, above a window.
- g1_2**: Located on the left side, below a window.
- g1_19**: Located on the right side, above a window.
- g0_18**: Located at the bottom left, above a window.
- g1_18**: Located on the right side, above a window.
- g1_17**: Located on the right side, above a window.
- g1_16**: Located on the right side, above a window.
- g1_15**: Located on the right side, above a window.
- g1_14**: Located on the right side, above a window.
- g1_13**: Located on the right side, above a window.
- g1_12**: Located on the right side, above a window.
- g1_11**: Located on the right side, above a window.
- g1_10**: Located on the right side, above a window.
- g1_9**: Located on the right side, above a window.
- g1_8**: Located on the right side, above a window.
- g1_7**: Located on the right side, above a window.
- g1_6**: Located on the right side, above a window.
- g1_5**: Located on the right side, above a window.
- g1_4**: Located on the right side, above a window.
- g1_3**: Located on the right side, above a window.
- g1_2**: Located on the right side, above a window.
- g1_1**: Located on the right side, above a window.
- g1_0**: Located on the right side, above a window.
- g1_1**: Located on the right side, above a window.
- g1_2**: Located on the right side, above a window.
- g1_3**: Located on the right side, above a window.
- g1_4**: Located on the right side, above a window.
- g1_5**: Located on the right side, above a window.
- g1_6**: Located on the right side, above a window.
- g1_7**: Located on the right side, above a window.
- g1_8**: Located on the right side, above a window.
- g1_9**: Located on the right side, above a window.
- g1_10**: Located on the right side, above a window.
- g1_11**: Located on the right side, above a window.
- g1_12**: Located on the right side, above a window.
- g1_13**: Located on the right side, above a window.
- g1_14**: Located on the right side, above a window.
- g1_15**: Located on the right side, above a window.
- g1_16**: Located on the right side, above a window.
- g1_17**: Located on the right side, above a window.
- g1_18**: Located on the right side, above a window.
- g1_19**: Located on the right side, above a window.

Behoort tot het bouwarchief

2020-157_mpi_20220902_ber_Brandoverslag blok A_0006.jpg



BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_A-03		o_A05_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	14,2	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,0	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,8	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	14,3	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,1	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,9	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	904,3	1,27	10,61	8,26	141,7
BC_A-03		o_A05_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,4	Ok	904,3	1,27	10,61	8,26	141,7

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-03	o_A05_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A05_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A05_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,1	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A05_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A05_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A05_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,3	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,5	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,6	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,9	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,0	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,5	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	904,3	1,27	10,61	8,26	141,7

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-03	o_A04_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,5	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,5	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	13,5	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,7	Ok	904,3	1,27	10,61	8,26	141,7
	BC_A-03	o_A04_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,3	Ok	904,3	1,27	10,61	8,26	141,7

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_garage	6,12	Ja	1,00	brandruimte	60	0,38		g00_15 g00_16 g00_17 g00_14
BC_A-01_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-01	g00_8 g00_9 g00_10 g00_11 g00_12 g00_13
BC_A-01_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-01	g0_6 g0_7 g0_8 g0_1 g0_2 g0_3 g0_4 g0_5
BC_A-01_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-01	g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40
BC_A-02_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-02	g00_2 g00_3 g00_4 g00_5 g00_6 g00_7 g00_1
BC_A-02_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-02	g0_18 g0_19 g0_9 g0_10 g0_11 g0_12 g0_13 g0_14 g0_15 g0_16 g0_17
BC_A-02_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-02	g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_1
BC_A-03	2,62	Ja	7,50	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_A-04	2,62	Ja	10,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30
BC_A-04								
BC_A-05_verd2	2,62	Ja	10,50	brandruimte	60	0,38	BC_A-05	g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11 g2_1
BC_A-05_verd3	2,62	Ja	13,50	brandruimte	60	0,38	BC_A-05	g3_1 g3_2 g3_3 g3_4 g3_5 g3_6 g3_7 g3_8 g3_9
BC_A-06	2,62	Ja	13,50	brandruimte	60	0,38		g3_19 g3_20 g3_21 g3_22 g3_23 g3_24 g3_25 g3_26 g3_27 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18
BC_A-06								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	16,32	,00	20,74	,00	3,00	90,00	,00	,000
g00_2	20,74	,00	20,74	7,58	3,00	90,00	,00	,000
g00_3	20,74	7,58	16,25	9,82	3,00	90,00	,00	,000
g00_4	16,25	9,82	15,02	7,35	3,00	90,00	,00	,000
g00_5	15,02	7,35	15,02	3,69	3,00	90,00	,00	,000
g00_6	15,02	3,69	16,32	3,69	3,00	90,00	,00	,000
g00_7	16,32	3,69	16,32	,00	3,00	90,00	,00	,000
g00_8	16,02	9,93	6,88	14,48	3,00	90,00	,00	,000
g00_9	6,88	14,48	,00	10,11	3,00	90,00	,00	,000
g00_10	,00	10,11	2,04	6,05	3,00	90,00	,00	,000
g00_11	2,04	6,05	5,44	7,38	3,00	90,00	,00	,000
g00_12	5,44	7,38	14,76	7,39	3,00	90,00	,00	,000
g00_13	14,76	7,39	16,02	9,93	3,00	90,00	,00	,000
g00_14	6,21	1,92	6,21	-3,81	6,50	90,00	1,00	,000
g00_15	6,21	-3,81	14,50	-3,81	6,50	90,00	1,00	,000
g00_16	14,50	-3,81	14,50	1,92	6,50	90,00	1,00	,000
g00_17	14,50	1,92	6,21	1,92	6,50	90,00	1,00	,000
g0_1	3,91	6,79	5,44	7,38	4,50	90,00	3,00	,000
g0_2	5,44	7,38	9,65	7,39	4,50	90,00	3,00	,000
g0_3	9,65	7,39	9,65	10,10	4,50	90,00	3,00	,000
g0_4	9,65	10,10	10,68	10,10	4,50	90,00	3,00	,000
g0_5	10,68	10,10	11,68	12,10	4,50	90,00	3,00	,000
g0_6	11,68	12,10	6,88	14,48	4,50	90,00	3,00	,000
g0_7	6,88	14,48	1,69	11,18	4,50	90,00	3,00	,000
g0_8	1,69	11,18	3,91	6,79	4,50	90,00	3,00	,000
g0_9	11,90	11,99	10,19	8,55	4,50	90,00	3,00	,000
g0_10	10,19	8,55	10,19	7,39	4,50	90,00	3,00	,000
g0_11	10,19	7,39	15,02	7,39	4,50	90,00	3,00	,000
g0_12	15,02	7,39	15,02	2,34	4,50	90,00	3,00	,000
g0_13	15,02	2,34	15,85	2,34	4,50	90,00	3,00	,000
g0_14	15,85	2,34	15,85	,79	4,50	90,00	3,00	,000
g0_15	15,85	,79	14,89	,79	4,50	90,00	3,00	,000
g0_16	14,89	,79	14,89	-1,98	4,50	90,00	3,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_17	14,89	-1,98	20,74	-1,98	4,50	90,00	3,00	,000
g0_18	20,74	-1,98	20,74	7,58	4,50	90,00	3,00	,000
g0_19	20,74	7,58	11,90	11,99	4,50	90,00	3,00	,000
g1_1	14,89	-3,81	20,74	-3,81	3,00	90,00	7,50	,000
g1_2	20,74	-3,81	20,74	5,56	3,00	90,00	7,50	,000
g1_3	20,74	5,56	15,02	5,56	3,00	90,00	7,50	,000
g1_4	15,02	5,56	15,02	2,34	3,00	90,00	7,50	,000
g1_5	15,02	2,34	15,85	2,34	3,00	90,00	7,50	,000
g1_6	15,85	2,34	15,85	,79	3,00	90,00	7,50	,000
g1_7	15,85	,79	14,89	,79	3,00	90,00	7,50	,000
g1_8	14,89	,79	14,89	-3,81	3,00	90,00	7,50	,000
g1_9	14,64	-3,81	14,64	-,92	3,00	90,00	7,50	,000
g1_10	14,64	-,92	14,10	-,92	3,00	90,00	7,50	,000
g1_11	14,10	-,92	14,10	,20	3,00	90,00	7,50	,000
g1_12	14,10	,20	14,64	,20	3,00	90,00	7,50	,000
g1_13	14,64	,20	14,64	1,92	3,00	90,00	7,50	,000
g1_14	14,64	1,92	9,82	1,92	3,00	90,00	7,50	,000
g1_15	9,82	1,92	9,82	7,50	3,00	90,00	7,50	,000
g1_16	9,82	7,50	15,02	7,50	3,00	90,00	7,50	,000
g1_17	15,02	7,50	15,02	5,76	3,00	90,00	7,50	,000
g1_18	15,02	5,76	20,74	5,76	3,00	90,00	7,50	,000
g1_19	20,74	5,76	20,74	9,33	3,00	90,00	7,50	,000
g1_20	20,74	9,33	12,59	13,38	3,00	90,00	7,50	,000
g1_21	12,59	13,38	10,19	8,55	3,00	90,00	7,50	,000
g1_22	10,19	8,55	8,74	8,55	3,00	90,00	7,50	,000
g1_23	8,74	8,55	8,74	7,13	3,00	90,00	7,50	,000
g1_24	8,74	7,13	5,49	7,13	3,00	90,00	7,50	,000
g1_25	5,49	7,13	3,54	6,37	3,00	90,00	7,50	,000
g1_26	3,54	6,37	5,04	,90	3,00	90,00	7,50	,000
g1_27	5,04	,90	3,52	,65	3,00	90,00	7,50	,000
g1_28	3,52	,65	3,68	-1,58	3,00	90,00	7,50	,000
g1_29	3,68	-1,58	3,85	-3,81	3,00	90,00	7,50	,000
g1_30	3,85	-3,81	14,64	-3,81	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_31	12,37	13,49	8,43	15,46	3,00	90,00	7,50	,000
g1_32	8,43	15,46	,00	10,11	3,00	90,00	7,50	,000
g1_33	,00	10,11	2,04	6,05	3,00	90,00	7,50	,000
g1_34	2,04	6,05	5,44	7,38	3,00	90,00	7,50	,000
g1_35	5,44	7,38	8,54	7,39	3,00	90,00	7,50	,000
g1_36	8,54	7,39	8,54	8,76	3,00	90,00	7,50	,000
g1_37	8,54	8,76	9,65	8,76	3,00	90,00	7,50	,000
g1_38	9,65	8,76	9,65	10,10	3,00	90,00	7,50	,000
g1_39	9,65	10,10	10,68	10,10	3,00	90,00	7,50	,000
g1_40	10,68	10,10	12,37	13,49	3,00	90,00	7,50	,000
g2_1	14,89	-1,98	20,74	-1,98	3,00	90,00	10,50	,000
g2_2	20,74	-1,98	20,74	9,33	3,00	90,00	10,50	,000
g2_3	20,74	9,33	12,59	13,38	3,00	90,00	10,50	,000
g2_4	12,59	13,38	10,19	8,55	3,00	90,00	10,50	,000
g2_5	10,19	8,55	10,19	7,50	3,00	90,00	10,50	,000
g2_6	10,19	7,50	15,02	7,50	3,00	90,00	10,50	,000
g2_7	15,02	7,50	15,02	2,34	3,00	90,00	10,50	,000
g2_8	15,02	2,34	15,85	2,34	3,00	90,00	10,50	,000
g2_9	15,85	2,34	15,85	,79	3,00	90,00	10,50	,000
g2_10	15,85	,79	14,89	,79	3,00	90,00	10,50	,000
g2_11	14,89	,79	14,89	-1,98	3,00	90,00	10,50	,000
g2_12	12,37	13,49	8,43	15,46	3,00	90,00	10,50	,000
g2_13	8,43	15,46	,00	10,11	3,00	90,00	10,50	,000
g2_14	,00	10,11	2,04	6,05	3,00	90,00	10,50	,000
g2_15	2,04	6,05	3,47	6,61	3,00	90,00	10,50	,000
g2_16	3,47	6,61	5,04	,90	3,00	90,00	10,50	,000
g2_17	5,04	,90	3,52	,65	3,00	90,00	10,50	,000
g2_18	3,52	,65	3,85	-3,81	3,00	90,00	10,50	,000
g2_19	3,85	-3,81	14,64	-3,81	3,00	90,00	10,50	,000
g2_20	14,64	-3,81	14,64	-,92	3,00	90,00	10,50	,000
g2_21	14,64	-,92	14,10	-,92	3,00	90,00	10,50	,000
g2_22	14,10	-,92	14,10	,20	3,00	90,00	10,50	,000
g2_23	14,10	,20	14,64	,20	3,00	90,00	10,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_24	14,64	,20	14,64	1,92	3,00	90,00	10,50	,000
g2_25	14,64	1,92	9,82	1,92	3,00	90,00	10,50	,000
g2_26	9,82	1,92	9,82	8,55	3,00	90,00	10,50	,000
g2_27	9,82	8,55	9,65	8,55	3,00	90,00	10,50	,000
g2_28	9,65	8,55	9,65	10,10	3,00	90,00	10,50	,000
g2_29	9,65	10,10	10,68	10,10	3,00	90,00	10,50	,000
g2_30	10,68	10,10	12,37	13,49	3,00	90,00	10,50	,000
g3_1	14,89	-1,98	20,74	-1,98	3,00	90,00	13,50	,000
g3_2	20,74	-1,98	20,74	9,18	3,00	90,00	13,50	,000
g3_3	20,74	9,18	15,93	9,18	3,00	90,00	13,50	,000
g3_4	15,93	9,18	15,02	7,35	3,00	90,00	13,50	,000
g3_5	15,02	7,35	15,02	2,34	3,00	90,00	13,50	,000
g3_6	15,02	2,34	15,85	2,34	3,00	90,00	13,50	,000
g3_7	15,85	2,34	15,85	,79	3,00	90,00	13,50	,000
g3_8	15,85	,79	14,89	,79	3,00	90,00	13,50	,000
g3_9	14,89	,79	14,89	-1,98	3,00	90,00	13,50	,000
g3_10	14,64	-3,81	14,64	-,92	3,00	90,00	13,50	,000
g3_11	14,64	-,92	14,10	-,92	3,00	90,00	13,50	,000
g3_12	14,10	-,92	14,10	,20	3,00	90,00	13,50	,000
g3_13	14,10	,20	14,64	,20	3,00	90,00	13,50	,000
g3_14	14,64	,20	14,64	1,92	3,00	90,00	13,50	,000
g3_15	14,64	1,92	9,82	1,92	3,00	90,00	13,50	,000
g3_16	9,82	1,92	9,82	7,50	3,00	90,00	13,50	,000
g3_17	9,82	7,50	14,81	7,50	3,00	90,00	13,50	,000
g3_18	14,81	7,50	15,65	9,18	3,00	90,00	13,50	,000
g3_19	15,65	9,18	12,19	9,18	3,00	90,00	13,50	,000
g3_20	12,19	9,18	8,27	15,36	3,00	90,00	13,50	,000
g3_21	8,27	15,36	,00	10,11	3,00	90,00	13,50	,000
g3_22	,00	10,11	2,04	6,05	3,00	90,00	13,50	,000
g3_23	2,04	6,05	3,47	6,61	3,00	90,00	13,50	,000
g3_24	3,47	6,61	5,04	,90	3,00	90,00	13,50	,000
g3_25	5,04	,90	3,52	,65	3,00	90,00	13,50	,000
g3_26	3,52	,65	3,85	-3,81	3,00	90,00	13,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_27	3,85	-3,81	14,64	-3,81	3,00	90,00	13,50	,000

Behoort tot het bouwarchief

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_Garage_01	,10	3,00	8,10	2,54	,00	,00	Opgaand	g00_15	BC_garage
o_A01_01	,44	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_02	5,07	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_03	,10	,00	1,11	2,60	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_04	3,27	,54	1,11	2,06	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_05	,21	3,00	3,44	3,40	,00	,00	Opgaand	g0_6	BC_A-01_bg
o_A01_06	,10	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_07	3,25	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_08	,82	3,00	3,50	2,60	,00	,00	Opgaand	g0_8	BC_A-01_bg
o_A01_09	2,25	7,50	1,85	2,29	,00	,00	Opgaand	g1_31	BC_A-01_verd1
o_A01_10	,74	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_11	5,32	7,50	1,33	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_12	8,69	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_13	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A01_14	2,43	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A02_01	4,26	1,00	1,11	1,60	,00	,00	Opgaand	g00_2	BC_A-02_kelder
o_A02_02	1,09	,00	3,44	2,60	,00	,00	Opgaand	g00_3	BC_A-02_kelder
o_A02_03	,50	3,00	4,62	2,60	,00	,00	Opgaand	g0_17	BC_A-02_bg
o_A02_04	2,87	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_05	6,17	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_06	1,09	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_07	5,72	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_08	,42	7,50	1,57	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_09	4,28	7,50	1,16	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_10	1,95	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A02_11	5,64	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A03_01	1,06	7,50	3,24	2,29	,00	,00	Opgaand	g1_26	BC_A-03
o_A03_02	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_28	BC_A-03
o_A03_03	,20	7,50	1,97	2,29	,00	,00	Opgaand	g1_29	BC_A-03
o_A03_04	1,84	7,50	1,60	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_05	6,14	7,50	1,16	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_06	1,76	7,50	1,54	2,29	,00	,00	Opgaand	g1_19	BC_A-03
o_A03_07	,26	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A03_08	4,80	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A03_09	7,07	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A04_01	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_02	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_03	1,36	10,50	3,24	2,29	,00	,00	Opgaand	g2_16	BC_A-04
o_A04_04	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_05	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_06	1,84	10,50	1,60	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_07	6,14	10,50	1,16	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_08	2,25	10,50	1,85	2,29	,00	,00	Opgaand	g2_12	BC_A-04
o_A04_09	,74	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_10	5,32	10,50	1,33	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_11	8,69	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A05_01	2,17	10,50	3,46	2,29	,00	,00	Opgaand	g2_1	BC_A-05_verd2
o_A05_02	,10	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_03	3,81	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_04	9,51	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_05	,26	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_06	4,80	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_07	7,07	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_08	,44	13,50	5,17	2,29	,00	,00	Opgaand	g3_1	BC_A-05_verd3
o_A05_09	1,21	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_10	3,87	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_11	6,50	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_12	9,14	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_13	,77	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_14	2,02	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_15	3,27	13,50	1,07	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A06_01	2,99	13,50	1,07	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_02	4,32	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_03	5,58	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_04	,99	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_05	5,07	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A06_06	7,81	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_07	,97	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_08	2,42	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_09	1,36	13,50	3,24	2,29	,00	,00	Opgaand	g3_24	BC_A-06
o_A06_10	,94	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_11	2,39	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_12	,85	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_13	3,50	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_14	6,15	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06


2020-157_mpi_20220902_ber_Brandoverslag blok A_0007.jpg




2020-157_mpi_20220902_ber_Brandoverslag blok A_0008.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok A_0009.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok A_0010.jpg



BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_A-04		o_A06_14	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_14	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	7,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,7	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,9	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_13	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,0	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_12	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,9	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,4	Ok	920,9	1,22	10,30	11,26	156,0

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_A-04		o_A06_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,6	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,0	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,4	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,1	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,6	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
BC_A-04		o_A06_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,2	Ok	920,9	1,22	10,30	11,26	156,0

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-04	o_A06_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	12,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	10,0	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,0	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_04	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,1	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,6	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	9,7	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_05	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,7	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-04	o_A06_06	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,9	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_06	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	0,9	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,8	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,1	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,4	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,3	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,6	Ok	920,9	1,22	10,30	11,26	156,0
	BC_A-04	o_A06_03	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,8	Ok	920,9	1,22	10,30	11,26	156,0

Behoort tot het bouwarchief

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_garage	6,12	Ja	1,00	brandruimte	60	0,38		g00_15 g00_16 g00_17 g00_14
BC_A-01_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-01	g00_8 g00_9 g00_10 g00_11 g00_12 g00_13
BC_A-01_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-01	g0_6 g0_7 g0_8 g0_1 g0_2 g0_3 g0_4 g0_5
BC_A-01_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-01	g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40
BC_A-02_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-02	g00_2 g00_3 g00_4 g00_5 g00_6 g00_7 g00_1
BC_A-02_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-02	g0_18 g0_19 g0_9 g0_10 g0_11 g0_12 g0_13 g0_14 g0_15 g0_16 g0_17
BC_A-02_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-02	g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_1
BC_A-03	2,62	Ja	7,50	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_A-04	2,62	Ja	10,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30
BC_A-04								
BC_A-05_verd2	2,62	Ja	10,50	brandruimte	60	0,38	BC_A-05	g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11 g2_1
BC_A-05_verd3	2,62	Ja	13,50	brandruimte	60	0,38	BC_A-05	g3_1 g3_2 g3_3 g3_4 g3_5 g3_6 g3_7 g3_8 g3_9
BC_A-06	2,62	Ja	13,50	brandruimte	60	0,38		g3_19 g3_20 g3_21 g3_22 g3_23 g3_24 g3_25 g3_26 g3_27 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18
BC_A-06								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	16,32	,00	20,74	,00	3,00	90,00	,00	,000
g00_2	20,74	,00	20,74	7,58	3,00	90,00	,00	,000
g00_3	20,74	7,58	16,25	9,82	3,00	90,00	,00	,000
g00_4	16,25	9,82	15,02	7,35	3,00	90,00	,00	,000
g00_5	15,02	7,35	15,02	3,69	3,00	90,00	,00	,000
g00_6	15,02	3,69	16,32	3,69	3,00	90,00	,00	,000
g00_7	16,32	3,69	16,32	,00	3,00	90,00	,00	,000
g00_8	16,02	9,93	6,88	14,48	3,00	90,00	,00	,000
g00_9	6,88	14,48	,00	10,11	3,00	90,00	,00	,000
g00_10	,00	10,11	2,04	6,05	3,00	90,00	,00	,000
g00_11	2,04	6,05	5,44	7,38	3,00	90,00	,00	,000
g00_12	5,44	7,38	14,76	7,39	3,00	90,00	,00	,000
g00_13	14,76	7,39	16,02	9,93	3,00	90,00	,00	,000
g00_14	6,21	1,92	6,21	-3,81	6,50	90,00	1,00	,000
g00_15	6,21	-3,81	14,50	-3,81	6,50	90,00	1,00	,000
g00_16	14,50	-3,81	14,50	1,92	6,50	90,00	1,00	,000
g00_17	14,50	1,92	6,21	1,92	6,50	90,00	1,00	,000
g0_1	3,91	6,79	5,44	7,38	4,50	90,00	3,00	,000
g0_2	5,44	7,38	9,65	7,39	4,50	90,00	3,00	,000
g0_3	9,65	7,39	9,65	10,10	4,50	90,00	3,00	,000
g0_4	9,65	10,10	10,68	10,10	4,50	90,00	3,00	,000
g0_5	10,68	10,10	11,68	12,10	4,50	90,00	3,00	,000
g0_6	11,68	12,10	6,88	14,48	4,50	90,00	3,00	,000
g0_7	6,88	14,48	1,69	11,18	4,50	90,00	3,00	,000
g0_8	1,69	11,18	3,91	6,79	4,50	90,00	3,00	,000
g0_9	11,90	11,99	10,19	8,55	4,50	90,00	3,00	,000
g0_10	10,19	8,55	10,19	7,39	4,50	90,00	3,00	,000
g0_11	10,19	7,39	15,02	7,39	4,50	90,00	3,00	,000
g0_12	15,02	7,39	15,02	2,34	4,50	90,00	3,00	,000
g0_13	15,02	2,34	15,85	2,34	4,50	90,00	3,00	,000
g0_14	15,85	2,34	15,85	,79	4,50	90,00	3,00	,000
g0_15	15,85	,79	14,89	,79	4,50	90,00	3,00	,000
g0_16	14,89	,79	14,89	-1,98	4,50	90,00	3,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_17	14,89	-1,98	20,74	-1,98	4,50	90,00	3,00	,000
g0_18	20,74	-1,98	20,74	7,58	4,50	90,00	3,00	,000
g0_19	20,74	7,58	11,90	11,99	4,50	90,00	3,00	,000
g1_1	14,89	-3,81	20,74	-3,81	3,00	90,00	7,50	,000
g1_2	20,74	-3,81	20,74	5,56	3,00	90,00	7,50	,000
g1_3	20,74	5,56	15,02	5,56	3,00	90,00	7,50	,000
g1_4	15,02	5,56	15,02	2,34	3,00	90,00	7,50	,000
g1_5	15,02	2,34	15,85	2,34	3,00	90,00	7,50	,000
g1_6	15,85	2,34	15,85	,79	3,00	90,00	7,50	,000
g1_7	15,85	,79	14,89	,79	3,00	90,00	7,50	,000
g1_8	14,89	,79	14,89	-3,81	3,00	90,00	7,50	,000
g1_9	14,64	-3,81	14,64	-,92	3,00	90,00	7,50	,000
g1_10	14,64	-,92	14,10	-,92	3,00	90,00	7,50	,000
g1_11	14,10	-,92	14,10	,20	3,00	90,00	7,50	,000
g1_12	14,10	,20	14,64	,20	3,00	90,00	7,50	,000
g1_13	14,64	,20	14,64	1,92	3,00	90,00	7,50	,000
g1_14	14,64	1,92	9,82	1,92	3,00	90,00	7,50	,000
g1_15	9,82	1,92	9,82	7,50	3,00	90,00	7,50	,000
g1_16	9,82	7,50	15,02	7,50	3,00	90,00	7,50	,000
g1_17	15,02	7,50	15,02	5,76	3,00	90,00	7,50	,000
g1_18	15,02	5,76	20,74	5,76	3,00	90,00	7,50	,000
g1_19	20,74	5,76	20,74	9,33	3,00	90,00	7,50	,000
g1_20	20,74	9,33	12,59	13,38	3,00	90,00	7,50	,000
g1_21	12,59	13,38	10,19	8,55	3,00	90,00	7,50	,000
g1_22	10,19	8,55	8,74	8,55	3,00	90,00	7,50	,000
g1_23	8,74	8,55	8,74	7,13	3,00	90,00	7,50	,000
g1_24	8,74	7,13	5,49	7,13	3,00	90,00	7,50	,000
g1_25	5,49	7,13	3,54	6,37	3,00	90,00	7,50	,000
g1_26	3,54	6,37	5,04	,90	3,00	90,00	7,50	,000
g1_27	5,04	,90	3,52	,65	3,00	90,00	7,50	,000
g1_28	3,52	,65	3,68	-1,58	3,00	90,00	7,50	,000
g1_29	3,68	-1,58	3,85	-3,81	3,00	90,00	7,50	,000
g1_30	3,85	-3,81	14,64	-3,81	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_31	12,37	13,49	8,43	15,46	3,00	90,00	7,50	,000
g1_32	8,43	15,46	,00	10,11	3,00	90,00	7,50	,000
g1_33	,00	10,11	2,04	6,05	3,00	90,00	7,50	,000
g1_34	2,04	6,05	5,44	7,38	3,00	90,00	7,50	,000
g1_35	5,44	7,38	8,54	7,39	3,00	90,00	7,50	,000
g1_36	8,54	7,39	8,54	8,76	3,00	90,00	7,50	,000
g1_37	8,54	8,76	9,65	8,76	3,00	90,00	7,50	,000
g1_38	9,65	8,76	9,65	10,10	3,00	90,00	7,50	,000
g1_39	9,65	10,10	10,68	10,10	3,00	90,00	7,50	,000
g1_40	10,68	10,10	12,37	13,49	3,00	90,00	7,50	,000
g2_1	14,89	-1,98	20,74	-1,98	3,00	90,00	10,50	,000
g2_2	20,74	-1,98	20,74	9,33	3,00	90,00	10,50	,000
g2_3	20,74	9,33	12,59	13,38	3,00	90,00	10,50	,000
g2_4	12,59	13,38	10,19	8,55	3,00	90,00	10,50	,000
g2_5	10,19	8,55	10,19	7,50	3,00	90,00	10,50	,000
g2_6	10,19	7,50	15,02	7,50	3,00	90,00	10,50	,000
g2_7	15,02	7,50	15,02	2,34	3,00	90,00	10,50	,000
g2_8	15,02	2,34	15,85	2,34	3,00	90,00	10,50	,000
g2_9	15,85	2,34	15,85	,79	3,00	90,00	10,50	,000
g2_10	15,85	,79	14,89	,79	3,00	90,00	10,50	,000
g2_11	14,89	,79	14,89	-1,98	3,00	90,00	10,50	,000
g2_12	12,37	13,49	8,43	15,46	3,00	90,00	10,50	,000
g2_13	8,43	15,46	,00	10,11	3,00	90,00	10,50	,000
g2_14	,00	10,11	2,04	6,05	3,00	90,00	10,50	,000
g2_15	2,04	6,05	3,47	6,61	3,00	90,00	10,50	,000
g2_16	3,47	6,61	5,04	,90	3,00	90,00	10,50	,000
g2_17	5,04	,90	3,52	,65	3,00	90,00	10,50	,000
g2_18	3,52	,65	3,85	-3,81	3,00	90,00	10,50	,000
g2_19	3,85	-3,81	14,64	-3,81	3,00	90,00	10,50	,000
g2_20	14,64	-3,81	14,64	-,92	3,00	90,00	10,50	,000
g2_21	14,64	-,92	14,10	-,92	3,00	90,00	10,50	,000
g2_22	14,10	-,92	14,10	,20	3,00	90,00	10,50	,000
g2_23	14,10	,20	14,64	,20	3,00	90,00	10,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_24	14,64	,20	14,64	1,92	3,00	90,00	10,50	,000
g2_25	14,64	1,92	9,82	1,92	3,00	90,00	10,50	,000
g2_26	9,82	1,92	9,82	8,55	3,00	90,00	10,50	,000
g2_27	9,82	8,55	9,65	8,55	3,00	90,00	10,50	,000
g2_28	9,65	8,55	9,65	10,10	3,00	90,00	10,50	,000
g2_29	9,65	10,10	10,68	10,10	3,00	90,00	10,50	,000
g2_30	10,68	10,10	12,37	13,49	3,00	90,00	10,50	,000
g3_1	14,89	-1,98	20,74	-1,98	3,00	90,00	13,50	,000
g3_2	20,74	-1,98	20,74	9,18	3,00	90,00	13,50	,000
g3_3	20,74	9,18	15,93	9,18	3,00	90,00	13,50	,000
g3_4	15,93	9,18	15,02	7,35	3,00	90,00	13,50	,000
g3_5	15,02	7,35	15,02	2,34	3,00	90,00	13,50	,000
g3_6	15,02	2,34	15,85	2,34	3,00	90,00	13,50	,000
g3_7	15,85	2,34	15,85	,79	3,00	90,00	13,50	,000
g3_8	15,85	,79	14,89	,79	3,00	90,00	13,50	,000
g3_9	14,89	,79	14,89	-1,98	3,00	90,00	13,50	,000
g3_10	14,64	-3,81	14,64	-,92	3,00	90,00	13,50	,000
g3_11	14,64	-,92	14,10	-,92	3,00	90,00	13,50	,000
g3_12	14,10	-,92	14,10	,20	3,00	90,00	13,50	,000
g3_13	14,10	,20	14,64	,20	3,00	90,00	13,50	,000
g3_14	14,64	,20	14,64	1,92	3,00	90,00	13,50	,000
g3_15	14,64	1,92	9,82	1,92	3,00	90,00	13,50	,000
g3_16	9,82	1,92	9,82	7,50	3,00	90,00	13,50	,000
g3_17	9,82	7,50	14,81	7,50	3,00	90,00	13,50	,000
g3_18	14,81	7,50	15,65	9,18	3,00	90,00	13,50	,000
g3_19	15,65	9,18	12,19	9,18	3,00	90,00	13,50	,000
g3_20	12,19	9,18	8,27	15,36	3,00	90,00	13,50	,000
g3_21	8,27	15,36	,00	10,11	3,00	90,00	13,50	,000
g3_22	,00	10,11	2,04	6,05	3,00	90,00	13,50	,000
g3_23	2,04	6,05	3,47	6,61	3,00	90,00	13,50	,000
g3_24	3,47	6,61	5,04	,90	3,00	90,00	13,50	,000
g3_25	5,04	,90	3,52	,65	3,00	90,00	13,50	,000
g3_26	3,52	,65	3,85	-3,81	3,00	90,00	13,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_27	3,85	-3,81	14,64	-3,81	3,00	90,00	13,50	,000

Behoort tot het bouwarchief

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_Garage_01	,10	3,00	8,10	2,54	,00	,00	Opgaand	g00_15	BC_garage
o_A01_01	,44	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_02	5,07	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_03	,10	,00	1,11	2,60	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_04	3,27	,54	1,11	2,06	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_05	,21	3,00	3,44	3,40	,00	,00	Opgaand	g0_6	BC_A-01_bg
o_A01_06	,10	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_07	3,25	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_08	,82	3,00	3,50	2,60	,00	,00	Opgaand	g0_8	BC_A-01_bg
o_A01_09	2,25	7,50	1,85	2,29	,00	,00	Opgaand	g1_31	BC_A-01_verd1
o_A01_10	,74	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_11	5,32	7,50	1,33	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_12	8,69	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_13	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A01_14	2,43	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A02_01	4,26	1,00	1,11	1,60	,00	,00	Opgaand	g00_2	BC_A-02_kelder
o_A02_02	1,09	,00	3,44	2,60	,00	,00	Opgaand	g00_3	BC_A-02_kelder
o_A02_03	,50	3,00	4,62	2,60	,00	,00	Opgaand	g0_17	BC_A-02_bg
o_A02_04	2,87	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_05	6,17	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_06	1,09	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_07	5,72	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_08	,42	7,50	1,57	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_09	4,28	7,50	1,16	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_10	1,95	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A02_11	5,64	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A03_01	1,06	7,50	3,24	2,29	,00	,00	Opgaand	g1_26	BC_A-03
o_A03_02	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_28	BC_A-03
o_A03_03	,20	7,50	1,97	2,29	,00	,00	Opgaand	g1_29	BC_A-03
o_A03_04	1,84	7,50	1,60	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_05	6,14	7,50	1,16	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_06	1,76	7,50	1,54	2,29	,00	,00	Opgaand	g1_19	BC_A-03
o_A03_07	,26	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A03_08	4,80	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A03_09	7,07	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A04_01	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_02	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_03	1,36	10,50	3,24	2,29	,00	,00	Opgaand	g2_16	BC_A-04
o_A04_04	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_05	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_06	1,84	10,50	1,60	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_07	6,14	10,50	1,16	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_08	2,25	10,50	1,85	2,29	,00	,00	Opgaand	g2_12	BC_A-04
o_A04_09	,74	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_10	5,32	10,50	1,33	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_11	8,69	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A05_01	2,17	10,50	3,46	2,29	,00	,00	Opgaand	g2_1	BC_A-05_verd2
o_A05_02	,10	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_03	3,81	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_04	9,51	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_05	,26	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_06	4,80	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_07	7,07	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_08	,44	13,50	5,17	2,29	,00	,00	Opgaand	g3_1	BC_A-05_verd3
o_A05_09	1,21	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_10	3,87	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_11	6,50	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_12	9,14	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_13	,77	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_14	2,02	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_15	3,27	13,50	1,07	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A06_01	2,99	13,50	1,07	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_02	4,32	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_03	5,58	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_04	,99	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_05	5,07	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A06_06	7,81	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_07	,97	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_08	2,42	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_09	1,36	13,50	3,24	2,29	,00	,00	Opgaand	g3_24	BC_A-06
o_A06_10	,94	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_11	2,39	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_12	,85	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_13	3,50	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_14	6,15	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06


2020-157_mpi_20220902_ber_Brandoverslag blok A_0011.jpg




2020-157_mpi_20220902_ber_Brandoverslag blok A_0012.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok A_0013.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok A_0014.jpg



BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
BC_A-01		o_A02_07	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_A-01		o_A02_07	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
BC_A-01		o_A02_07	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	6,4	Ok					
BC_A-01		o_A02_07	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
BC_A-01		o_A02_07	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,9	Ok					
BC_A-01		o_A02_07	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	11,8	Ok					
BC_A-01		o_A02_07	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					
BC_A-01		o_A02_07	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	4,3	Ok					
BC_A-01		o_A02_07	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	8,4	Ok					
BC_A-01		o_A04_08	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
BC_A-01		o_A04_08	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_A-01		o_A04_08	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok					
BC_A-01		o_A04_08	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
BC_A-01		o_A04_08	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
BC_A-01		o_A04_08	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok					
BC_A-01		o_A04_08	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
BC_A-01		o_A04_08	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_A-01		o_A04_08	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok					
BC_A-01		o_A04_09	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
BC_A-01		o_A04_09	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_A-01		o_A04_09	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok					
BC_A-01		o_A04_09	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
BC_A-01		o_A04_09	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_A-01		o_A04_09	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok					
BC_A-01		o_A04_09	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
BC_A-01		o_A04_09	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
BC_A-01		o_A04_09	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok					
BC_A-01		o_A04_10	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
BC_A-01		o_A04_10	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
BC_A-01		o_A04_10	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,0	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO'S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-01	o_A04_10	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-01	o_A04_10	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_A-01	o_A04_10	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,6	Ok					
	BC_A-01	o_A04_10	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-01	o_A04_10	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_A-01	o_A04_10	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					
	BC_A-01	o_A04_11	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_A-01	o_A04_11	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,6	Ok					
	BC_A-01	o_A04_11	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,8	Ok					
	BC_A-01	o_A04_11	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_A-01	o_A04_11	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-01	o_A04_11	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,7	Ok					
	BC_A-01	o_A04_11	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_A-01	o_A04_11	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,5	Ok					
	BC_A-01	o_A04_11	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	2,6	Ok					
	BC_A-01	o_A04_01	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_A-01	o_A04_01	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					
	BC_A-01	o_A04_01	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					
	BC_A-01	o_A04_01	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-01	o_A04_01	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_A-01	o_A04_01	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok					
	BC_A-01	o_A04_01	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-01	o_A04_01	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_A-01	o_A04_01	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok					
	BC_A-01	o_A04_02	Linksboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-01	o_A04_02	Linksmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_A-01	o_A04_02	Linksonder	0,00	0,00	0,00	0,0	NEN6068_2020	4,8	Ok					
	BC_A-01	o_A04_02	Middenboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,3	Ok					
	BC_A-01	o_A04_02	Middenmidden	0,00	0,00	0,00	0,0	NEN6068_2020	1,0	Ok					
	BC_A-01	o_A04_02	Middenonder	0,00	0,00	0,00	0,0	NEN6068_2020	5,5	Ok					
	BC_A-01	o_A04_02	Rechtsboven	0,00	0,00	0,00	0,0	NEN6068_2020	0,2	Ok					
	BC_A-01	o_A04_02	Rechtsmidden	0,00	0,00	0,00	0,0	NEN6068_2020	0,7	Ok					

Behoort tot het bouwarchief

BRANDSCENARIO"S

Naam	Brand	Opening	Positie	Rechts	Omhoog	Terug	Hoek	Versie	kW/m2	Beoordeling	Tf	R	Deff	Hn	Opp
	BC_A-01	o_A04_02	Rechtsonder	0,00	0,00	0,00	0,0	NEN6068_2020	3,1	Ok					

Behoort tot het bouwarchief

BRANDRUIMTEN

Naam	Hoog	Gereduceerd	Nivo	Ruimtesoort	WBDBO	Plafond	Samen	Blok
BC_garage	6,12	Ja	1,00	brandruimte	60	0,38		g00_15 g00_16 g00_17 g00_14
BC_A-01_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-01	g00_8 g00_9 g00_10 g00_11 g00_12 g00_13
BC_A-01_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-01	g0_6 g0_7 g0_8 g0_1 g0_2 g0_3 g0_4 g0_5
BC_A-01_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-01	g1_31 g1_32 g1_33 g1_34 g1_35 g1_36 g1_37 g1_38 g1_39 g1_40
BC_A-02_kelder	2,62	Ja	0,00	brandruimte	60	0,38	BC_A-02	g00_2 g00_3 g00_4 g00_5 g00_6 g00_7 g00_1
BC_A-02_bg	4,12	Ja	3,00	brandruimte	60	0,38	BC_A-02	g0_18 g0_19 g0_9 g0_10 g0_11 g0_12 g0_13 g0_14 g0_15 g0_16 g0_17
BC_A-02_verd1	2,62	Ja	7,50	brandruimte	60	0,38	BC_A-02	g1_2 g1_3 g1_4 g1_5 g1_6 g1_7 g1_8 g1_1
BC_A-03	2,62	Ja	7,50	brandruimte	60	0,38		g1_19 g1_20 g1_21 g1_22 g1_23 g1_24 g1_25 g1_26 g1_27 g1_28 g1_29 g1_30 g1_9 g1_10 g1_11 g1_12 g1_13 g1_14 g1_15 g1_16 g1_17 g1_18
BC_A-04	2,62	Ja	10,50	brandruimte	60	0,38		g2_12 g2_13 g2_14 g2_15 g2_16 g2_17 g2_18 g2_19 g2_20 g2_21 g2_22 g2_23 g2_24 g2_25 g2_26 g2_27 g2_28 g2_29 g2_30
BC_A-04								
BC_A-05_verd2	2,62	Ja	10,50	brandruimte	60	0,38	BC_A-05	g2_2 g2_3 g2_4 g2_5 g2_6 g2_7 g2_8 g2_9 g2_10 g2_11 g2_1
BC_A-05_verd3	2,62	Ja	13,50	brandruimte	60	0,38	BC_A-05	g3_1 g3_2 g3_3 g3_4 g3_5 g3_6 g3_7 g3_8 g3_9
BC_A-06	2,62	Ja	13,50	brandruimte	60	0,38		g3_19 g3_20 g3_21 g3_22 g3_23 g3_24 g3_25 g3_26 g3_27 g3_10 g3_11 g3_12 g3_13 g3_14 g3_15 g3_16 g3_17 g3_18
BC_A-06								

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g00_1	16,32	,00	20,74	,00	3,00	90,00	,00	,000
g00_2	20,74	,00	20,74	7,58	3,00	90,00	,00	,000
g00_3	20,74	7,58	16,25	9,82	3,00	90,00	,00	,000
g00_4	16,25	9,82	15,02	7,35	3,00	90,00	,00	,000
g00_5	15,02	7,35	15,02	3,69	3,00	90,00	,00	,000
g00_6	15,02	3,69	16,32	3,69	3,00	90,00	,00	,000
g00_7	16,32	3,69	16,32	,00	3,00	90,00	,00	,000
g00_8	16,02	9,93	6,88	14,48	3,00	90,00	,00	,000
g00_9	6,88	14,48	,00	10,11	3,00	90,00	,00	,000
g00_10	,00	10,11	2,04	6,05	3,00	90,00	,00	,000
g00_11	2,04	6,05	5,44	7,38	3,00	90,00	,00	,000
g00_12	5,44	7,38	14,76	7,39	3,00	90,00	,00	,000
g00_13	14,76	7,39	16,02	9,93	3,00	90,00	,00	,000
g00_14	6,21	1,92	6,21	-3,81	6,50	90,00	1,00	,000
g00_15	6,21	-3,81	14,50	-3,81	6,50	90,00	1,00	,000
g00_16	14,50	-3,81	14,50	1,92	6,50	90,00	1,00	,000
g00_17	14,50	1,92	6,21	1,92	6,50	90,00	1,00	,000
g0_1	3,91	6,79	5,44	7,38	4,50	90,00	3,00	,000
g0_2	5,44	7,38	9,65	7,39	4,50	90,00	3,00	,000
g0_3	9,65	7,39	9,65	10,10	4,50	90,00	3,00	,000
g0_4	9,65	10,10	10,68	10,10	4,50	90,00	3,00	,000
g0_5	10,68	10,10	11,68	12,10	4,50	90,00	3,00	,000
g0_6	11,68	12,10	6,88	14,48	4,50	90,00	3,00	,000
g0_7	6,88	14,48	1,69	11,18	4,50	90,00	3,00	,000
g0_8	1,69	11,18	3,91	6,79	4,50	90,00	3,00	,000
g0_9	11,90	11,99	10,19	8,55	4,50	90,00	3,00	,000
g0_10	10,19	8,55	10,19	7,39	4,50	90,00	3,00	,000
g0_11	10,19	7,39	15,02	7,39	4,50	90,00	3,00	,000
g0_12	15,02	7,39	15,02	2,34	4,50	90,00	3,00	,000
g0_13	15,02	2,34	15,85	2,34	4,50	90,00	3,00	,000
g0_14	15,85	2,34	15,85	,79	4,50	90,00	3,00	,000
g0_15	15,85	,79	14,89	,79	4,50	90,00	3,00	,000
g0_16	14,89	,79	14,89	-1,98	4,50	90,00	3,00	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g0_17	14,89	-1,98	20,74	-1,98	4,50	90,00	3,00	,000
g0_18	20,74	-1,98	20,74	7,58	4,50	90,00	3,00	,000
g0_19	20,74	7,58	11,90	11,99	4,50	90,00	3,00	,000
g1_1	14,89	-3,81	20,74	-3,81	3,00	90,00	7,50	,000
g1_2	20,74	-3,81	20,74	5,56	3,00	90,00	7,50	,000
g1_3	20,74	5,56	15,02	5,56	3,00	90,00	7,50	,000
g1_4	15,02	5,56	15,02	2,34	3,00	90,00	7,50	,000
g1_5	15,02	2,34	15,85	2,34	3,00	90,00	7,50	,000
g1_6	15,85	2,34	15,85	,79	3,00	90,00	7,50	,000
g1_7	15,85	,79	14,89	,79	3,00	90,00	7,50	,000
g1_8	14,89	,79	14,89	-3,81	3,00	90,00	7,50	,000
g1_9	14,64	-3,81	14,64	-,92	3,00	90,00	7,50	,000
g1_10	14,64	-,92	14,10	-,92	3,00	90,00	7,50	,000
g1_11	14,10	-,92	14,10	,20	3,00	90,00	7,50	,000
g1_12	14,10	,20	14,64	,20	3,00	90,00	7,50	,000
g1_13	14,64	,20	14,64	1,92	3,00	90,00	7,50	,000
g1_14	14,64	1,92	9,82	1,92	3,00	90,00	7,50	,000
g1_15	9,82	1,92	9,82	7,50	3,00	90,00	7,50	,000
g1_16	9,82	7,50	15,02	7,50	3,00	90,00	7,50	,000
g1_17	15,02	7,50	15,02	5,76	3,00	90,00	7,50	,000
g1_18	15,02	5,76	20,74	5,76	3,00	90,00	7,50	,000
g1_19	20,74	5,76	20,74	9,33	3,00	90,00	7,50	,000
g1_20	20,74	9,33	12,59	13,38	3,00	90,00	7,50	,000
g1_21	12,59	13,38	10,19	8,55	3,00	90,00	7,50	,000
g1_22	10,19	8,55	8,74	8,55	3,00	90,00	7,50	,000
g1_23	8,74	8,55	8,74	7,13	3,00	90,00	7,50	,000
g1_24	8,74	7,13	5,49	7,13	3,00	90,00	7,50	,000
g1_25	5,49	7,13	3,54	6,37	3,00	90,00	7,50	,000
g1_26	3,54	6,37	5,04	,90	3,00	90,00	7,50	,000
g1_27	5,04	,90	3,52	,65	3,00	90,00	7,50	,000
g1_28	3,52	,65	3,68	-1,58	3,00	90,00	7,50	,000
g1_29	3,68	-1,58	3,85	-3,81	3,00	90,00	7,50	,000
g1_30	3,85	-3,81	14,64	-3,81	3,00	90,00	7,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g1_31	12,37	13,49	8,43	15,46	3,00	90,00	7,50	,000
g1_32	8,43	15,46	,00	10,11	3,00	90,00	7,50	,000
g1_33	,00	10,11	2,04	6,05	3,00	90,00	7,50	,000
g1_34	2,04	6,05	5,44	7,38	3,00	90,00	7,50	,000
g1_35	5,44	7,38	8,54	7,39	3,00	90,00	7,50	,000
g1_36	8,54	7,39	8,54	8,76	3,00	90,00	7,50	,000
g1_37	8,54	8,76	9,65	8,76	3,00	90,00	7,50	,000
g1_38	9,65	8,76	9,65	10,10	3,00	90,00	7,50	,000
g1_39	9,65	10,10	10,68	10,10	3,00	90,00	7,50	,000
g1_40	10,68	10,10	12,37	13,49	3,00	90,00	7,50	,000
g2_1	14,89	-1,98	20,74	-1,98	3,00	90,00	10,50	,000
g2_2	20,74	-1,98	20,74	9,33	3,00	90,00	10,50	,000
g2_3	20,74	9,33	12,59	13,38	3,00	90,00	10,50	,000
g2_4	12,59	13,38	10,19	8,55	3,00	90,00	10,50	,000
g2_5	10,19	8,55	10,19	7,50	3,00	90,00	10,50	,000
g2_6	10,19	7,50	15,02	7,50	3,00	90,00	10,50	,000
g2_7	15,02	7,50	15,02	2,34	3,00	90,00	10,50	,000
g2_8	15,02	2,34	15,85	2,34	3,00	90,00	10,50	,000
g2_9	15,85	2,34	15,85	,79	3,00	90,00	10,50	,000
g2_10	15,85	,79	14,89	,79	3,00	90,00	10,50	,000
g2_11	14,89	,79	14,89	-1,98	3,00	90,00	10,50	,000
g2_12	12,37	13,49	8,43	15,46	3,00	90,00	10,50	,000
g2_13	8,43	15,46	,00	10,11	3,00	90,00	10,50	,000
g2_14	,00	10,11	2,04	6,05	3,00	90,00	10,50	,000
g2_15	2,04	6,05	3,47	6,61	3,00	90,00	10,50	,000
g2_16	3,47	6,61	5,04	,90	3,00	90,00	10,50	,000
g2_17	5,04	,90	3,52	,65	3,00	90,00	10,50	,000
g2_18	3,52	,65	3,85	-3,81	3,00	90,00	10,50	,000
g2_19	3,85	-3,81	14,64	-3,81	3,00	90,00	10,50	,000
g2_20	14,64	-3,81	14,64	-,92	3,00	90,00	10,50	,000
g2_21	14,64	-,92	14,10	-,92	3,00	90,00	10,50	,000
g2_22	14,10	-,92	14,10	,20	3,00	90,00	10,50	,000
g2_23	14,10	,20	14,64	,20	3,00	90,00	10,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g2_24	14,64	,20	14,64	1,92	3,00	90,00	10,50	,000
g2_25	14,64	1,92	9,82	1,92	3,00	90,00	10,50	,000
g2_26	9,82	1,92	9,82	8,55	3,00	90,00	10,50	,000
g2_27	9,82	8,55	9,65	8,55	3,00	90,00	10,50	,000
g2_28	9,65	8,55	9,65	10,10	3,00	90,00	10,50	,000
g2_29	9,65	10,10	10,68	10,10	3,00	90,00	10,50	,000
g2_30	10,68	10,10	12,37	13,49	3,00	90,00	10,50	,000
g3_1	14,89	-1,98	20,74	-1,98	3,00	90,00	13,50	,000
g3_2	20,74	-1,98	20,74	9,18	3,00	90,00	13,50	,000
g3_3	20,74	9,18	15,93	9,18	3,00	90,00	13,50	,000
g3_4	15,93	9,18	15,02	7,35	3,00	90,00	13,50	,000
g3_5	15,02	7,35	15,02	2,34	3,00	90,00	13,50	,000
g3_6	15,02	2,34	15,85	2,34	3,00	90,00	13,50	,000
g3_7	15,85	2,34	15,85	,79	3,00	90,00	13,50	,000
g3_8	15,85	,79	14,89	,79	3,00	90,00	13,50	,000
g3_9	14,89	,79	14,89	-1,98	3,00	90,00	13,50	,000
g3_10	14,64	-3,81	14,64	-,92	3,00	90,00	13,50	,000
g3_11	14,64	-,92	14,10	-,92	3,00	90,00	13,50	,000
g3_12	14,10	-,92	14,10	,20	3,00	90,00	13,50	,000
g3_13	14,10	,20	14,64	,20	3,00	90,00	13,50	,000
g3_14	14,64	,20	14,64	1,92	3,00	90,00	13,50	,000
g3_15	14,64	1,92	9,82	1,92	3,00	90,00	13,50	,000
g3_16	9,82	1,92	9,82	7,50	3,00	90,00	13,50	,000
g3_17	9,82	7,50	14,81	7,50	3,00	90,00	13,50	,000
g3_18	14,81	7,50	15,65	9,18	3,00	90,00	13,50	,000
g3_19	15,65	9,18	12,19	9,18	3,00	90,00	13,50	,000
g3_20	12,19	9,18	8,27	15,36	3,00	90,00	13,50	,000
g3_21	8,27	15,36	,00	10,11	3,00	90,00	13,50	,000
g3_22	,00	10,11	2,04	6,05	3,00	90,00	13,50	,000
g3_23	2,04	6,05	3,47	6,61	3,00	90,00	13,50	,000
g3_24	3,47	6,61	5,04	,90	3,00	90,00	13,50	,000
g3_25	5,04	,90	3,52	,65	3,00	90,00	13,50	,000
g3_26	3,52	,65	3,85	-3,81	3,00	90,00	13,50	,000

GEVELS

Naam	LO_x	LO_y	RO_x	RO_y	Hoogte	Hoek	Omhoog	Wanddikte
g3_27	3,85	-3,81	14,64	-3,81	3,00	90,00	13,50	,000

Behoort tot het bouwarchief

OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_Garage_01	,10	3,00	8,10	2,54	,00	,00	Opgaand	g00_15	BC_garage
o_A01_01	,44	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_02	5,07	,00	3,44	2,60	,00	,00	Opgaand	g00_8	BC_A-01_kelder
o_A01_03	,10	,00	1,11	2,60	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_04	3,27	,54	1,11	2,06	,00	,00	Opgaand	g00_9	BC_A-01_kelder
o_A01_05	,21	3,00	3,44	3,40	,00	,00	Opgaand	g0_6	BC_A-01_bg
o_A01_06	,10	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_07	3,25	3,00	1,11	3,40	,00	,00	Opgaand	g0_7	BC_A-01_bg
o_A01_08	,82	3,00	3,50	2,60	,00	,00	Opgaand	g0_8	BC_A-01_bg
o_A01_09	2,25	7,50	1,85	2,29	,00	,00	Opgaand	g1_31	BC_A-01_verd1
o_A01_10	,74	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_11	5,32	7,50	1,33	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_12	8,69	7,50	,90	2,29	,00	,00	Opgaand	g1_32	BC_A-01_verd1
o_A01_13	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A01_14	2,43	7,50	1,97	2,29	,00	,00	Opgaand	g1_33	BC_A-01_verd1
o_A02_01	4,26	1,00	1,11	1,60	,00	,00	Opgaand	g00_2	BC_A-02_kelder
o_A02_02	1,09	,00	3,44	2,60	,00	,00	Opgaand	g00_3	BC_A-02_kelder
o_A02_03	,50	3,00	4,62	2,60	,00	,00	Opgaand	g0_17	BC_A-02_bg
o_A02_04	2,87	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_05	6,17	3,00	1,15	3,40	,00	,00	Opgaand	g0_18	BC_A-02_bg
o_A02_06	1,09	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_07	5,72	3,00	3,44	3,40	,00	,00	Opgaand	g0_19	BC_A-02_bg
o_A02_08	,42	7,50	1,57	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_09	4,28	7,50	1,16	2,29	,00	,00	Opgaand	g1_1	BC_A-02_verd1
o_A02_10	1,95	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A02_11	5,64	7,50	1,55	2,29	,00	,00	Opgaand	g1_2	BC_A-02_verd1
o_A03_01	1,06	7,50	3,24	2,29	,00	,00	Opgaand	g1_26	BC_A-03
o_A03_02	,10	7,50	1,97	2,29	,00	,00	Opgaand	g1_28	BC_A-03
o_A03_03	,20	7,50	1,97	2,29	,00	,00	Opgaand	g1_29	BC_A-03
o_A03_04	1,84	7,50	1,60	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_05	6,14	7,50	1,16	2,29	,00	,00	Opgaand	g1_30	BC_A-03
o_A03_06	1,76	7,50	1,54	2,29	,00	,00	Opgaand	g1_19	BC_A-03
o_A03_07	,26	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A03_08	4,80	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A03_09	7,07	7,50	1,84	2,29	,00	,00	Opgaand	g1_20	BC_A-03
o_A04_01	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_02	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_14	BC_A-04
o_A04_03	1,36	10,50	3,24	2,29	,00	,00	Opgaand	g2_16	BC_A-04
o_A04_04	,10	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_05	2,43	10,50	1,97	2,29	,00	,00	Opgaand	g2_18	BC_A-04
o_A04_06	1,84	10,50	1,60	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_07	6,14	10,50	1,16	2,29	,00	,00	Opgaand	g2_19	BC_A-04
o_A04_08	2,25	10,50	1,85	2,29	,00	,00	Opgaand	g2_12	BC_A-04
o_A04_09	,74	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_10	5,32	10,50	1,33	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A04_11	8,69	10,50	,90	2,29	,00	,00	Opgaand	g2_13	BC_A-04
o_A05_01	2,17	10,50	3,46	2,29	,00	,00	Opgaand	g2_1	BC_A-05_verd2
o_A05_02	,10	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_03	3,81	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_04	9,51	10,50	1,55	2,29	,00	,00	Opgaand	g2_2	BC_A-05_verd2
o_A05_05	,26	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_06	4,80	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_07	7,07	10,50	1,84	2,29	,00	,00	Opgaand	g2_3	BC_A-05_verd2
o_A05_08	,44	13,50	5,17	2,29	,00	,00	Opgaand	g3_1	BC_A-05_verd3
o_A05_09	1,21	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_10	3,87	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_11	6,50	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_12	9,14	13,50	1,03	2,29	,00	,00	Opgaand	g3_2	BC_A-05_verd3
o_A05_13	,77	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_14	2,02	13,50	1,00	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A05_15	3,27	13,50	1,07	2,29	,00	,00	Opgaand	g3_3	BC_A-05_verd3
o_A06_01	2,99	13,50	1,07	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_02	4,32	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_03	5,58	13,50	1,00	2,29	,00	,00	Opgaand	g3_20	BC_A-06
o_A06_04	,99	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_05	5,07	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06


OPENINGEN

Naam	Rechts	Omhoog	Breedte	Hoogte	Brandwerend	Balkon/Overstek	Opgaand/type	Gevel(s)	Brandruimte
o_A06_06	7,81	13,50	1,14	2,29	,00	,00	Opgaand	g3_21	BC_A-06
o_A06_07	,97	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_08	2,42	13,50	1,14	2,29	,00	,00	Opgaand	g3_22	BC_A-06
o_A06_09	1,36	13,50	3,24	2,29	,00	,00	Opgaand	g3_24	BC_A-06
o_A06_10	,94	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_11	2,39	13,50	1,14	2,29	,00	,00	Opgaand	g3_26	BC_A-06
o_A06_12	,85	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_13	3,50	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06
o_A06_14	6,15	13,50	1,04	2,29	,00	,00	Opgaand	g3_27	BC_A-06

2020-157_mpi_20220902_ber_Brandoverslag blok A_0001.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok A_0002.jpg



2020-157_mpi_20220902_ber_Brandoverslag blok A_0003.jpg

